

Brilliant everyday colour

Colour printing has never been so easy and so affordable. Compact, seamlessly connected and effortlessly productive, these desktop devices put colour within easy reach.

Impressive quality and performance

- Vibrant colour output
- Fast 25 ppm throughput
- Easy wireless connection
- Space-saving design

Perfect for small offices with demanding print requirements, they will save space without compromising on quality or performance. To keep pace with demand, vibrant colour and black and white output is delivered at 25 pages per minute. And, with Near Field Communication (NFC) making connection as easy as tap and go, brilliant everyday colour really is within everyone's reach.

Intuitive touchscreen operation

- Printer and/or 4-in-1 MFP
- Colour touchscreen panel
- Fast, single-pass scanner
- Optional 2nd paper tray

No matter what your print environment, P C300W and M C250FWB will fit the bill. They support Windows, Mac and Linux, and with AirPrint, Mopria and Google Cloud Print standard features, it is simple to print from and scan to smartphones and tablets. Indeed, with WiFi Direct and Near Field Communication built in, joining a network is as easy as tap and go. Reliably meeting demanding workgroup requirements, these compact and affordable solutions transform everyday document processes.



Making it easy for you to select the right technology, Ricoh offers single and multi-function versions of the same print engine. The 4-in-1 M C250FWB combines print, copy, scan and fax functionality. Its colour touchscreen panel simplifies operation and, using the Single Pass Document Feeder (SPDF), double-sided originals can be scanned simply in a single pass. The optional second paper tray increases capacity and allows different paper sizes and types to be held inline ready for use.

Easy mobile and WiFi interaction

- Reliable print technology
- Windows, Mac and Linux
- AirPrint, Mopria and GCP
- Near Field Communication



RICOH M C250FWB/ RICOH P C300W

MAIN SPECIFICATIONS

	RICOH M C250FWB		RICOH P C300W
Configuration		Desktop	
Technology		Laser	
Warm-up time		20 seconds	
First output speed: B/W		9.4 seconds	
First output speed: full colour		9.8 seconds	
Continuous output speed		25 ppm	
Memory: standard		256 MB	
Memory: maximum		256 MB	
SPDF capacity	50 sheets		-
Duty cycle		30,000	
Duplex		Yes	
Weight	30 kg		25 kg
Dimensions: W x D x H	420 x 493 x 473 mm		400 x 450 x 334 mm
Power source		220 - 240 V, 50/60 Hz	
COPIER (RICOH M C250FWB)			
Multiple copying	Up to 99 copies		-
Zoom	From 25% to 400% in 1% steps		-
ID card copy	Yes		-
PRINTER			
Intel® Apollo Lake Processor			
GHz			
Printing process	Laser beam scanning, electro-photographic printing		
Printer language: standard	PCL5c		
	PCL6		
	PostScript® 3™		
Print resolution	Maximum:2,400 x 600 dpi		
Font	Standard:PCL (80 fonts), PS3 (80 fonts)		
Network interface: standard	Ethernet 10 base-T/100 base-TX		
	Wireless LAN (IEEE 802.11 a/b/g/n/ac)		
	USB 2.0		
Mobile printing capability	Apple AirPrint™ Mooria		
	Mopria Google Cloud Print		
Windows® environments	Windows® 7		
	Windows® 8.1		
	Windows® 10		
	Windows® Server 2008		
	Windows® Server 2008R2		
	Windows® Server 2012		
	Windows® Server 2012R2 Windows® Server 2016		
Mac OS environments	Macintosh OS X v10.10 - v10.13		
Other supported environments	Linux environment		
	Linux environment		
SCANNER (RICOH M C250FWE	3)		
Scapping: B/M	21 inm		
Scanning: B/W Scanning: full colour	21 ipm 12 inm		-
Scanning: B/W Scanning: full colour Resolution: maximum	12 ipm		-
Scanning: full colour			- - -
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers	12 ipm 19,200 dpi 600 dpi Network TWAIN		- - - -
Scanning: full colour Resolution: maximum Resolution: standard	12 ipm 19,200 dpi 600 dpi		- - - - -
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers	12 ipm 19,200 dpi 600 dpi Network TWAIN		- - - - - -
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB)	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB		- - - - - -
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB) Circuit	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB PSTN,PBX		- - - - - - -
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB) Circuit Compatibility	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB PSTN,PBX ITU-T(T.37) Internet-Fax		- - - - - - - - - - - - -
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB) Circuit	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB PSTN,PBX		- - - - - - - - - - - - - -
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB) Circuit Compatibility Transmission speed Modem speed: maximum Internet fax	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB PSTN,PBX ITU-T(T.37) Internet-Fax 3 seconds 33.6 Kbps Standard		- - - - - - - - - - - - - - - -
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB) Circuit Compatibility Transmission speed Modem speed: maximum	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB PSTN,PBX ITU-T(T.37) Internet-Fax 3 seconds 33.6 Kbps		- - - - - - - - - - - - - - - - - - -
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB) Circuit Compatibility Transmission speed Modem speed: maximum Internet fax	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB PSTN,PBX ITU-T(T.37) Internet-Fax 3 seconds 33.6 Kbps Standard		- - - - - - - - - - - - - - -
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB) Circuit Compatibility Transmission speed Modem speed: maximum Internet fax LAN fax PAPER HANDLING	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB ITU-T(T.37) Internet-Fax 3 seconds 33.6 Kbps Standard Standard		- - - - - - - - - - - - - - - - - -
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB) Circuit Compatibility Transmission speed Modem speed: maximum Internet fax LAN fax	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB PSTN,PBX ITU-T(T.37) Internet-Fax 3 seconds 33.6 Kbps Standard Standard		
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB) Circuit Compatibility Transmission speed Modem speed: maximum Internet fax LAN fax PAPER HANDLING	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB PSTN,PBX ITU-T(T.37) Internet-Fax 3 seconds 33.6 Kbps Standard Standard Standard		- - - - - - - - - - - - - -
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB) Circuit Compatibility Transmission speed Modem speed: maximum Internet fax LAN fax PAPER HANDLING	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB PSTN,PBX ITU-T(T.37) Internet-Fax 3 seconds 33.6 Kbps Standard Standard		
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB) Circuit Compatibility Transmission speed Modern speed: maximum Internet fax LAN fax PAPER HANDLING Recommended paper size	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB PSTN,PBX ITU-T(T.37) Internet-Fax 3 seconds 33.6 Kbps Standard Standard A4 A5 A6		
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB) Circuit Compatibility Transmission speed Modern speed: maximum Internet fax LAN fax PAPER HANDLING Recommended paper size Paper input: standard	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB		
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB) Circuit Compatibility Transmission speed Modem speed: maximum Internet fax LAN fax PAPER HANDLING Recommended paper size Paper input: standard Paper input: bypass	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB PSTN,PBX ITU-T(T.37) Internet-Fax 3 seconds 33.6 Kbps Standard Standard Standard Standard Standard Standard 1 sheets		
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB) Circuit Compatibility Transmission speed Modem speed: maximum Internet fax LAN fax PAPER HANDLING Recommended paper size Paper input: standard Paper input: bypass Paper input: maximum	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB PSTN,PBX ITU-T(T.37) Internet-Fax 3 seconds 33.6 Kbps Standard Standard Standard Standard Standard Standard Standard Standard Standard Standard Standard		
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB) Circuit Compatibility Transmission speed Modem speed: maximum Internet fax LAN fax PAPER HANDLING Recommended paper size Paper input: standard Paper input: bypass Paper input: maximum Paper output: standard	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB PSTN,PBX ITU-T(T.37) Internet-Fax 3 seconds 3 seconds 5 seconds		
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB) Circuit Compatibility Transmission speed Modem speed: maximum Internet fax LAN fax PAPER HANDLING Recommended paper size Paper input: standard Paper input: bypass Paper input: maximum	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB PSTN,PBX ITU-T(T.37) Internet-Fax 3 seconds 33.6 Kbps Standard Standard Standard Standard Standard Standard Standard 1 sheets 1 sheets 150 sheets Trays:60 - 163 g/m ²		
Scanning: full colour Resolution: maximum Resolution: standard Bundled drivers Scan modes FAX (RICOH M C250FWB) Circuit Compatibility Transmission speed Modem speed: maximum Internet fax LAN fax PAPER HANDLING Recommended paper size Paper input: standard Paper input: bypass Paper input: maximum Paper output: standard	12 ipm 19,200 dpi 600 dpi Network TWAIN E-mail,Folder,USB PSTN,PBX ITU-T(T.37) Internet-Fax 3 seconds 3 seconds 5 seconds		

RICOH M C250FWB/ RICOH P C300W

MAIN SPECIFICATIONS

OLOGY	I	RICOH M C250FWB		RICOH P C300W		
ower consumption: max.			Less than 1,300 W		Windows10	W
EC		0.31 kWh		0.3 kWh	Compatible	
UTPUT TRAYS AND FINISHI	ER OPTIONS					17
x 500-sheet paper tray					mopria	
ONSUMABLES						
tarter toner	Black: 1,000 prints Cyan: 1,000 prints Magenta: 1,000 prints Yellow: 1,000 prints					Ę
oner (black)	2,300 prints					
oner (cyan)	2,300 prints					
oner (magenta)	2,300 prints					
Foner (yellow)	2,300 prints					
Consumable yield measuring nethod ISO/IEC 19798						



