Fujitsu recommends Windows 10 Pro for business.



Data Sheet FUJITSU Notebook LIFEBOOK E5411

Your Powerful and Modern Business Device

The FUJITSU Notebook LIFEBOOK E5411 is designed for office workers needing a powerful, fullyequipped notebook. Thanks to the 11th generation Intel® Core™ processor you can work efficiently wherever you are. The advanced security features like PalmSecure™ are protecting your business data against unauthorized access. Modern Standby provides you an instantly ready and always connected notebook.

Modern and robust design

Reliable mobility, ease of use and modern good looks for everyday business demands

- Slim 23.9 mm entry notebook starting at 1.79 kg with a solid design
- Enjoy an ergonomic viewing experience with a 14.0-inch outdoor friendly anti-glare FHD display
- With optional touch or non-touch screen
- Long Lifecycle with 24 months

Reliable and secure performance

Protect your business data from unauthorized access at all times

- Integrated PalmSecure[™] or finger print sensor
- Infrared Camera: Allows face recognition with Windows Hello
- Intel® Iris® Xe Graphics
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader and TPM 2.0

Best in class connectivity

Be flexible and stay productive anywhere, anytime

- Compact and versatile Intel® Thunderbolt™ 4 USB Type-C connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of ports with a full-sized HDMI, VGA and LAN connector and USB Type-C
- Based on the latest QuadCore Intel processor, enabling data to be processed faster

Convenient serviceability and upgradeability

Easy access to key components reduces upgrade time and costs

■ Battery, memory, internal storage and connectivity components can be changed with ease

Long-term stable platform

Protect your investments and be ready for shared desk concepts

■ This LIFEBOOK E5 Series provides an extraordinary guaranteed product lifecycle of 24 months.















Components

Operating systems Operating system pre-installed Operating system notes	Windows 10 Pro. Fujitsu recommends Windows 10 Pro for business. Windows 10 Home Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual-Channel Support" at http://support.ts.fujitsu.com.		
	Windows 10 Home Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual-		
Operating system notes	Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual-		
Processor	Intel® Core™ i7-1185G7 processor (4 Cores / 8 Threads, up to 4.8 GHz)		
	Intel® Core™ i7-1165G7 processor (4 Cores / 8 Threads) *		
	Intel® Core™ i5-1145G7 processor (4 Cores / 8 Threads)		
	Intel® Core™ i5-1135G7 processor (4 Cores / 8 Threads) *		
	Intel® Core™ i3-1115G4 processor (2 Cores / 4 Threads) *		
	*Processor only for retail, SMB, education and government		
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 3,200 MT/s, SO DIMM		
	8 GB (1 module(s) 8 GB) DDR4, 3,200 MT/s, SO DIMM		
	16 GB (1 module(s) 16 GB) DDR4, 3,200 MT/s, SO DIMM		
	32 GB (1 module(s) 32 GB) DDR4, 3,200 MT/s, SO DIMM		
Hard disk drives (internal)	PCIe-SSD, 512 GB M.2 NVMe module, SED		
	PCIe-SSD, 256 GB M.2 NVMe module, SED		
	PCIe-SSD, 256 GB M.2 NVMe module		
	PCIe-SSD, 1 TB M.2 NVMe module, SED		
Hard disk notes	Accessible capacity may vary, also depending on used software.		
Interface add on cards/components (optional)			
3G/4G (optional)	LTE Sierra Wireless EM7421 (Cat.7) (Downlink speed up to 300 Mbit/s, Uplink speed up to 150 Mbit/s)		
Display	35.6 cm (14-inch),LED backlight,(Full HD),Anti-glare IPS touchscreen,compound,1,920 x 1,080 pixel,700:1,250 cd/m ²		
	35.6 cm (14-inch),LED backlight,(Full HD),Anti-glare IPS display,compound,1,920 x 1,080 pixel,700:1,220 cd/m²		
Multimedia			
Camera	Built-in webcam (HD) with Status LED Built-in Infrared webcam (HD) with Status LED		
Camera notes	720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter		
Microphone	dual digital array microphone		

Base unit

Base unit	LIFEBOOK E5411
General system information	
Chipset	Integrated
Supported capacity RAM (min.)	4 GB
Supported capacity RAM (max.)	64 GB
Memory slots	2 SO DIMM (DDR4, 3200 MHz)
Memory notes	Dual channel support
LAN	10/100/1,000 MBit/s Intel® I219LM
Integrated WLAN	Intel WiFi 6 AX201

Con and a vatous information				
General system information BIOS version	UEFI Specification 2.7			
BIOS features	InsydeH2O BIOS			
Audio type	On board			
Audio codec	Realtek ALC255			
Audio features	2x built-in speakers (stereo)			
	ZX Built iii speakers (stereo)			
Display	EUD 1/2 1 1 6 /D:	L. 000 T. 000 D 000 A		
Display notes	FHD - Viewing angle: Left/Right 80°, Top 80°, Bottom 80°; Color Gamut: 45%, response time 25 ms			ime 25 ms
Brightness - typical	FHD - 220 cd/m ² ; FHD Touch	1 - 250 Ca/m ⁻		
Contrast - typical	FHD 700:1			
Graphics				
Base unit	LIFEBOOK E5411			
TFT resolution (HDMI)		Up to 4,096 x 2,160 pixel (30 Hz)		
TFT resolution (VGA)	up to 1,920 x 1,200			
Graphics brand name	Intel® UHD Graphics (with Si	ngle channel memory), Intel®	Iris® Xe Graphics (with Dual c	hannel memory)
Graphics features	3 Display Support DirectX® 12 OpenGL® 4.5			
Graphics notes	· ·	on main memory size and op	erating system	
Interfaces (Base unit specific)		, '		
DC-in	1			
Audio: line-out / headphone	1 (combo port with Audio lir	ne-in)		
Audio: line-in / microphone	1 (combo port with Audio lir			
Internal microphones	· · · · · · · · · · · · · · · · · · ·			
USB 3.2 Gen 1 (5 Gbps) total	2x digital array microphones (optional) 2x Type-A (1 with Anytime USB charge functionality)			
USB 4.0 Gen 3 (20 Gbps) total	1x Type-C Intel® Thunderbolt™ 4 (with Power Delivery functionality)			
USB Type-C	USB 4.0 Gen3 (20 Gbps), Intel® Thunderbolt™ 4 (40Gbps), Power Delivery (15W), DP out			
VGA	1	1 (10 dbp3)/1	ower belivery (1311), bir out	
DisplayPort	1 v1.2 (via USB Type-C adapt	ter)		
HDMI	1 v1.4b	,		
Ethernet (RJ-45)	1			
Memory card slots	1 SD 3.0 Standard SD/microSD card SDHC/microSDHC card SDXC/microSDXC card Speed Class: up to UHS-I			
SmartCard slot	1 (optional)			
SIM card slot	1 (Micro-SIM, only for model	s with integrated 4G/LTE mod	lule)	
Docking connector for Port Replicator	1			
Kensington Lock support	1			
Port Replicator interfaces (optional)				
- Controphicator interruces (optional)	Thunderbolt™ 4 PR	Model: NPR46 (mech. PR)	USB Type-C PR	Thunderbolt™ 3 PR
DC-in	1 (20V/170W required)	1 (19V/90W required)	1 (19V/90W required)	1 (20V/170W required)
Power on switch	1	1	1	1
Audio: headphone		1		
Audio: microphone		1		
Audio: comments	1 Combo jack for headset usage		1 Combo jack for headset usage	1 Combo jack for headset usage
USB 3.2 Gen 1 (5 Gbps) total		4x Type-A 2x Type-C		
DisplayPort	2 (up to 2560 x 1600), DP 1.4	2 (up to 2x 3840x2160 60Hz)	1 (up to 2560 x 1600)	2 (up to 2560 x 1600)
VGA		1 (up to 1920x1200 6Hz)	1 up to 1920×1200 @ 60Hz depending on FJ mobile client	

Port Replicator interfaces (optional)					
DVI		1 (up to 1920x1200 60Hz)			
HDMI text	1		1	1	
Interface Notes	2x Type-A - 5V/0.9A, 4.5W 1x Type-A - 5V/2.4A, 12W 2x Type-C - 5V, 1.5A, 4.5W charging port 1x Type-C - TBT4 up to 60 W (PD v2.0-1.1), 5-20V, 3.0A upstream (PC) 1x Type-C - TBT4 up to 15 W (PD v2.0-1.1), 5V, 3.0A downstream, power output to client		3x Type-A - 5V/0.9A, 4.5W 1x Type-C - 15W 1x Type-C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input	2x Type-A - 5V/0.9A, 4.5W 1x Type-A - 5V/2.4A, 12W 2x Type-C - 5V, 1.5A, 4.5W charging port 1x Type-C - TBT3 up to 60 W (PD v2.0-1.1), 5-20V, 3.0A upstream (PC) 1x Type-C - TBT3 up to 15 W (PD v2.0-1.1), 5V, 3.0A downstream, power output to client	
Kensington Lock support	1	1 (Portrep only, Portrep option with key lock to secure Portrep & System)	no	1	
Notes	RJ-45:10/100/1000 MBits/s LAN WoL from S3 state WoL from S4 / S5 / G3 state depending on Fujitsu mobile client PXE launching for dedicated FJ mobile clients Set the MAC address by the user MAPT from 10th gen	1 RJ45 (10/100/1000)	1 RJ45 (10/100/1000) WoL from S3 state WOL from S4 / S5 / G3 depending on Fujitsu mobile client Launch of PXE for dedicated FJ mobile clients Set the MAC address by the user MAPT from 9th gen	PXE launching for dedicated	
Keyboard and pointing devices					
	Keyboard w/o touchstick (sp Number of keyboard keys: 8: Multi gesture touchpad with Status LED Power Button	5, Keyboard pitch: 18.4 mm,	uchstick, Backlight keyboard w Keyboard stroke: 1.7 mm	//o touchstick	
NAME OF TAXABLE PARTY.	Tower button				
Wireless technologies	2.0. 11. 114/(4.1)	OUTE :			
Antennas	2 Dual band WLAN antennas	s, 2 LIE antennas optional			
Bluetooth	v5.1				
Integrated WLAN	Intel WiFi 6 AX201				
WLAN encryption	WPA/WPA2/WPA3 (Wi-Fi Pro	· · · · · · · · · · · · · · · · · · ·			
WLAN notes	Import and usage according		ons.		
Integrated LTE or UMTS	<u> </u>	LTE Sierra Wireless EM7421 (cat.7)			
LTE/UMTS/GPS notes GPS	Optional Embedded in 4G module if configured with WWAN				
	Embedded in 49 module ii c	Offingured with WWAN			
Power supply					
AC Adapter	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter				
	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) standard AC-Adapter 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter				
			•		
Notes	65W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator				
1st battery options	3,490 mAh, 50 Wh				
1st battery	Lithium polymer battery 4-cell, 50 Wh				
Battery features	Quick Charge: 80% in 1h				
Runtime 1st battery	9 h 10 min				
Battery notes	com for additional details. The BAPCo® MobileMark® Be manufacturers. It does not g	enchmark provides results th uarantee any specific battery el, configuration, application	owledged BAPCo® MobileMark at enable direct product comp y runtime which actually can bo a and power management setti me.	arisons between e lower and may vary	

Noise emission		
Noise emission	Please refer to the Eco Declaration	
	Trease refer to the 200 Declaration	
Dimensions / Weight / Environmental		
Dimensions (W x D x H)	333.6 x 234 x 23.9 mm	
\\\-:_\-\-	13.13 x 9.21 x 0.94 inch	
Weight	from 1.79 kg	
Weight (lbs)	from 3.94 lbs	
Weight notes Operating ambient temperature	Weight may vary depending on actual configuration	
Operating ambient temperature Operating relative humidity	5 - 35 °C (41 - 95 °F) 20 - 80 %	
	20-00-70	
Compliance		
Product	LIFEBOOK E5411	
Model	5E14A2	
Germany	GS planned (Full HD Display only)	
Europe	CE CB	
USA/Canada	FCC (depending on configuration) (planned)	
Global	RoHS (Restriction of hazardous substances)	
	WEEE (Waste electrical and electronic equipment)	
	Microsoft Operating Systems (HCT / HCL entry / WHQL)	
	TCO Certified 8.0 (depending on configuration)	
	ENERGY STAR® in progress MIL-STD testing in progress	
	EPEAT® Silver (dedicated regions), depending on configuration	
China	CCC (planned)	
Compliance link	https://sp.ts.fujitsu.com/sites/certificates	
Additional Software		
Additional software (preinstalled)	Fujitsu Plugfree Network (network management utility)	
	Fujitsu Anytime USB Charge Utility	
	Fujitsu Battery Utility	
	Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)	
Additional software (optional)	Recovery DVD for Windows®	
, taditional software (optional)	Drivers & Utilities DVD (DUDVD)	
	CyberLink YouCam (webcam software)	
	Microsoft® Office Professional 2019	
	Microsoft® Office Home and Business 2019 (A Microsoft Account is required to activate each copy of these products. For purchase and activation only in the	
	region in which it was acquired.)	
Manageability	<u> </u>	
Manageability technology	DeskUpdate Driver management	
geamily technology	PXE 2.1 Boot code	
	Wake up from S5 (off mode)	
	WoL (Wake on LAN)	
AA 1:15 G	Intel® vPro™ technology	
Manageability software	DeskView Client DeskView Instant BIOS Management	
DeskView components	Inventory Management	
Deskrew components	BIOS Management	
	Driver Management	
	Security Management	
Supported standards	Alarm Management WMI (Windows Management Instrumentation)	
Supported standards	WMI (Windows Management Instrumentation)	
	PXF (Prepoot Execution Environment)	
	PXE (Preboot Execution Environment) DMI (Desktop Management Interface)	
	DMI (Desktop Management Interface) SMBIOS (System Management BIOS)	
	DMI (Desktop Management Interface)	

Manageability			
Manageability link	http://www.fujitsu.com/fts/manageability		
Security			
System and BIOS Security	EraseDisk		
	Trusted Platform Module (TPM 2.0)		
User Security	Embedded PalmSecure™ sensor (optional)		
	Embedded fingerprint sensor (optional)		
	Access protection via internal SmartCard reader (optional)		
	Hard disk password		
	User and supervisor BIOS password		
Warranty			
Warranty period	1 year (for countries in EMEIA)		
Warranty type	Bring-in Service / Collect & Return Service (depending on country)		
Warranty Terms & Conditions	http://www.fujitsu.com/warranty		
Product Support Services - the per	fect extension		
Recommended Service	9x5, Onsite Response Time: Next Business Day		

http://www.fujitsu.com/emeia/products/product-support-services/

Recommended Accessories

Port Replicator for LIFEBOOK U7 and E5 family with key lock

Spare Parts availability

Service Weblink



5 years after end of product life

Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options.

S26391-F1607-L219

USB Type-C Port Replicator 2



Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C connection helps you to get your peripheral devices connected easily. Enhance your USB connection options, connect your displays via HDMI, DisplayPort or VGA and charge your device without an additional charger.

S26391-F3327-L100

Order Code:

Order Code:

Weight: 334 g, Dimensions: 219 x 75 x 22.9 (front) – 26.0 (back) mm, including 90W AC adapter and Type C cable

Thunderbolt™ 3 Port Replicator



One cable, many capabilites - Connect, save space, and keep your desk tidy. With Thunderbolt™ 3 you can connect almost everything with only on cable and in highspeed. Enhance your USB connection options, connect your displays via Thunderbolt™ 3, HDMI, DisplayPort and charge your device without an additional charger. Thunderbolt™ 3 allows you to connect even highspeed devices in a most convenient way.

S26391-F3357-L100

Battery 4 cell 50 Wh



and TBT cable

The 4 cell 50 Wh battery requires a voltage of 14.4 V and has a capacity of 3490 mAh. The weight of the battery is 300 gms and the recharge time of the cell is 60 minutes for a 80% charge and 150 minutes for a complete 100% charge.

Weight: 440 g, Dimensions: 239 x 80 x 26 mm, including 170W AC adapter

Order Code: S26391-F1616-L100

More information

Fujitsu products, solutions & services

In addition to FUJITSU Notebook LIFEBOOK E5411, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/computing/

Software www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK E5411, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/emeia/products/ computing/pc/notebooks/index.html

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT

Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use. html

Copyright 2021 Fujitsu Technology Solutions

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2021-03-26 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html
Copyright 2021 Fujitsu Technology Solutions GmbH