



Active holder for fixed installation

Fits the device with original skin. With Easy-switching system.

Item no: 713434

EAN Number: 7320287134346

Use an active holder for your Galaxy Tab Active 5 Pro while driving and you will always have a freshly charged battery! The active holder is to be connected inside the dashboard. It provides a discreet and neat installation without any cables hanging over the interior. Safe and convenient! 12/24 Volt. The product is E-approved. Connect the power cable with a 2 A fuse. 2.7 A charger. Charging via pogo plug. Professional installation recommended.

The holder is mounted onto a tilt swivel. This means that you can adjust the angle in order to avoid light reflection on the screen. You can easily switch between portrait and landscape mode by turning the holder into desired position. It is easy to put the unit into place in the holder, and to take it with you when leaving the car.

Easy-switching system:

The easy-switching system enables you to upgrade the holder only, and keep the installed cables. It saves you a lot of time! When upgrading to a new device, you do not longer need to make a full installation. Same goes for maintenance in case of warranty or damage. You simply disconnect the holder from the charging cable via the Molex 6-pin quick connector, and then connect the new holder. The switch is done in a few seconds.

This is a Module Upgrade Cradle, this means that you can upgrade or replace features by using some of the following modules:

Item no. 216329 Spring stud lock

Item no. 216328 Key lock

Choose installation placement with care, devices must not be placed in positions where they may block the view or important controls. The cradle should only be attached onto a suitable place. Installations always take place at the customer's own discretion and responsibility.

Fits the following models:

Samsung Galaxy Tab Active 5 Pro SM-X356B

For a complete list, see

www.brodit.com/en/product/713434

Measurements:

Height 216 mm

Width 280 mm

Depth 53 mm

Volume 3205 cm³

Weight 701 g