

Dual-Slot Drive Enclosure for M.2 NGFF SATA SSDs - USB 3.1 (10Gbps) - RAID

Product ID: SM22BU31C3R



This dual M.2 SATA enclosure with RAID makes it easy to add ultra-fast, portable external storage to your USB-C™ or USB-A enabled laptop, tablet, smartphone or desktop computer. Its multiple RAID modes provide increased capacity, improved performance, or data redundancy.

Access your external data at greater speeds

Quickly access, transfer, and backup your files wherever you go. This dual-slot M.2 RAID enclosure enables you to easily access your data by creating a high-performance, ultra-portable storage solution using two M.2 (NGFF) SATA SSDs. It's ideal for creative professionals, such as photographers and videographers, as well as professionals in corporate, educational and government sectors who need fast access to important data files, while out in the field or back at the office.

The RAID enclosure enables you to leverage the speed of your M.2 (NGFF) SATA drives by taking advantage of USB 3.1 Gen 2, with data transfer rates of up to 10Gbps. It ensures easy access to your files for data migration and data backups so that you can safeguard important data at all times.

Increase performance and data redundancy

With multiple RAID options, the M.2 RAID enclosure enables you to gain increased storage size, performance, or redundancy. You can enjoy the peace of mind of knowing your files are continually backed up, or take advantage of greater speed and capacity offered by a combined solution. The enclosure supports RAID 0, RAID 1, Spanning, and JBOD, enabling you to choose your preferred backup mode. It also supports SSD TRIM to prolong drive lifespan and performance.

Make your data more portable

The dual M.2 SATA enclosure provides a highly portable storage solution. With its compact design, you can tuck it away inside your laptop bag or carrying case and take it anywhere - to the office, the lab, or for mobile use, so that you can access your data wherever you go. Engineered with a solid aluminum housing, the dual-slot M.2 SATA enclosure helps to safeguard your data wherever you go.

The M.2 SATA RAID enclosure is powered directly from the USB port on your device, so no external power is required. It comes with two USB cables (USB-C to Micro-B and USB-A to Micro-B) for flexible use with the latest laptops and tablets equipped with a USB-Type C™ port as well as legacy devices. The enclosure is OS independent, with no additional software or driver installation required, and is compatible with a Thunderbolt™ 3 USB-C port.

The SMS2BU31C3R includes all required drive installation tools and hardware and is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Professionals in a wide range of industries, from corporate to medical fields, can take advantage of high-speed data access for their USB-C or USB-A enabled laptop, tablet, smartphone or desktop computer
- Mobile professionals can utilize two M.2 (NGFF) SATA SSDs to access, transfer and backup files with faster speeds over USB 3.1 Gen 2 (10Gbps)
- Re-use or re-purpose M.2 SATA drives to expand PC storage or to back up data
- Ideal for protecting drives against dust and other potential hazards
- Access drives for data recovery, backup, or repair

Features

- Maximize the performance of your M.2 (NGFF) SATA drives with USB 3.1 Gen 2 (10Gbps) connectivity
- Supports all common M.2 SATA SSDs, and enables you to mount multiple drive lengths: 30 mm (2230), 42 mm (2242), 60 mm (2260) and 80 mm (2280)
- Supports RAID 0, RAID 1, JBOD and SPAN (BIG) for optimal performance, capacity and redundancy
- Add fast, portable external storage to your USB-C or USB-A enabled laptop, tablet, smartphone or desktop computer
- Supports SSD TRIM to prolong drive lifespan and performance
- Solid aluminum enclosure with SATA I, II, III (up to 6Gbps) support
- Kompatibel mit Thunderbolt 3-USB-C-Port
- Backward compatible with USB Gen 1 (USB 3.0), USB 2.0, USB 1.x

Hardware	Warranty	2 Years
	Anzahl von Laufwerken	2
	Bustyp	USB 3.1 Gen 2
	Chipset-ID	ASMedia - ASM1352R
	Laufwerkgröße	22mm - M.2 SATA
	Laufwerkinstallation	Fest
	Laufwerktyp	M.2 (NGFF, B-Key)
	Lüfter	Nein
	Schnittstelle	USB 3.1 Gen 2
	Unterstützte Laufwerkhöhe(n)	2230 2242 2260 2280
Leistung	Allgemeine Spezifikationen	Nicht kompatibel mit PCI Express M.2-SSDs
	Max. Datenübertragungsrate	10 Gbit/s
	Max. Laufwerkkapazität	2 TB
	MTBF	35,000
	Portvervielfältigung	Ja
	RAID	Ja
	Trim Supported	Ja
	Typ und Rate	USB 3.1 Gen 2 - 10 Gbit/s SATA III (6 Gbps)
	UASP-Unterstützung	Ja
	Unterstützte RAID-Modi	RAID 0 (Stripe-Laufwerke) RAID 1 (gespiegelte Laufwerke) BIG (übergreifend oder verkettet) JBOD - (Just a Bunch of Disks)
Steckverbinder	Hostanschlüsse	1 - USB 3.1 USB Type Micro-B (10-polig, Gen 2, 10 Gbit/s) Stecker
	Laufwerksteckverbinder	2 - M.2 SATA (67 pin, NGFF) Slot Steckdose
Software	Betriebssystemkompatibilität	OS independent; No software or drivers required
Anzeiger	LED-Anzeiger	2 - Read / Write (green)

		2 - Error / Rebuilt (red)
Strom	Mit Stromadapter	USB-betrieben
Umwelt	Betriebstemperatur	0°C to 60°C (32°F to 140°F)
	Feuchtigkeit	0% bis 90% Relative Luftfeuchtigkeit
	Lagertemperatur	-20°C to 70°C (-4°F to 158°F)
Physische Eigenschaften	Farbe	Schwarz
	Gehäusetyp	Aluminium
	Max. Laufwerkhöhe	80 mm [3.1 in]
	Produktbreite	80 mm [3.1 in]
	Produktgewicht	150 g [5.3 oz]
	Produkthöhe	15 mm [0.6 in]
	Produktlänge	100 mm [3.9 in]
Verpackungsinformationen	Versandgewicht (Verpackung)	200 g [7.1 oz]
Verpackungsinhalt	Im Paket enthalten	1 - M.2 SATA enclosure
		1 - USB-A-zu-Micro-B-Kabel
		1 - USB-C-zu-Micro-B-Kabel
		2 - housing assembly screws
		2 - sets of M.2 mounting hardware
		1 - Schraubendreher
		1 - Kurzanleitung

Product appearance and specifications are subject to change without notice.