

# TAROX Business 5000BMV

## WITH INTEL® Core™ i5-12400



### SPECIFICATIONS

|              |         |
|--------------|---------|
| P/N          | 2406883 |
| Manufacturer | TAROX   |

### CHASSIS

|             |                   |
|-------------|-------------------|
| Chassis     | TAROX Micro Tower |
| Formfactor  | µATX              |
| Width       | 16,0 cm           |
| Heights     | 36,1cm            |
| Depth       | 31,0 cm           |
| Colour      | black             |
| Bay (3.50") | 1                 |

### FRONT INTERFACES

|                    |     |
|--------------------|-----|
| USB 2.0            | 2   |
| USB 3.2 Gen1       | 2   |
| USB 3.2 Gen2 Typ-C | 1   |
| Line in            | yes |
| Line Out           | yes |

### PSU

|            |                |
|------------|----------------|
| Power      | 350W           |
| Efficiency | 80 Plus Bronze |

### OPERATION SYSTEM

|                  |                |
|------------------|----------------|
| Operation System | Windows 11 Pro |
| Languages        | DE, FR, EN     |

### MAINBOARD

|           |                                    |
|-----------|------------------------------------|
| Mainboard | Intel® B660 Express, 4x DDR4, µATX |
|-----------|------------------------------------|

SYSTEM

|                     |                              |
|---------------------|------------------------------|
| CPU Socket          | 1700                         |
| Chipset             | Intel® B660 Express          |
| Audo Chipset        | Realtek ALC897 8-Ch HD Audio |
| GPU                 | Intel® UHD Graphics          |
| LAN Chipset         | Intel® i219-V Gigabit LAN    |
| PXE                 | yes                          |
| Wake on Lan (WoL)   | yes                          |
| Formfactor          | µATX                         |
| TPM                 | prepared                     |
| Memory Support      | DDR4                         |
| max. Memory         | 128GB                        |
| max. Memory-Modules | 4                            |

REAR INTERFACES

|               |     |
|---------------|-----|
| USB 3.2 Gen 1 | 2   |
| USB 2.0       | 2   |
| Displayport   | 2   |
| VGA           | 1   |
| HDMI          | 1   |
| RJ-45         | 1   |
| PS/2          | 2   |
| Line In       | yes |
| Line Out      | yes |
| Microphone    | yes |

INTERNAL INTERFACES

|                 |           |
|-----------------|-----------|
| PCI Express x16 | 1         |
| PCI Express x1  | 2         |
| USB 3.2 Gen 1   | 2         |
| USB 2.0         | 2         |
| TMP             | 1x Header |
| parallel        | 1         |
| serial          | 2         |
| SATA Controller | 4         |

PROCESSOR(S)

|                |                       |
|----------------|-----------------------|
| Processor(s)   | Intel® Core™ i5-12400 |
| Base Clock     | 2.50 GHz              |
| Turbo Clock    | 4.40 GHz              |
| Cores          | 6                     |
| Cache          | 18MB                  |
| Intel® VT      | yes                   |
| Hyperthreading | yes                   |
| TDP            | 65                    |
| Socket         | 1700                  |

MEMORY

|             |       |
|-------------|-------|
| Capacity    | 16 GB |
| Memory Type | DDR4  |

Memory-Modules (installed)

1

HDD / SSD

|                        |       |
|------------------------|-------|
| Capacity               | 500GB |
| Solid State Disk (SSD) | yes   |

ODD

|            |    |
|------------|----|
| DVD+-R/RW  | no |
| Cardreader | no |

CERTIFICATES

|                                               |     |
|-----------------------------------------------|-----|
| Decleration of Conformity                     | yes |
| Production in Germany<br>according to ISO9001 | yes |
| WEEE-Reg.-Nr. DE 99267951                     | yes |

INPUT DEVICES

|          |          |
|----------|----------|
| Keyboard | optional |
| Mouse    | optional |

SERVICE

|          |          |
|----------|----------|
| Warranty | 24 month |
| Service  | optional |