

Rittal – The System.

Faster – better – everywhere.

Cable routing bars for universal use – DK 7111.222

Date : Jun 15, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Cable routing bars for universal use – DK 7111.222

created: 15.06.2021 on www.rittal.com/com-en



Product description

Description:	For structured routing of entire cable bundles, the cable bars may be secured to a variety of different positions inside the enclosure.
Applications:	All-round attachment for universal use for vertical and horizontal cable routing inside the enclosure or within the distributor level.
Material:	Support: Sheet steel Cable routing bars, connection combs: Plastic UL 94-V0
Colour:	RAL 9005
Supply includes:	Cable routing bars Connection combs
Note:	Size of individual chambers (WxD) approx. 34 x 100 mm

Product description

Units:	4 U
Number of connection combs:	2
Packs of:	4 pc(s).
Weight/pack:	0.91 kg
Copper weight (kg per piece):	0

EAN:	4028177519565
Customs tariff number:	73269098
ETIM 7.0:	EC000322
ETIM 6.0:	EC000322
eCl@ss 8.0/8.1:	27400604
eCl@ss 6.0/6.1:	27400604
Product description:	DK Cable routing bars for universal use, 4 U, RAL 9005
Approvals	
Certificates:	NA