



BUSINESS DEVICES THAT ARE A CLASS APART



The Lenovo V Series provides security, data protection and productivity features in an affordable package.

Lenovo V14 G2 ITL

Smarter
technology
for all

Lenovo

If you have a fixed budget but still need to support more mobile workers, consider this 14" entry-level laptop. It comes with fast charging, Dolby Audio, an optional NVIDIA graphics card, and a narrower frame around the display which reduces the overall footprint of the device. Choose from M.2 SSD, HDD or dual drive storage technologies.



REASONS TO BUY

Thoughtful design features include an anti-glare display that makes working outdoors easier, and a large touchpad for easier scrolling, zooming and navigation.

Lenovo Vantage application enables users to keep their device up to date and access settings from intelligent cooling, to managing blue light reduction in the display or adjusting audio for the perfect meeting experience.

This affordable laptop is ideal for basic productivity tasks, supporting smooth multitasking of browser windows and office applications.

Lenovo V14 G2 ITL

KEY SPECIFICATIONS

| | |
|------------------|---|
| Processor | Up to 11th Gen Intel Core i7 processor |
| Operating System | Powered by Windows 10 Pro |
| Display | 14.0" screen, FHD (1920x1080), IPS, 300nits, anti-glare 14.0" screen, FHD (1920x1080), TN, 250nits, anti-glare 14.0" screen, HD (1366x768), TN, 250nits, anti-glare |
| Graphics | Intel UHD Graphics or Intel Iris Xe Graphics in processor, optional NVIDIA GeForce MX350 |
| Memory | Up to 16GB DDR4-3200 |
| Storage | Up to 1x 2.5" 1TB SATA HDD + up to 512GB M.2 PCIe NVMe SSD |
| Audio | 2x 1.5W stereo speakers with Dolby Audio Dual array microphone |
| Battery† | Up to 8.5hrs (45Wh), up to 6hrs (38Wh) |
| Power Adapter | One of the following 65W Round Tip 65W Round Tip Wall-mount |
| Camera | One of the following 0.3MP with Privacy Shutter 720p with Privacy Shutter |
| Keyboard | Spill-resistant, multimedia Fn keys |
| Dimensions | 324.2 x 215.2 x 19.9 mm (12.76 x 8.47 x 0.78 inches) |
| Weight | From 1.6kg (3.53lb) |

CONNECTIVITY

| | |
|------------------|--|
| I/O Ports | 1x USB 2.0, 1x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1 (support data transfer only), 1x HDMI 1.4b, 1x Ethernet (RJ-45), 1x headphone / microphone combo jack (3.5mm), 1x power connector |
| WLAN + Bluetooth | 11ac, 2x2 + BT5.0 |
| Docking | Compatible with USB 3.0 docking solutions |

SECURITY & PRIVACY

TPM 2.0 FW
Camera Shutter
Kensington lock slot

Information presented here may represent the maximum possible configurations for this product, but it does not necessarily reflect what is available in your region. Please ask your rep or check the specifications for specific Part Numbers in your region. † Based on testing with MobileMark 2014. Battery life varies significantly with settings, usage, and other factors. © 2020 Lenovo. Products are available while supplies last. Lenovo is not responsible for photographic or typographic errors. Lenovo, the Lenovo logo, ThinkPad, ThinkCentre, ThinkBook, ThinkStation and ThinkVision are trademarks or registered trademarks of Lenovo. 3rd party product and service names may be trademarks of others. Depending on factors such as the processing capability of peripheral devices, file attributes, system configuration and operating environments, the actual data transfer rate of USB connectors will vary and is typically slower than published standards.

Recommended for this device



ThinkVision S22e-19

21.5" Full HD display with anti-glare coating
Reduced eye strain with TÜV Low Blue Light certification

Tilt-adjustable stand



ThinkVision T23i-10

23" Full HD (1920x1080) borderless display with anti-glare coating
1x HDMI, 1x DisplayPort, 1x VGA, 4x USB3.1, 1x USB3.1 Type-B upstream, audio out

Tilt and rotate stand with quick release function for VESA mount



Accidental Damage Protection

Covers multiple repairs, or a single replacement of a device

Includes labour, parts and system replacement if repair is impossible

Performed by technicians using Lenovo Qualified parts