

Product datasheet

Specifications



APC NetShelter SX, Networking Rack Enclosure, 42U, Black, 1991H x 750W x 1070D mm with Casters, Feet, Vertical Cable Managers, Side Panels

AR3140

Overview

Presentation

NetShelter SX Networking Enclosure expands Schneider Electric's superior IT enclosure line with improved support for high density networking applications. Integrated high density cable managers and improved cable access roof provide support for large cable bundles. When combined with the Side Airflow Duct Kit, the Networking Enclosure ensures complete isolation of cold intake and hot exhaust air for large switches and SAN directors.

Lead time

Main

Number of rack unit

42U

Provided equipment

Baying hardware
Key(s)
Keyed-alike doors and side panels
Leveling feet
Mounting hardware
Pre-installed casters
Side panels
Vertical cable managers

Physical

Height

199.1 cm

Width

75 cm

Depth

107 cm

Net weight

155.95 kg

Colour

Black

Mounting preference

No preference

Mounting mode

Not rack-mountable

Mounting location

Front
Rear

Maximum mounting depth

81.92 cm

Minimum mounting depth

27.94 cm

Rack width

19"

Marking

14 gauge EIA mounting rail
16 gauge front door
16 gauge post
16 gauge rear door
18 gauge roof
18 gauge side panels

Permanent permissible load

1020.58 kg dynamic
1700.97 kg static

Conformance

Standards	UL 2416 UL 60950-1 EIA-310E
-----------	-----------------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	211.8 cm
Package 1 Width	85.09 cm
Package 1 Length	115.6 cm
Package 1 Weight	168.18 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
Take-back	Take-back program available

Contractual warranty

Warranty	5 year repair or replace
----------	--------------------------

Recommended replacement(s)