

	Intel® NUC-Kit NUC8i3BEH
Hauptdaten	
Geeignete Betriebssysteme	Windows 10, 64-bit*
Boardnummer	NUC8BEB
Mainboard-Format	UCFF (4" x 4")
Sockel	Soldered-down BGA
Formfaktor des internen Laufwerks	M.2 and 2.5" Drive
Anzahl unterstützter interner Laufwerke	2
Lithographie	14 nm
Verlustleistung (TDP)	28 W
Unterstützte Eingangsspannung (DC)	12-19 VDC
Enthaltener Prozessor	Intel® Core™ i3-8109U Processor (4M Cache, up to 3,60 GHz)
Intel® vPro™ Plattformqualifizierung ‡	Nein
Anzahl der Kerne	2
Anzahl der Threads	4
Grundtaktfrequenz des Prozessors	3,00 GHz
Max. Turbo-Taktfrequenz	3,60 GHz
Garantiezeit	3 yrs
Zusätzliche Informationen	
Embedded-Modelle erhältlich	Nein
Beschreibung	Other features: Includes Thunderbolt 3 (40Gbps) USB 3.1 Gen 2 (10Gbps) and DP 1.2 via USB-C; also includes microSDXC card slot, dual microphones
Arbeits- und Datenspeicher	
Max. Speichergröße (abhängig vom Speichertyp)	32 GB
Speichertypen	DDR4-2400 1.2V SO-DIMM
Max. Anzahl der Speicherkanäle	2
Max. Speicherbandbreite	38.4 GB/s
Max. Anzahl von DIMMs	2
Unterstützung von ECC-Speicher ‡	Nein
Prozessorgrafik	
Prozessorgrafik ‡	Intel® Iris® Plus Grafik 655
Integrierte Grafik ‡	Ja
Videoausgang	HDMI 2,0a; USB-C (DP1.2)
Anzahl der unterstützten Bildschirme ‡	3
Erweiterungsoptionen	
PCI-Express-Version	Gen3
PCI-Express-Konfigurationen ‡	M.2 slot with PCIe X4 lanes
Entfernbarer Speichersteckplatz	microSDXC with UHS-I support
M.2 Kartensteckplatz (Speicher)	22x42/80

	Intel® NUC-Kit NUC8i3BEH
Main data	
Suitable operating systems	Windows 10, 64-bit*
Board number	NUC8BEB
Mainboard format	UCFF (4" x 4")
Socket	Soldered-down BGA
Internal drive form factor	M.2 and 2.5" Drive
Number of supported internal drives	2
Lithography	14 nm
Power dissipation (TDP)	28 W
Supported input voltage (DC)	12-19 VDC
Included processor	Intel® Core™ i3-8109U Processor (4M Cache, up to 3,60 GHz)
Intel® vPro™ Platform qualification ‡	No
Number of cores	2
Number of Threads	4
Basic clock frequency of the processor	3,00 GHz
Max. Turbo clock frequency	3,60 GHz
Guarantee period	3 yrs
Additional Information	
Embedded models available	No
Description	Other features: Includes Thunderbolt 3 (40Gbps) USB 3.1 Gen 2 (10Gbps) and DP 1.2 via USB-C; also includes microSDXC card slot, dual microphones
Memory and data storage	
Max. memory size (depending on the memory type)	32 GB
Memory types	DDR4-2400 1.2V SO-DIMM
Max. Number of memory channels	2
Max. Memory Bandwidth	38.4 GB/s
Max. Number of DIMMs	2
Support of ECC memory ‡	No
Processor Graphics	
Processor graphic ‡	Intel® Iris® Plus Grafik 655
Integrated graphic ‡	Yes
Video output	HDMI 2,0a; USB-C (DP1.2)
Number of supported screens ‡	3
Extension options	
PCI Express Version	Gen3
PCI Express Configurations ‡	M.2 slot with PCIe X4 lanes
Removable memory slot	microSDXC with UHS-I support
M.2 Card slot (memory)	22x42/80

I/O Specifications	
Number of USB ports	6
USB configuration	2x front and 3x rear USB 3.1 Gen2; 2x USB 2.0 via internal headers
USB version	2,0, 3.1 Gen2
USB 2.0 configuration (external + internal)	0 + 2
USB 3.0 configuration (external + internal)	2B 2F + 0
Total number of SATA ports	2
Maximum number of SATA 6.0 Gbps ports	2
RAID configuration	2.5" HDD/SSD + M.2 SATA SSD (RAID-0 RAID-1)
Audio (connectors on the rear panel + front connectors)	7.1 digital (HDMI mDP); L+R mic (F)
Integrated LAN	Intel® Ethernet Connection I219-V
Integrated WLAN‡	Intel® Wireless-AC 9560 + Bluetooth 5,0
Integrated Bluetooth technology	Yes
Rx infrared receiver	Yes
Other headers	CEC, 2x USB2.0, FRONT_PANEL
Number Thunderbolt™ 3 ports	1
Package Specifications	
Housing dimensions	117 x 112 x 51mm
Innovative technical functions	
Intel® Optane™ memory supports ‡	Yes
Intel® Direct I/O Virtualization Technology (VT-d) ‡	Yes
Intel® vPro™ Platform qualification ‡	No
TPM	No
Intel® HD Audio Technology	Yes
Intel® Rapid Storage Technology	Yes
Intel® Virtualization Technology (VT-x) ‡	Yes
Intel® Platform Trust Technology (Intel® PTT)	Yes
Safety and reliability	
Intel® AES New Instructions	Yes