HP LaserJet Pro MFP 3102fdn Printer

Get fast printing speeds, high-volume scanning, and easy management tools with LaserJet Pro.

This printer is built for powerful productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.





This printer uses dynamic security, which may be updated periodically by firmware updates. The printer is intended to be used solely with cartridges using an original HP chip. Cartridges using a non-HP chip may not function or may cease to function. More at: www.hp.com/learn/ds

Highlights

- Instant Ink for Laser available
- Fast print speed (33 ppm A4)
- High monthly duty cycle (50,000 pages)
- Automatic two-sided printing standard
- HP Smart app
- HP Wolf Pro security
- 250 sheet standard paper input cassette



Powerful productivity.¹

- Support your small workteams with this smart printer, designed for up to 7 users.
- Print more efficiently. Save time, paper, and costs with fast printing, scanning and auto twosided printing.
- Do more in fewer steps. Simple shortcuts allow your employees to complete common tasks with just a touch.
- Get productivity in the palm of your hand. Print, scan, and save time with Shortcuts from HP smart. $^{\rm 2}$

Seamless management.

- Centralise print management for your enterprise. HP Web Jetadmin makes it easy with its suite of features. $^{\rm 3}$
- Set up your printer quickly wherever work happens. Cloud connectivity makes it easy for your IT team.
- Access your printers from a single dashboard. Smart Admin guides you through setup and gives IT visibility. $\!\!\!\!^4$

HP Wolf Pro Security.

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Set up and manage your printers from a single dashboard. Smart Admin makes the experience seamless. $^{\rm 4}$
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Set configuration policies and validate settings universally with HP JetAdvantage Security Manager.⁵

Hassle-free supplies management with Instant Ink.

- Enroll to save on Original HP Toner with Instant Ink. Get toner, delivery and recycling. ^{6,7,8}
- Never run out of toner with Instant Ink for laser.⁹
- With Instant Ink, get toner automatically delivered to workers or offices all on one consolidated $\mathsf{bill.}^8$
- With Instant Ink, you get to select the right plans for each of your printers. Change or cancel at any time. $^{10}\,$

Product walkaround

HP Laser Jet Pro MFP 3102fdn Printer shown



1. Fast printing, up to 33 ppm, 250-sheet standard paper capacity

- 2. Built for the small workteams of up to 7 users
- 3. Pre-configured security settings
- 4. Automatic 2-sided printing
- 5. High-speed USB ports, built-in fast Ethernet
- 6. Cassette type input tray

Accessories, Supplies and Support

Supplies	W1390A HP 139A Black Original LaserJet Toner Cartridge (Average cartridge yields 1,500 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	W1390X HP 139X High Yield Black Original LaserJet Toner Cartridge (Average cartridge yields 4,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
Service and Support	UG207E 3 years Advanced Exchange (All EMEA countries Except Adriatic, Africa, CIS, EEM, Israel, Middle East, Russia, South Africa, Turkey) UG087E 3 years Next Business Day Exchange (available in Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Ireland, Italy, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Spain, Sweden, Switzerland, UK) UG290E 3 years Return to Depot (available in Adriatic, Africa, CIS, EEM, Israel, Middle East, Russia, South Africa, Turkey)

Technical specifications

Model	
	HP LaserJet Pro MFP 3102fdn Printer
Productnumber	36629F
Functions	Print, copy, scan, fax
Control panel	2.7°CGD; Touch Screen; 3 LED buttons (Back, Home, Info)
Print	
Printtechnology	Laser
Print speed ¹	Black (A4, normal): Up to 33 ppm ; Black (A4, duplex): Up to 20 ipm
First page out ²	Black (A4, ready): As fast as 7.0 sec; Black (A4, sleep): As fast as 8.7 sec
Printresolution	Black (best): Up to 1200 x 1200 dpi; Technology: 600dpi with Resolution Enhancement technology (REt); ProRes 1200
Monthly duty cycle	Up to 50,000 pages A4; Recommended monthly page volume : 350 to 2500 pages
Printer smart software features	Automatic duplex, Easy 00BE, Scan Destinations, Smart security, Print always work, Print anywhere
Standard printlanguages	PCL5c; PCL6; PS; PCLmS; PDF; URF; PWG; PCLm
Fonts and typefaces	84 scalableTrueTypefonts
Print area	Printmargins Top: 4.23 mm, Bottom: 4.23 mm, Left: 4.23 mm, Right: 4.23 mm; Maximum print area: 207 x 348 mm
Duplexprinting	Automatic (standard)
Сору	
Copyspeed	Black (A4): Up to 33 cpm
Copier specifications	Number of Copies; Lighter/Darker; Enhancements; Binding Margin; Paper; Multi-Page Copy; Collation; Quality; Maximum number of copies; Up to 999 copies; Reduce/Enlarge: 25 to 400%
Scan	
Scan speed ³	Normal (A4): Up to 19 ppm (b&w), up to 8 ppm (color)
Scan file format	JPG, TIFF, XPS, PDF, PDF/A
Scannerspecifications	Scanner type ADF; flatbed; Scan technology: CIS; Scan input modes: HP Smart App; and user applications via Twain; Twain version: Version 2.1; Duplex ADF scanning: No; Scan size maximum (flatbed, ADF): 216 x 297 mm; Optical scan resolution: Up to 300 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed)
Recommended monthly scan	150 to 1500
volume Scannablearea	Maximum mediasize (flatbed): 216 x 297 mm : Minimum mediasize (ADF): 148 x 210 mm Maximum mediasize (ADF): 216 x 356 mm
Bit depth/Grey scale levels	24-bit/256
Fax	
Fax ⁴	Yes Francescher State
Fax specifications	Faxmemory: Up to 500 pages; Faxresolution: Standard: 203 x98 dpi; Fine: Up to 203 x196 dpi; Superfine: Up to 300 x300 dpi; Quick dialing: Up to 200 numbers
Processor speed	800 MHz
Connectivity	
Standard	Hi-Speed USB device (compatible with USB 2.0 specifications); 10/100MbpsE thernet.
Mobileprinting capability	HP Smart App; Apple AirPrint™; Mopria™ Certified
Supported network protocols	TCP/P: IPv4; IPv6; IP Direct Mode; LPD; SLP; Bonjour; WS-Discovery; BOOTP/DHCP/AutoIP; WINS; SNMP v1/2/3; and HTTP/HTTPS
Network cap abilities	10/100MbpsEthernet.
Hard disk	no hard disk
Memory	Standard: 512 MB;Maximum: 512 MB
Mediahandling	
Number of paper trays	Standard: 1; Maximum: 1 Main Tray
	Stantiard: F; Maximum: F Main Fray
Media typ es	Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards
Media typ es Media size	Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(J/S); B6(J/S); Oficio (216x340); 16K (195x270 mm); 16K (195x270 mm); 16K (197x273 mm); L9x13
Media size	Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(J/S); B6(J/S); B6(J/S); Dficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15cm; JapanesePostcard; Double Japan Postcard Rotated; JapaneseEnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC5; EnvelopeC6; EnvelopeDAPF: A4; LTR; LGL
Media size Media handling	Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(J/S); B6(J/S); B6(J/S); B6(J/S); Cficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15 cm; JapanesePostcard; Double Japan Postcard Rotated; JapaneseEnvelope Chou #3; JapaneseEnvelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF; A4; LTR; LGL Standard Input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF; Standard, 50 sheets
Media size Media han dling Media weight	Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); Dficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15cm; JapanesePostcard; Double Japan Postcard Rotated; JapaneseEnvelope Chou #3; JapaneseEnvelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF: A4; ITR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets 60 to 163 g/m ²
Media size Media handling Media weight Input capacity	Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5–R, A6, B5(JIS); B6(JIS); D6(cio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF; A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF; Standard, 50 sheets 6 to 163 g/m ² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF; Standard, 50 sheets
Media size Media han dling Media weight	Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(J/S); B6(J/S); B6(J/S); B6(J/S); B6(J/S); 270 mm); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L913 cm; 10A; S105m; JapanesePostard; Double Japan Postcard Rotated; JapaneseEnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC5; EnvelopeC6; EnvelopeDL ADF; A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF; Standard, 50 sheets 6 to 163 g/m ² Tray: 15-heets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets
Media size Media handling Media weight Input capacity	Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5–R, A6, B5(JIS); B6(JIS); D6(cio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF; A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF; Standard, 50 sheets 6 to 163 g/m ² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF; Standard, 50 sheets
Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating	Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(J/S); B6(J/S); Dficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15cm; JapanesePostcard; Double Japan Postcard Rotated; JapaneseEnvelope Chou #3; JapaneseEnvelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF; A4; ITR; LGL Standard Input 1 main tray; 250 sheets or 10 envelopes Standard output 150 sheets output tray ADF: Standard, 50 sheets 60 to 163 g/m ² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 100 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit; 2 G8 available hard disk space, Internet connection, Microsoft® Interet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12
Mediasize Mediahandling Mediaweight Input capacity Output capacity Compatible operating systems	Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(US); B6(US); D6(ic) (216X40); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9X13 cm; 10X15 Cm; Japanese Postcard; Double Japan Postcard Rotated; JapaneseEnvelope Chou #3; JapaneseEnvelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope D1 ADF; A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets 60 to 163 g/m ² Tray: 15-heets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit of 64-bit; 2 GB available hard disk space, Interret connection, Microsoft® Interret Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Montews; 208 R2 64-bit; Windows Server 2008 R2 64-bit; Windows Server 2008 R2 64-bit; Windows Server 2012 R2 64-bit; Windows Server 2016 64-bit; Linux Formoreinformation, see http:://developes.hp.com/hp-linuxmaging-and-printing) Windows: Kerver 2008 R2 64-bit; Cord -Lin, 2, GB available hard disk space, Interret connection, Microsoft® Interret Explorer or Edge. Windows: Kerver 2008 R2 64-bit; Cord -Lin, 2, GB available hard disk space, Interret connection, Microsoft® Interret Explorer or Edge. Windows: Kerver 2008 R2 64-bit; Cord -Lin, 2, GB available hard disk space, Interret connection, Microsoft® Interret Explorer or Edge.
Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems	Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(J/5); B6(J/5); B6(J/5); D6(io (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15 cm; JapanesePostcard; Double Japan Postcard Rotated; JapanesePosted; Double Japan Postcard Rotated; JapaneseEnvelope Chou #3; JapaneseEnvelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF: A4; LTR; LGL Standard input 1 main tray; 250 sheets or 10 envelopes Standard output 150 sheets output tray ADF: Standard, S0 sheets 60 to 163 g/m ² Tray 1: Sheets : up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit of 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required; Linux (For more information, see https://developers.hp.com/hp-Linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Linux-Formore information see https://developers.hp.com/hp-Linux-imaging-and-printing.
Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5 - R, A6, B5(J/S); B6(J/S); B6(J/S); B6(J/S); Cardina (216340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10A); Storm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF; A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF; Standard, 50 sheets 60 to 163 g/m² Tray 1: Sheets : up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF; Standard, 50 sheets Standard: Up to 150 sheets : up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit; 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required; Linux/Formoreinformation, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows: Server 2008 R2 64-bit; (SP1), Windows Server 2012 C4-bit; Windows Server 2012 R2 64-bit; Windows Server 2016 64-bit; Linux-Formoreinformation see http://developers.hp.com/hp-linux-imaging-and-printing) Windows: Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit; Q Ba available hard disk space, Internet connection, Microsoft® Internet explorer or Edge. Abple, Windows Server 2008 R2 64-bit; (SP1), Windows Server 2012 R2 64-bit; Windows Server 2016 64-bit; Linux-Formoreinformation see http://developers.hp.com/hp-linux-imaging-and-printing) Windows: Microsoft® Windows® 11, 10, 7 SP1
Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(J/5); B6(J/5); B6(J/5); B6(J/5); Cficio (216x340); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10A15 torm; JapanesePostcard; Double Japan Postcard Rotated; JapaneseEnvelope Chou #3; JapaneseEnvelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF: A4; LTR; LGL Standard input 1 main tray; 250 sheets or 10 envelopes Standard output 150 sheets outputtray ADF: Standard, 50 sheets 60 to 163 g/m ² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 150 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit of 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required; Linux(Formore information, see https://developers.hp.com/hp-Linux-imaging-and-printing) Windows: Microsoft® Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 C44-bit, Windows Server 2012 R2 64-bit, Linux-Formore information see http://developers.hp.com/hp-Linux-imaging-and-printing. Windows: Microsoft® Microsoft® Internet Confed-to S catalice Apple and printing. Windows: Kircosoft® Windows ² 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Microsoft® Microsoft® Microsoft® Internet Confed-to, 2 GB available hard disk space, Internet connection, Microsoft® Interece Edge.
Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management	Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(J/S); B6(J/S); Cficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15cm; JapanesePostcard; Double Japan Postcard Rotated; JapanesePovelope Chou #3; JapaneseEnvelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope C1; Envelope C1; Envelope C1; Envelope C5; Envelope C1; Envelope C5; Envelope C1; Envelope C5; Envelope C5; Envelope C1; Envelope C5; Envelope C1; Envelope C5; Envel
Mediasize Mediahandling Mediaweight hput capacity Output capacity Compatible operating systems Compatible operating systems Systems Minimum system requirements Software included Security management Printer management	Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(J/S); B6(J/S); Cficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15cm; JapanesePostcard; Double Japan Postcard Rotated; JapanesePovelope Chou #3; JapaneseEnvelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope C1; Envelope C1; Envelope C1; Envelope C5; Envelope C1; Envelope C5; Envelope C1; Envelope C5; Envelope C5; Envelope C1; Envelope C5; Envelope C1; Envelope C5; Envel
Media size Media handling Media weight Input capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H)	Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(J/5); B6(J/5); Cficio (216340); 16K (195 x 270 mm); 16K (197 x 273 mm); L9X13 cm; 10A15 torm; JapanesePenkedpepeChou #3; JapaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC5; EnvelopeC6; EnvelopeDLADF: A4; LTR; LGL Standard input: 1 main tray, 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets Standard Up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard diskspace, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey, 2 GB HD; Internet required; Linux (Formore information, see https://developers.hp.com/hp-Linux-imaging-and-printing) Windows: Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey, 2 GB HD; Internet required; Linux (Formore information, see https://developers.hp.com/hp-Linux-imaging-and-printing) Windows: Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Intere tropicer or Edge. Microsoft® Interes Cost Big Micros
Media size Media handling Media weight Input capacity Compatible operating systems Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight	Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Cutsom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(US); B6(US); B6(US); D6(ic) (216X340); 16K (195 x270 mm); 16K (195 x270 mm); 16K (197 x273 mm); L9X13 cm; 10X15 torm; Japanese Postcard; Double Japan Postcard Rotated; JapaneseEnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC5; EnvelopeC6; EnvelopeDLADF; A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output: ray ADF: Standard, 50 sheets 60 to 163 g/m ² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 75P1 : 32-bit of 64-bit; 2GB available hard disk space, Interret connection, Microsoft® Interret Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Windows Server 2008 R2 64-bit; Windows Server 2008 R2 64-bit; (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Linux Formore information, see http://developeeS.up.com/hp-linux-imaging-and-printing) Windows, Kincosoft® Intervert equired; Linux-ingaing-and-printing. Windows, Kincosoft® Int
Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer mangement Printer dimensions and weight Printer weight Operating environment	Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Cutsom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(US); B6(US); B6(US); D6(ici (216340); 16K (195 x270 mm); 16K (195 x270 mm); 16K (197 x273 mm); L9x13 cm; 10x15 cm; Japanese Postcard; Double Japan Postcard Rotated; JapaneseEnvelopeChou #3; JapaneseEnvelopeChou #4; EnvelopeB5; EnvelopeC5; EnvelopeC6; EnvelopeD1ADF: A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 75P1: 32-bit of 64-bit; 2GB available hard disk space, Interret connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Montery; 2GB HD; Internet required; Linux/Formore information, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 C4 -bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Linux-Formore information see http://developers.hp.com/hp-linux-imaging-and-printing. Windows, Microsoft® indows® 11, 10, 75P1: 32-bit of 64-bit, 2GB available hard disk space, Interret connection, Microsoft® Internet Explorer or Edge. Microsoft® Windows® 10, 10, 75P1: 32-bit of 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Linux-Formore information see http://developers.hp.com/hp-linux-imaging-and-printing. Windows Kincosoft® Windows®
Media size Media handling Media weight Input capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer weight Dimensions (W x D x H) Printer weight Operating environment Storage conditions	Paper (Cutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356 mm Supported (metric): A4, A5, A5-R, A6, B5(US); B6(US); B6(US); D6(ic) (216X340); 16K (195 x270 mm); 16K (197 x273 mm); L9X13 cm; 10x15 cm; Japanese Postcard; Double Japan Postcard Rotated; JapaneseEnvelope Chou #3; JapaneseEnvelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF; A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output ray ADF; Standard, 50 sheets Go to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit of 64-bit; 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey, 2 GB HD; Internet required; Linux/Formoreinformation, see https://developesh.np.linux-imaging-and-printing) Windows Server 2008 R2 64-bit; Windows Server 2012 64-bit; Windows Server 2016 64-bit; Linux-Formoreinformation see http://developesh.ph.com/hp-linux-imaging-and-printing) Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit of 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Microsoft® Windows® 11, 10, 7 SP1: 32-bit of 64-bit; 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Microsoft® Windows® 11, 10, 7 SP1: 32-bit of 64-bit; 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer
Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer mangement Printer dimensions and weight Printer weight Operating environment	Paper (Cutsheets, plain, glossy film, labels), envelopes, card stock, postcards Cutsom (metric): Width 75 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(U5); 0fcio (216x340); 16K (195 x270 mm); 16K (195 x270 mm); 16K (197 x273 mm); L9x13 cm; 10x15 cm; Japanees Postcard; Double Japan Postcard Rotated; JapaneseEnvelopeChou #3; JapaneseEnvelopeEs; EnvelopeC5; EnvelopeC5; EnvelopeC6; EnvelopeDLADF: A4; UTR; LGL Standard input 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets 55 tandard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsolf® Windows®11, 10, 7 SP1: 32-bitor 64-bit, 2 GB available hard disk space, Internet conton, Microsolf® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required; Envelope St. P1: 32-bitor 64-bit, 2 GB available hard disk space, Internet connection, Microsolf® Internet Explorer or Edge. Windows Sever 2008 R2 64-bit, Windows Sever 2012 R2 64-bit, Windows Sever 2012 R2 Ed-bit, Windows Sever 2016 R2 Ed-bit, Linux-For more information see http://developes.hp.com/hp-linux-imaging-and-printing. Windows Microsolf® Internet Explorer or Edge. Mac: Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required No CD in box; Downloadable Softwarefrom http://www.hp.com, http://www.hp.smart.com/Setup, in-OS app stores. Password-protected network methedded We server; enabledisable Network ports; SNMPV1 community password change HP Smart
Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics	Pager (Cutsheets, plan, glossylfim, labels), envelopes, card stock, postards Custom (mettic), Width 76 to 21 6nvm; Length 127 to 356mm Supported (mettic), A4, A5, A5, R, A6, B5(J5); B6(J5);
Media size Media handling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer mangement Printer dimensions (W xD xH) Printer weight Operating environment Storage conditions Acoustics Power	Paper (Lutsheets, plain, glossyfilm, labels), envelopes, card stock, postcards Custom (metric), Widh 76 to 216 mm; Length 127 to 356 mm Supported (metric), A4, A5, A5-R, A6, B5(J6); B6(J5); Olico (216×340); 16K (195 x 270 mm); 16K (197 x 273 mm); L9 x13 m; 10×100; and 10×100 metric), Widh 76 to 216 mm; Length 127 to 356 mm Supported (metric), A4, A5, A5-R, A6, B5(J6); B6(J5); Olico (216×340); 16K (195 x 270 mm); 16K (197 x 273 mm); L9 x13 m; 10×100; and 10×100 metric), appares Postcard Adatatic, apparese Envelope Choure 43; Japanese Envelope Choure 44; Envelope B5; Envelope C6; Envelope D4, APF, A4; UR; L6L Standard Input 1 mai tray, 250 sheets or 10 envelopes Standard output 150 sheets and p5 standard, 50 sheets G01 b163 glm ^a Trgh 15 heets: put 0 120; Envelopes: up to 10 Maximum: Up to 250 sheets ADP; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Microws ⁶ 11, 10, 75P1; 32-bit of 64-b1; 2GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sut, macOS v12 Microsoft® Microws ⁶ 11, 10, 75P1; 32-bit of 64-b1; ZGB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sut, macOS v12 Montterey, 2GB HD; Internet Regularer Connection, Microsoft® Internet Regularer or Edge. Mac Apple® macOS v10.15 Catalina, macOS v11 Big Sut, macOS v12 Montterey, 2GB HD; Internet Regularer Microsoft® Microsoft® Microsoft® Microsoft® Internet Net System Store SAB, Net
Media size Media handling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Printer management Operating environment Storage conditions Acoustics Power Certifications Sustainable impact specifications	Pger Cut sheets, plan, glossyffin, Jaels), envelopes, cad stock, postcad's Custom (netic). Width 76 to 216 mm; Length 127 to 356mm Supported (netic). A4, A5, A5-R, A6, B5U(5); B6U(5); B6U(216x40); 16K (195 x 270 mm); 16K (195 x
Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer dimensions (W x D x H) Printer dimensions (W x D x H) Printer dimensions (W x D x H) Printer dimensions Storage conditions Acoustics Power Sustainable impact specifications Country of origin	Pger Cut Sheets, plan, glossyftin, Jabels, envelopes, cad stock, postcrads Cutation (metric) With of 6:0:15 mm; tags) 1:17:0:356ms Supported (metric): A4, A5, A5-R, A6, B5(I6); B6(U5); Ofkeio (216x3d)); T6K (195 x270 mm); T6K (195 x270 mm)
Media size Media handling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Printer management Operating environment Storage conditions Acoustics Power Certifications Sustainable impact specifications	Pger Cut sheets, plan, glossyffin, Jaels), envelopes, cad stock, postcad's Custom (netic). Width 76 to 216 mm; Length 127 to 356mm Supported (netic). A4, A5, A5-R, A6, B5U(5); B6U(5); B6U(216x40); 16K (195 x 270 mm); 16K (195 x

Data sheet | HP LaserJet Pro MFP 3102fdn Printer

Footnotes

¹ Requires the HP Smart app download. For details on local printing requirements see http://www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required; subscription may not be available in all countries. See details at http://www.hpsmart.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only. For more information, see http://www.hpsmart.com. ² Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required; subscription may not be available in all countries. See details at www.hpsmart.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only. For more information, see www.hpsmart.com

³ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.

⁴ Easy set up and manage - Requires use of Smart Admin Dashboard for printer setup and onboarding of users

⁵ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager

 ⁶ Program availability varies. For details, see www.hp.com/recycle
 ⁷ Automatic delivery and consolidated bill: Printers require direct connection to the Internet for program participation. Internet access sold separately.
 ⁸ Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.

⁹ Never run out: Based on plan usage, Internet connection to eligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area. ¹⁰ Change or cancel: Change or cancel your plan at any time online. If you decide to cancel your HP Instant Ink you can go back to using HP original Standard or XL cartridges. Plan upgrades are effective immediately and the charges will be applied retrospectively or in the next billing cycle, depending on user choice. Plan downgrades and cancellations are effective after the last day of the current billing period. For full details go to hpinstantink.com/terms

Technical specifications disclaimers

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

³ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. ⁴ Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

⁵ For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.



© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ab-en November 2022

