

# Galaxy VS Modular Battery Cabinet for up to 6 smart modular battery strings

GVSMODBC6

#### Overview

Presentation	Modular battery cabinet for extended runtime for UPSs with internal batteries. The
	cabinet is supplied without batteries, so batteries must be purchased separately. Up
	to six battery strings can be installed and monitored in the cabinet.

Lead time

#### Main

Product or component type	Battery cabinet
Range compatibility	Galaxy VS
Battery type	VRLA
Provided equipment	Installation guide
Range of product	Galaxy VS

#### **Batteries & Runtime**

Number of battery free slots	6
Number of battery filled slots	0
Device mounting	Enclosed battery cabinet

## **Physical**

Colour	White
Height	148.5 cm
Width	52.1 cm
Depth	84.7 cm
Net weight	145 kg

#### **Environmental**

Ambient air temperature for operation	040 °C
Ambient air temperature for storage	-1540 °C

### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	166.4 cm
Package 1 Width	99 cm

Package 1 Length	63.5 cm
Package 1 Weight	205 kg

## **Contractual warranty**

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

#### Environmental footprint

Environmental Disclosure

Product Environmental Profile

#### **Use Better**

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	7547f066-9302-46d9-96e9-461928dd6901
REACh Regulation	REACh Declaration
<sup>™</sup> Energy efficiency	
Optimized Energy Efficiency	Energy efficient product

#### **Use Again**

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes