



Veriton K

























Product views	1. Card reader (optional) 2. Status LEDs 3. One button recovery 4. Optical media drive (optional) 5. Microphone-in jack 9. Power button 10. Audio jacks	orts 12. HDMI® port	t 17. PS/2 port 0.0 ports 18. Ethernet (RJ-45) port 2.2 Gen 1 ports 19. Power connector (DC in)	
Artikelnummer / EAN	DT.VTCEZ.002 / 4710886527275			
Operating system ^{1, 2}	Windows 10 Pro 64-bit			
CPU and chipset ¹	Intel® Core™ i9-10900K Processor 20M Cache, up to 5.30 GHz	Chipset: Intel® W4	480 Express Chipset	
Memory ^{1, 3, 4}	2x16 GB DDR4 2933 MHz • Up to 64 GB of Dual-channel DDR4 2933 MHz			
Storage ^{1, 5}	Hard disk drive			
Optical media drive	16X DVD-RW drive, tray-load, M-DISC Ready™			
Graphics ⁶	NVIDIA® Quadro® RTX TM 4000 with 8 GB of GDDR6			
Audio	Integrated high-definition, 5.1-channel surround sound			
Communication	WLAN 802.11ax/ac/a/b/g/n, Wi-Fi 6 with 160MHz channel support, MU-MIM MAX TCP/IP TPT 1.8Gbps Bluetooth® 5.1	O and 2.5G Ethernet Gigabit Ethernet		
Expansion slot(s)	PCle x16 slot: 2 (one of the slots is wired as x4) PCle x1 slot: 1 PCl slot: 1		M.2 slot (for SSD): 1 M.2 slot (for WLAN): 1	
Commercial features ⁷	TPM v2.0 (Trusted Platform Module) Kensington lock slot 100% solid capacitors Intel® vPro™ Technology	PXE (Preboot eXec RAID support (via WOL (Wake On La Intrusion alert (via	an)	
Commercial selected options ⁸	Internal speaker Dust filter			
Dimensions	200 (W) x 344.5 (D) x 450 (H) mm (7.87 x 13.56 x 17.72 inches)			
Power supply and adapter	Power supply 700 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS® Gold			
System compliance	RoHS, DMI, GS, ENERGY STAR®, PC2001			
Options and accessories	Wireless (2.4 GHz RF) keyboard and mouse 3 years onsite			
Certification	BSMI, CE, FCC, CB			
Specifications vary dep 64-bit software is requ A 64-bit operating syst Memory speed may var 1 GB is 1 billion bytes. A	ired to enjoy the advantages of 64-bit processing. kem is required to enjoy the ultimate performance of 4 GB or higher memory. y, depending on the CPU, chipset or memory fitted. kctual formatted capacity is less and may vary depending on preloaded materials ment. Recovery Management uses a portion of the stated hard disk capacity as	system memory. This f and other factors. 7. Intel® vPro™ techno features and results v and IT environments. and-technology/vpro 8. The 2nd PClex16 slot	cs memory comprises dedicated video memory, system memory, and sha figure will vary depending on system memory, installed dri vers, BIOS setti plogy is sophisticated and requires setup and activation. Availability will depend upon the setup and configuration of your hardware, softw. To learn more visit: www.intel.com/content/www/us/en/architect./y/pro-technology-general.html. ti swired as x4 connectivity and be compatible with PClex1 or PCle: VM6660G/VM4660G/VM4665G/VK8-660G]	

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region. As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of FTTLCD technology, note a product defect, and as such is not covered by Acer's warranty.

© 2020. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Wicrosoft and Windows are registered trademarks of Intel, Intel Logo, Intel Atom, Intel Atom Inside, Intel Inside, Intel Inside, Intel Inside, Intel Inside, Pentium, Pentium Inside, Pentium, Pentium Inside, Pentium, Pentium Inside, VPro Inside, Xeon, Xeon Phi, Xeon Inside, and Intel Optane are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.

About Acer