

Epson EB-L210W



An affordable easy to use laser display solution with wireless connectivity and built-in speakers

Bring sharp images and bright colours to any meeting room with our super-bright new business projector combined with HD-ready WXGA resolution. The EB-L210W is designed to stream and share with wireless LAN, Screen Mirroring and split screen with two or four inputs in one display.

Outstanding quality

WXGA compact laser display with high contrast ratio of 2,500,000:1 and 3LCD technology provides pin-sharp image quality and equally high white and colour light output give your presentations impact, even in brightly-lit rooms.

Simple set-up and connectivity

Offers MTR auto power-on function by HDMI video signal detection and an array of connectivity options including Dual HDMI and built-in wireless LAN to stream content from laptops or mobile devices with Screen Mirroring (Miracast) - PIN code support and display dialog username when connected Miracast to projector allows teacher to block student interruption while teacher is projecting. USB power supply (2A) for easy smart stick connection. Compatible with iProjection software for easy connectivity with mobile devices and content sharing.


Peace of mind and long-lasting durability

Project for longer with exceptional reliability and a longer usage life of up to 30,000 hours in Eco Mode (20,000 hours normal). The EB-L210W is covered by a five-year warranty.

Value added flexibility

Epson iProjection software is compatible with leading platforms and makes it possible to connect with up to 50 computers and partition the screen for split-screen projection capability offering added value.

DATASHEET / BROCHURE



KEY FEATURES

- **4,500 lumens brightness display**
Crisp images and bright colours, even in well-lit rooms.
- **Laser projector**
Virtually maintenance-free performance for up to 30,000 hours (Eco).
- **Stream and share**
Wireless, MTR auto power-on by HDMI and easy smart stick connection.
- **Fit and forget reliability**
Flexible, compact laser projector, comes with five-year warranty.
- **The complete solution**
With an incredible contrast ratio of 2,500,000:1, the EB-L210W delivers vivid, lifelike content and defined shadow detail with deeper blacks.



EPSON®

PRODUCT SPECIFICATIONS

TECHNOLOGY

| | |
|-------------------|---|
| Projection System | 3LCD Technology, RGB liquid crystal shutter |
| LCD Panel | 0,59 inch with C2 Fine |

IMAGE

| | |
|--------------------------|---|
| Color Light Output | 4.500 Lumen- 3.100 Lumen (economy) In accordance with IDMS15.4 |
| White Light Output | 4.500 Lumen - 3.100 Lumen (economy) In accordance with ISO 21118:2020 |
| Resolution | WXGA |
| High Definition | HD ready |
| Aspect Ratio | 16:10 |
| Contrast Ratio | 2.500.000 : 1 |
| Light source | Laser |
| Laser Light source | 20.000 hours Durability High, 30.000 hours Durability Eco |
| Keystone Correction | Auto vertical: $\pm 30^\circ$, Manual horizontal $\pm 30^\circ$ |
| 2D Vertical Refresh Rate | 100 Hz - 120 Hz |
| Colour Reproduction | Upto 1.07 billion colours |

OPTICAL

| | |
|------------------------------|--------------------------|
| Throw Ratio | 1,41 - 2,26:1 |
| Zoom | Manual, Factor: 1 - 1,62 |
| Projection Lens Zoom Ratio | 1,41 - 2,26 : 1 |
| Lens | Optical |
| Screen Size | 30 inches - 300 inches |
| Projection Distance Wide | 88 m - 909 m |
| Projection Lens F Number | 1,51 - 1,77 |
| Projection Lens Focal Length | 18,2 mm - 29,1 mm |
| Projection Lens Focus | Manual |
| Offset | 10 : 1 |

CONNECTIVITY

| | |
|-----------------------|---|
| Interfaces | USB 2.0-A, USB 2.0, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN a/n (5GHz), Wi-Fi Direct, VGA in (2x), VGA out, Composite in, Miracast, Jack plug out, Jack plug in (2x), Cinch audio out, Microphone input, HDMI (HDCP 2.2) (2x) |
| Epson iProjection App | Ad-Hoc / Infrastructure |
| Network Protocol | HTTPS, IPv6, SNMP, PJLink |

ADVANCED FEATURES

| | |
|-------------------|---|
| Security | Kensington lock, Padlock, Security cable hole, Wireless LAN unit lock |
| 2D Colour Modes | Dynamic, Cinema, Presentation, sRGB, Blackboard |
| Other features | AV Mute Slide, Auto Power On, Built-in speaker, CEC compatible, Document Camera Compatible, Home Screen, Long light source life, Mute key, OSD copy function, PC Free, Quick Corner, Screen Mirroring, Split-Screen-Function, Wireless LAN capable, iProjection App |
| Video Color Modes | Cinema, Dynamic, Presentation, sRGB |
| Projector control | via: Crestron Integrated Partner, Extron IP Link, AMX Device Discovery, Control4 Simple Device Discovery Protocol |

GENERAL

| | |
|-------------------------|--|
| Power consumption | 201 Watt - On mode power consumption (Normal) 260 Watt (Peak), 199 Watt (Eco), 0,5 Watt (Energy saving standby) |
| Supply Voltage | AC 220 V - 240 V, 50 Hz - 60 Hz |
| Product dimensions | 325 x 299 x 90 mm (Width x Depth x Height) |
| Product weight | 4,2 kg |
| Noise Level | Normal: 37 dB (A) - Economy: 27 dB (A) |
| Supported Temperature | Storage -10° C - 60° C |
| Supported Humidity | Operation 20% - 80%, Storage 10% - 90% |
| Included Software | Epson Projector Management |
| Options | Air filter, Ceiling mount, Connection and control box, Document camera, External Speaker, Soft carry case, Suspension adapter, WP System - ELPWP10, Wireless transmitter - ELPWT01 |
| Loudspeaker | 16 Watt |
| Room Type / Application | Boardroom, Home Office, Large Meeting Room / Auditorium, Meeting room / Classroom |
| Positioning | Ceiling Mounted, Desktop |
| Colour | White |

OTHER

| | |
|----------|---|
| Warranty | 60 months Carry in or 12.000 h Optional warranty extension available |
|----------|---|

Epson EB-L210W

WHAT'S IN THE BOX

- Remote control incl. batteries
- Power cable
- Main unit
- HDMI Cable 1.8m

OPTIONAL ACCESSORIES

Epson EB-L210W

- Soft Carry Case - ELPKS71
V12H001K71
- Air Filter - ELPAF60 - EB-7XX / EB-L2xx Series
V13H134A60
- Ceiling Mount (White) - ELPMB23
V12H003B23
- Ceiling Pipe (450mm) - ELPFP13
V12H003P13
- Ceiling Pipe (700mm) - ELPFP14
V12H003P14
- Control and Connection Box - ELPCB03
V12H927040
- Active Speakers (2 x 15W) - ELPSP02
V12H467040
- Adapter - ELPAP11 Wireless LAN (5GHz)
V12H005A01
- Lighting Track Mount - ELPMB61W
V12H964240

LOGISTICS INFORMATION

| | |
|-------------------|---------------|
| SKU | V11HA70080 |
| EAN code | 8715946715476 |
| Country of Origin | Philippines |
| Layer | 4 Units |

Epson Deutschland GmbH
Schiessstraße 49
D-40549 Düsseldorf
Info-Line: 02159 92 79 500
Telefax: +49 (0) 211 54229-001
www.epson.de

Epson in Österreich
Info-Line: 01 253 49 78 333
www.epson.at
Epson in der Schweiz
Info-Line: 022 592 7923
www.epson.ch

1. - Requires iProjection App and an internet connection
– compatible with iOS, Android and Google Chromebook
devices only, and file sharing limitations may apply.

Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen
Rechteinhaber.
Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.

EPSON[®]