

# PIXMA TR4750i

## COMPACT MULTIFUNCTIONAL PRINTER: WITH PIXMA PRINT PLAN

Ideal for home offices, this 4-In-One links connectivity with productivity and is compatible with PIXMA Print Plan



- **Never run low on ink again**  
Subscribe to the PIXMA Print Plan and get inks delivered automatically to your door before you run out, with different tariffs available to suit your usage
- **Smart printer operation**  
Wi-Fi connectivity and the Canon PRINT app give you control of your printer functions from your smart devices. If you're away from Wi-Fi, just switch to Wireless Direct
- **Stay in the cloud**  
Simplify scanning\* and printing to and from cloud storage with PIXMA Cloud Link via the Canon PRINT app
- **Boost productivity**  
Enhance efficiency with automatic 2-sided printing and a 20-sheet ADF\*\* for copying and scanning multiple page documents
- **Ideal for home office**  
4-in-One capability in one compact printer, making it ideal for home office use

\*Scanning straight to cloud and scanning to email are only available for users of genuine Canon ink.

\*\*A4/LTR/LGL sizes only.



ADF



Auto 2-sided Print



Wireless Printing



Borderless Photo  
Printing



Auto Power On

### PRODUCT RANGE



PIXMA TR4750i



PIXMA TR8550



PIXMA TR7550

PIXMA TR4750i

PIXMA TR8550

PIXMA TR7550

PIXMA MX535

Live for the story\_

# TECHNICAL SPECIFICATIONS

# PIXMA TR4750i

## GENERAL SPECIFICATIONS

### Functions

Wi-Fi, Print, Copy, Scan, Fax & Cloud

## PRINTER SPECIFICATIONS

### Print Resolution

Up to 4800 x 1200 dpi<sup>[1]</sup>

### Print Technology

2 FINE Cartridges (BK, CL)

### Mono Print Speed

Approx. 8.8 ipm<sup>[2]</sup>

### Colour Print Speed

Approx. 4.4 ipm<sup>[2]</sup>

### Photo Print Speed

Borderless 4" x 6" (10x15cm): Approx. 65 seconds<sup>[2]</sup>

### Borderless Printing

Yes (A4, LTR, 4" x 6" (10x15cm), 5" x 7" (13x18cm), 8" x 10" (20x25cm))

### First Page Out Time (approx.)

Mono: 11 sec (ready/simplex)<sup>[2]</sup>  
Colour: 19 sec (ready/simplex)<sup>[2]</sup>

### Two Sided Printing

Auto Duplex Print (A4, Letter - Plain Paper)

## CONSUMABLES AND INK YIELDS

### Ink Subscription Cartridges

PG-575i (Black)  
CL-576i (Colour)

### Non-ink Subscription

PG-575, PG-575XL (Black)

### Compatible Cartridges

CL-576, CL-576XL (Colour)

### Cartridge Yield (Plain paper) - Non-ink subscription cartridges

A4 colour documents printing<sup>[3]</sup>  
Black: 100 pages  
Black XL: 400 pages  
Colour: 100 pages  
Colour XL: 300 pages

## PAPER SUPPORT

### Paper Types

Plain Paper  
Photo Paper Pro Platinum (PT-101)  
Photo Paper Pro Luster (LU-101)  
Photo Paper Plus Glossy II (PP-201)  
Matte Photo Paper (MP-101)  
Glossy Photo Paper "Everyday Use" (GP-501)  
High Resolution Paper (HR-101N)  
Envelope  
Photo Paper Plus Semi-gloss (SG-201),  
Canon Red Label Superior (WOP111)  
Canon Oce Office Colour Paper (SAT213)  
Restickable Photo Paper (RP-101)  
Magnetic Photo Paper (MG-101)  
Greeting Card (manufactured by Avery and RedRiverPaper)

### Maximum Paper Input

Front Tray: Max. 100 sheets (plain paper) or 20 sheets (photo paper)  
ADF: A4, LTR: 20 Sheets, LGL: 5 Sheets

\*Please refer to online manual for a detailed list of paper load limits, which will vary depending on media type and page size selected.

### Paper Sizes

Front Tray: A4, A5, A6, B5, LTR, LGL, 4"x6" (10 x 15 cm), 5"x7" (13 x 18 cm), 8"x10" (20 x 25 cm), Envelopes (DL, COM10)

[Custom size] width 101.6 mm - 215.9 mm, length 152.4 mm - 676 mm

### Paper Weight

ADF: A4, LTR, LGL  
Front Tray: Plain Paper: 64 g/m<sup>2</sup> - 105 g/m<sup>2</sup> or supported genuine Canon papers  
Canon paper: Max. paper weight Approx. 300 g/m<sup>2</sup> (Photo Paper Pro Platinum PT-101)

## SCANNER SPECIFICATIONS

### Scanner Type

Flatbed (ADF / Platen) CIS colour scanner

### Scanner Resolution (Optical)

600 x 1,200 dpi<sup>[4]</sup>

### Line Scanning Speed

Colour: 3.5 ms/line (300 dpi)  
Greyscale: 1.5 ms/line (300 dpi)<sup>[7]</sup>

### Scanning Depth (Input / Output)

Colour: RGB each 16bit/8bit  
Greyscale: 16 bit / 8 bit

### Maximum Document Size

Platen: A4/Letter (216 x 297 mm)  
ADF: A4/Letter/Legal (216 x 356 mm)

## COPIER SPECIFICATIONS

### Copy Speed

### Copy quality

### Intensity adjustment

### Multiple Copy

### Copy Functions

ESAT/Simplex ADF (colour): Approx. 2.7 ipm<sup>[8]</sup>  
ESAT/Simplex ADF (black): Approx. 6.4 ipm<sup>[8]</sup>

3 positions (Draft, Standard, High)

9 levels (automatic adjustment available, AE copy)  
99 copies (max.)

Document Copying, Two-Sided Copy, 2-on-1 and 4-on-1 copy, Collated Copy (ADF only), Frame erase copy (Flatbed only), ID copy

25 - 400%

Fit to page

A5 to A4, B5 to A4, A4 to A5 and A4 to B5

### Copy Zoom

## FAX SPECIFICATIONS

### Fax Type

Super G3 / Colour

### Fax Resolution

Mono: 8pels/mm x 3.85 lines/mm (Standard)  
8pels/mm x 7.7 lines/mm (Fine)  
300 dpi x 300 dpi (Extra Fine)

### Transmission Speed

Colour: 200 x 200 dpi

Mono: approx. 3 sec.<sup>[21]</sup>

Colour: approx. 1 min.<sup>[21]</sup>

maximum 33.6 kbps (Automatic fall back)

A4, LTR, LGL

Approx. 50 pages<sup>[22]</sup>

Coded Speed Dialing: Max. 20 locations

Group Dialing: Max. 19 locations

### Modem Speed

### Print Size

### Fax Memory

### Automatic Dialing

## GENERAL

### Display

### Display Languages

Full dot LCD (Monochrome)

32 Languages Selectable:

Japanese, English (mm & inch), German, French, Italian, Spanish, Portuguese, Dutch, Danish, Norwegian, Swedish, Finnish, Russian, Ukrainian, Polish, Czech, Slovene, Hungarian, Slovakian, Croatian, Romanian, Bulgarian, Turkish, Greek, Estonian, Latvian, Lithuanian, Simplified Chinese, Korean, Traditional Chinese, Indonesian, Vietnamese

### Standard Interface

Hi-Speed USB (B Port)

Wi-Fi: IEEE802.11 b/g/n/<sup>[9]</sup>

Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password

Wireless LAN Frequency Band: 2.4GHz

Canon PRINT Inkjet/SELPHY app<sup>[10]</sup>

Easy-PhotoPrint Editor app<sup>[11]</sup>

Easy-PhotoPrint Editor Software<sup>[11]</sup>

Easy Layout Editor Software (Windows only)

Canon Inkjet Smart Connect Software (Windows 10 only)

Creative Park app

PIXMA Cloud Link<sup>[10]</sup>

Canon Print Service Plugin (Android)<sup>[12]</sup>

Apple AirPrint<sup>[13]</sup>

Wireless Direct<sup>[14]</sup>

Mopria (Android)<sup>[15]</sup>

Amazon Alexa<sup>[14]</sup>

Google Assistant<sup>[14]</sup>

Windows 11, Windows 10, Windows 8.1,

Windows 7 SP1

Operation can only be guaranteed on a PC with

pre-installed Windows 7 or later.

Display environment: XGA 1024 x 768 or more

Mac: OS X 10.13.6~macOS 10.15, macOS 11>

Chrome OS

Mobile Operating Systems: iOS®, iPadOS, Android™<sup>[17]</sup>

\*OS compatibility confirmed at time of launch, please check the Canon Download Centre for support of subsequently released OS's for this product.

Live for the story\_

# TECHNICAL SPECIFICATIONS

# PIXMA TR4750i

## Minimum System Requirements

Windows: 1.5GB or more  
Note: for bundled software installation. The necessary amount of hard disk space required.

## Software Included

Printer Driver  
IJ Printer Assistant Tool  
Easy-PhotoPrint Editor (download)

## PHYSICAL FEATURES

### Weight

approx. 5.8 kg

### Dimensions (W x D x H) With the trays retracted:

Approx. 435 x 295 x 189

### Dimensions (W x D x H) With the trays extended:

Approx. 435 x 592 x 438

### Acoustic Noise Levels

approx. 56.5dB(A) <sup>[18]</sup>

### Operating Temperature

5-35°C

### Operating Humidity

10-90%RH (no dew condensation)

### Power Source

AC 100-240V, 50/60Hz

### Duty Cycle

Up to 1,200 pages/month

### Power Consumption

Off: Approx. 0.3W  
Standby (USB connection to PC): Approx. 0.8W  
Standby (all ports connected): Approx. 1.4W  
Time to enter Standby mode: 10 minutes 6 sec  
Copying: Approx. 7W <sup>[19]</sup>  
\*The wait time for standby cannot be changed (Lot26)

## Typical Electricity Consumption

0.21 kWh <sup>[20]</sup>

### Footnote:

- [1] Ink droplets can be placed with a pitch of 1/4800 inch at minimum.
- [2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.  
Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.  
Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- [3] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.
- [4] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- [7] The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.
- [8] Copy speeds are the average of sFCOT and sESAT. ISO/IEC 29183.  
Copy speeds (ADF) are ESAT of copy in sequence. ISO/IEC 24735.  
Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- [9] Wireless printing requires a working network with wireless 802.11b/g/n/ac or ad capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- [10] Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
- [11] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- [12] Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- [13] AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.

[14] Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.

[15] Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.

[16] Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens. Only English, French and German supported.

[17] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.

[18] Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.

[19] Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

[20] Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.

[21] Black & white document fax transmission speed is based on default setting using ITU-T No.1 chart. Color document fax transmission speed is based on default setting using Canon Color Fax Test Sheet. Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc.

[22] Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1.

[23] Some colours may not be available in your region.

### Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see [www.canon-europe.com/ink/yield](http://www.canon-europe.com/ink/yield)
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Inc.  
canon.com  
Canon Europe  
canon-europe.com  
English edition  
Canon Europa NV 2022

Live for the story\_

# COMPACT MULTIFUNCTIONAL PRINTER: WITH PIXMA PRINT PLAN

# PIXMA TR4750i

Ideal for home offices, this 4-In-One links connectivity with productivity and is compatible with PIXMA Print Plan

Sales Start Date: TBC



## PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA TR4750i BK EUR	5074C006AA	4549292191875	<Please fill in RRP>

## STANDARD COMPATIBLE CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
<b>Standard size</b>			
PG-575	5438C001AA	4549292192629	<Please fill in RRP>
CL-576	5442C001AA	4549292192650	<Please fill in RRP>
<b>XL size</b>			
PG-575XL	5437C001AA	4549292192612	<Please fill in RRP>
CL-576XL	5441C001AA	4549292192643	<Please fill in RRP>

## MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TR4750i BK EUR	4977C006AA	Individual	1	501.3	222.1	465.4	7.8	5.8
		Pallet (Upper)	24	1117	1050	1147.5	190	139.2
		Pallet (Bottom)	24	1117	1050	1147.5	190	139.2

## What's in the box?

- All-in-one printer – PIXMA TR4750i
- FINE cartridges
- Power cord
- Set-up CD-ROM (CD only for Windows)
- Manuals and other documents

Live for the story\_