

MPO/MTP to LC Breakout Cable - Plenum-Rated - OM3, 40Gb - Push/Pull-Tab - 10 m (30 ft.)

ID prodotto: MPO8LCPL10M



This MPO/MTP to 8x LC breakout cable lets you fan out a single 40Gbps connection from a 40GBase-SR4 QSFP+ transceiver to four 10Gbps LC SFP+ transceivers.

The push-and-pull tabs optimize accessibility and let you install or remove the connectors with one hand without using additional tools. Plus, the slim uniboot design of the LC connectors saves space and improves cable management.

The MPO cable is housed in a plenum-rated jacket and is ideal for in-wall installations or anywhere CMP fire rating is required.

Each OM3 fiber cable has been individually tested for insertion loss and return loss. The full test report is included in each cable bag.

The MPO8LCPL10M from StarTech.com is backed by a lifetime warranty.

Certificazioni, report e compatibilità

Applicazioni

- Use in 10/40 Gigabit Ethernet and fiber channel applications
- Fan out a single 40Gbps MPO/MTP connection to four 10Gbps LC connections on devices such as fiber patch panels, hubs, switch, media converters, and routers
- Used with 40GBase-SR4 networking hardware

Caratteristiche

- Obtain higher port density with eight LC network connections combined into a single MPO/MTP connector
- Optimize accessibility and install or remove connectors with one hand using the push-and-pull tabs
- Save space and improve cable management with slim uniboot connectors
- Get test data for your fiber cable - an insertion loss and return loss test report is included in each cable bag

Hardware

Norme di garanzia	Lifetime
Classe di resistenza al fuoco	Classe CMP (plenum)
Dimensioni fibra	50/125

Prestazioni

Classificazione fibra	OM3
Tipo fibra	Multimodale

Connettore/i

Connettore A	MPO/MTP
Connettore B	LC duplex in fibra ottica

Ambientale

Temperatura d'esercizio	-10°C to 70°C (14°F to 158°F)
Temperatura di conservazione	-10°C to 70°C (14°F to 158°F)
Umidità	55 65%RH

Caratteristiche fisiche

Colore	Acqua
Lunghezza cavo	32.8 ft [10 m]

Lunghezza prodotto	32.8 ft [10 m]
Larghezza prodotto	0.3 in [8.7 mm]
Altezza prodotto	0.3 in [8 mm]
Peso prodotto	3.7 oz [104 g]

Informazioni
confezione

Package Length	8.7 in [22 cm]
Package Width	7.9 in [20 cm]
Package Height	0.4 in [10 mm]
Peso spedizione (confezione)	4.0 oz [114 g]

Contenuto
della
confezione

Incluso nella confezione	fiber optic cable
-----------------------------	-------------------

* L'aspetto e le specifiche dell'articolo sono soggetti a modifiche senza preavviso.

