

Rittal – The System.

Faster – better – everywhere.

► Nylon loop – DK 7072.220

Date : Jun 15, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Nylon loop – DK 7072.220

created: 15.06.2021 on www.ittal.com/com-en



Product description

Description: With the nylon loop, secured cables are easily released, allowing individual cables to be added or removed. Ideal for sensitive data cables (fibre-optic/Cu), as it avoids indentations on the cable sheathing. In addition, the nylon loop may be screw-fastened to the round system punchings or attached using a quick-release fastener.

Colour: Black

Supply includes: Quick-release fastener

Product description

Dimensions: Width: 20 mm
Length: 130 mm

Max. cable diameter: 30 mm

Packs of: 10 pc(s).

Weight/pack: 0.03 kg

Copper weight (kg per piece): 0

EAN: 4028177147898

Customs tariff number: 39191019

ETIM 7.0: EC002625

ETIM 6.0: EC002625

eCl@ss 8.0/8.1: 27189234

eCl@ss 6.0/6.1: 27140702

Product description: DK Nylon loop, WxL: 20x130 mm, For Ø: 30 mm

Approvals

Certificates: NA