

# PIXMA TS5350a series

## CHIC 3-IN-1

## FOR THE

## SMARTPHONE


## SAVVY

Stickers, magnets and crafts – unleash your creativity with a huge range of medias and apps. With easy connectivity, simplified OLED display, LED status bar and first-class FINE cartridges, this chic printer packs a punch for the smartphone-savvy.



- Style credentials**  
 An ultra-cool 2-tone colour scheme and a chic minimalist design with LED status bar give this printer some solid style points
- There's an app for that**  
 Print, scan, copy and connect to Facebook, Instagram and other cloud\* accounts from your smartphone using the Canon PRINT app, or print app-free with AirPrint (iOS) and Mopria (Android)
- Make it your own**  
 Transform your next project with Easy-PhotoPrint Editor, Creative Park and try out restickable, double-sided matte and iron-on transfer media
- Shareworthy snaps**  
 Get picture-perfect photos with up to 100 years of album life thanks to FINE cartridges and the ChromaLife100 ink system. The 5x5" and 3.5x3.5" media are ideal for social media snaps
- Hassle-free**  
 Get to grips with your printer with easy set-up, a simple 1.44" OLED display and connect all your smart devices at the touch of a button with Wireless Connect

\* Scan to cloud is only available to genuine Canon ink users



### PRODUCT RANGE



PIXMA TS8350a Series

PIXMA TS6350a Series  
 PIXMA TS8350a Series  
**PIXMA TS5350a Series**  
 PIXMA TS3350 Series



**PIXMA TS5350a Series**



PIXMA TS3350 Series

Live for the story\_

# TECHNICAL SPECIFICATIONS

# PIXMA TS5350a series

## GENERAL SPECIFICATIONS

### Model Numbers

PIXMA TS5350a (BLACK)  
PIXMA TS5351a (WHITE)  
PIXMA TS5352a (PINK)  
PIXMA TS5353a (GREEN)  
PIXMA TS5355a (BLACK)<sup>[8]</sup>

### Functions

Wi-Fi, Print, Copy, Scan, Cloud

## PRINTER SPECIFICATIONS

### Print Resolution

Up to 4800<sup>[1]</sup> x 1200 dpi

### Print Technology

2 FINE Cartridges (Black and Colour)

### Mono Print Speed

Approx. 13.0 ipm<sup>[2]</sup>

### Colour Print Speed

Approx. 6.8 ipm<sup>[2]</sup>

### Photo Print Speed

Borderless 10x15cm : Approx. 43 seconds<sup>[2]</sup>

### Borderless Printing

Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm, 13x13cm, 8.9x8.9cm)

### Two Sided Printing

Auto Duplex Print (A4, A5, B5, Letter - plain paper)

## CARTRIDGES AND YIELDS

### Standard Ink Cartridges

PG-560 (Black)  
CL-561 (Colour)

### Optional XL Ink Cartridges

PG-560XL (Black)  
CL-561XL (Colour)

### Cartridge Yield (Plain paper)

A4 colour documents printing<sup>[3]</sup>

Black: 180 pages  
Black XL: 400 pages  
Colour: 180 pages  
Colour XL: 300 pages

### Ink Tanks Yield (Photo print)

10x15cm photo<sup>[9]</sup>  
Black: 2152\* photos  
Black XL: 4973\* photos  
Colour: 69 photos  
Colour XL: 106 photos  
\* Estimated supplemental yield

## PAPER SUPPORT

### Paper Types

Plain Paper  
Canon High Resolution Paper (HR-101N)  
Canon Pro Platinum (PT-101)  
Canon Plus Glossy II (PP-201)  
Canon Pro Luster (LU-101)  
Canon Plus Semi-gloss (SG-201)  
Canon "Everyday Use" (GP-501)  
Canon Matte (MP-101)  
Envelopes  
Removable Photo Stickers (RP-101)  
Magnetic Photo Paper (MG-101)  
Double sided Matte (MP-101D)  
Light Fabric Iron-on transfers (LF-101)  
Dark Fabric Iron-on transfers (DF-101)

### Maximum Paper Input

Rear Tray: Max. 20 sheets (photo paper) or  
Max. 100 sheets (plain paper)  
Front Cassette: Max. 100 sheets (plain paper)

### Paper Sizes

Rear Tray:  
A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/  
13x13cm/8.9x8.9cm, Envelopes(DL,COM10)  
[Custom size] width 55mm - 215.9 mm,  
length 89mm - 676mm

Front Cassette: A4, A5, B5, LTR  
[Custom size] width 148.0 mm - 215.9 mm, length  
210mm - 297mm

### Paper Weight

Rear Tray: Plain paper 64 - 105 g/m<sup>2</sup>, Canon photo  
paper up to 300 g/m<sup>2</sup>  
Front Cassette: Plain Paper: 64-105 g/m<sup>2</sup>

## SCANNER SPECIFICATIONS

### Scanner Type

CIS flatbed photo and document scanner

### Scanner Resolution (Optical)

1200 x 2400 dpi<sup>[4]</sup>

### Scanning Depth (Input / Output)

Colour: RGB each 16bit/8bit  
Greyscale: 16 bit / 8 bit

### Maximum Document Size

216 x 297 mm

## COPIER SPECIFICATIONS

### Copy Speed

sFCOT: Approx. 4.0 ipm<sup>[5]</sup>  
sESAT: Approx. 20 sec<sup>[5]</sup>

### Multiple Copy

99 copies max.

### Copy Functions

Document Copying, Photo Copying, 2-sided copy,  
2-on-1

### Copy Zoom

25 - 400% (in 1% increments)  
Fit to page

## INTERFACE

### Display Type & Size

OLED (1.44 inch)

### Display Languages

33 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/Croatian/Vietnamese

### Interface Type - PC / Mac

Hi-Speed USB (B Port)  
Wi-Fi: IEEE802.11 b/g/n  
Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP,  
Administration password  
Wireless LAN Frequency Band: 2.4GHz

### Interface Type - Other

Canon PRINT Inkjet/SELPHY app  
Easy-PhotoPrint Editor  
PIXMA Cloud Link  
Canon Print Service Plugin (Android)  
Google Cloud Print  
Apple AirPrint  
Wireless Direct  
Access Point Mode  
WLAN PictBridge  
Mopria (Android)

Live for the story\_

# TECHNICAL SPECIFICATIONS

# PIXMA TS5350a series

## SOFTWARE

### Supported Operating Systems

Windows 10, Windows 8.1, Windows 7 SP1  
Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.  
OS X 10.11.6, macOS 10.12~macOS 10.14

### Supported Mobile Systems

iOS, Android, Windows 10 Mobile

### Minimum System Requirements

Windows: 2.0GB or more  
Mac: 1.0GB or more  
Note: for bundled software installation. The necessary amount of hard disk space required.  
Display: 1024 x 768 XGA

### Software Included

MP Driver including Scanning Utility  
Easy-PhotoPrint Editor (download)

## PHYSICAL FEATURES

### Weight

approx. 6.3 kg

### Dimensions (W x D x H)

approx. 403 x 315 x 148 mm

### Acoustic Noise Levels

approx. 43.5(A)<sup>[6]</sup>

### Recommended Operating Environment

Temperature: 15-30°C  
Humidity: 10-80%RH (no dew condensation)

### Power Source

AC 100-240V, 50/60Hz

### Power Consumption

Off: Approx. 0.3W  
Standby (connected to PC via USB): Approx. 0.9W (scanning lamp off)  
Standby (all ports connected): Approx. 1.7W (scanning lamp is off)  
Time to enter Standby mode: 11 min 7sec  
Copying: Approx. 19W<sup>[7]</sup>

## Footnotes

- <sup>[1]</sup> Ink droplets can be placed with a minimum pitch of 1/4800 inch
- <sup>[2]</sup> Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.  
Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- <sup>[3]</sup> Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- <sup>[4]</sup> Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- <sup>[5]</sup> Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.  
Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- <sup>[6]</sup> Acoustic Noise is measured based on ISO7779 standard (colour printing) with default setting.
- <sup>[7]</sup> When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- <sup>[8]</sup> Some colours may not be available in your region.
- <sup>[9]</sup> Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.

## Standard disclaimers

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see [www.canon-europe.com/ink/yield](http://www.canon-europe.com/ink/yield)

Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

All brand and product names are trademarks of their respective companies.

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



Canon Inc.  
canon.com  
Canon Europe  
canon-europe.com  
English edition  
Canon Europa NV 2022

**CHIC 3-IN-1 FOR THE  
SMARTPHONE SAVVY**

# PIXMA TS5350a series

Stickers, magnets and crafts – unleash your creativity with a huge range of medias and apps. With easy connectivity, simplified OLED display, LED status bar and first-class FINE cartridges, this chic printer packs a punch for the smartphone-savvy.

Sales Start Date: TBC



#### PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA TS5350a EUR BLACK	3773C106AA	4549292197853	<Please fill in RRP>
PIXMA TS5351a EUR WHITE	3773C126AA	4549292197914	<Please fill in RRP>
PIXMA TS5352a EUR PINK	3773C146AA	4549292197945	<Please fill in RRP>
PIXMA TS5353a EUR GREEN	3773C166AA	4549292197990	<Please fill in RRP>
PIXMA TS5355a EUR2 BLACK	3773C196AA	4549292198027	<Please fill in RRP>

#### CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
<b>Standard size</b>			
PG-560	3713C001AA	4549292144642	<Please fill in RRP>
CL-561	3731C001AA	4549292145038	<Please fill in RRP>
<b>XL size</b>			
PG-560XL	3712C001AA	4549292144628	<Please fill in RRP>
CL-561XL	3730C001AA	4549292145014	<Please fill in RRP>

**Canon**

Live for the story\_

**CHIC 3-IN-1 FOR THE  
SMARTPHONE SAVVY**

# PIXMA TS5350a series

Stickers, magnets and crafts – unleash your creativity with a huge range of medias and apps. With easy connectivity, simplified OLED display, LED status bar and first-class FINE cartridges, this chic printer packs a punch for the smartphone-savvy.



#### MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS5350a EUR BLACK	3773C106AA	Individual	1	477	223	481.5	7.7	5.5
PIXMA TS5351a EUR WHITE	3773C126AA	Pallet (Upper)	20	1123	962	967.5	167	128.4
PIXMA TS5352a EUR PINK	3773C146AA							
PIXMA TS5353a EUR GREEN	3773C166AA	Pallet (Bottom)	30	1123	962	1449	249.5	191.6
PIXMA TS5355a EUR2 BLACK	3773C196AA							

#### What's in the box?

- All-in-one printer – PIXMA TS5350a Series
- FINE cartridges
- Power cord
- Set-up CD-ROM
- Manuals

**Canon**

Live for the story\_

**Canon**

---

Live for the story\_