## Rittal - The System.

Faster – better – everywhere.

## Nylon loop – DK 7072.230

Date: Jun 15, 2021



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

## **Nylon loop – DK 7072.230**

created: 15.06.2021 on www.rittal.com/com-en



<b>D</b>			4.5
Prod	luct	descri	ntion
	uvi	463011	

Description: With the nylon loop, secured cables are easily released, allowing individual cables to be

added or removed. Ideal for sensitive data cables (fibre-optic/Cu), as it avoids

indentations on the cable sheathing. In addition, the nylon loop may be screw-fastened

to the round system punchings or attached using a quick-release fastener.

Colour: Black

Supply includes: Quick-release fastener

## **Product description**

**Dimensions:** Width: 20 mm

Length: 200 mm

Max. cable diameter: 50 mm

Packs of: 10 pc(s).

Weight/pack: 0.04 kg

Copper weight (kg per piece):

EAN: 4028177147904

**Customs tariff** number:

39191019

0

ETIM 7.0: EC002625

© Rittal 2021 1

ETIM 6.0:	EC002625	
e CI@ss 8.0/8.1:	27189234	
e CI@ss 6.0/6.1:	27140702	
Product description:	DK Nylon loop, WxL: 20x200 mm, For Ø: 50 mm	
Approvals		
Certificates:	NA	

© Rittal 2021 2