



AA USB-C Rechargeable Battery

PN: 30249

With an approximate 2100 mAh (3150 mWh) capacity and stable 1.5 V output, these rechargeable AA batteries deliver dependable power for compatible everyday devices. They're ideal for a wide range of compatible household and portable devices, including remote controls, wireless keyboards and mice, toys, torches, clocks, radios and other everyday electronics.


Charging your AA batteries is now as easy as charging your other USB-C devices. Simply connect the included 4-in-1 USB-C cable directly to the batteries – no separate battery charger required. The built-in LED clearly shows when each battery is charging and when it is fully charged. Each battery takes approximately 3 hours to charge.

- Charge directly via USB-C – no separate battery charger needed
- Rechargeable over 1,000 times for long-lasting value
- Stable 1.5 V output for reliable everyday performance
- Approx. 2100 mAh (3150 mWh) capacity
- Built-in LED shows charging status at a glance
- Charge up to four batteries simultaneously with the included cable
- Ideal for compatible AA devices and low-drain applications
- A convenient alternative to disposable AA batteries

Compatible with USB chargers, QC fast chargers, power banks, car chargers and computers. (Not to be used with chargers for other battery types or voltages above 5 V.)



Built-in
USB-C



1000+
Cycles



LED Charge
Indicator



PN: 30249

Product Specifications

Battery Chemistry: Lithium
 UN code (dangerous goods): UN3480
 Nominal Voltage: 1.5 V
 Capacity: Approx. 2100 mAh (Minimum 1950 mAh) / 3150 mWh
 Recharge Cycles: ≥300 cycles to 80% capacity; up to approx. 1,000 cycles (10-20% capacity remaining)
 Charging Mode: USB-C
 Charging Time: 3.0 h ±0.5 h
 Charging Voltage: 5.0 V
 Max Charging Current: ≤ 400 mA
 Charging Indicator: LED flashing = charging; LED solid = full
 Charging Temperature: 0–35°C
 Recommended Discharge Current: < 200 mA
 Maximum Discharge Current: ≤ 2000 mA
 Operating Temperature (Discharge): –10°C to +45°C
 Maximum Time Empty Before Recharge: ≤60 days
 Weight: 17.5 ± 0.5 g per battery
 Dimensions: Ø14.1 ± 0.4 mm × 50.1 ± 0.4 mm



Storage and Operating Conditions

Charging Temperature: 0°C to 35°C
 Operating Temperature (Discharge): –10°C to +45°C
 Operating Humidity: 55% RH (+20% / –40%)
 Storage Temperature: 0°C ~ +35°C

Languages

Front of pack: English
 Back of pack: English, French, German, Dutch, Italian, Spanish, Portuguese, Polish, Russian, Czech, Hungarian, Greek, Serbian, Croatian, Traditional Chinese, Simplified Chinese, Korean, Japanese

Quick Installation Languages

English, French and German + Technical support text in English, French, German, Dutch, Italian, Spanish, Portuguese, Polish, Russian, Czech, Hungarian, Serbian, Croatian, Traditional Chinese, Simplified Chinese, Korean, Japanese

Reorder No.	Description	Tariff Code	Barcode	EAN-128	EAN-14
30249	Verbatim AA USB-C Rechargeable Battery (Pack of 4)	85076000	023942302490	(02)00023942302490(37)0192(91)46 (02)00023942302490(37)0384(91)46	20023942302494 50023942302495

Reorder No.	30249
Product Dimensions L x W x H	14,1 x 50,1 mm
Product Weight	17,5 g
Units per Pack	4
Pack Dimensions L x W x H	122 x 87 x 17 mm
Pack Weight	105,6 g
Units per Outer Carton (MOQ)	48 packs (192 single cells)
Outer Carton Dimensions L x W x H	196 x 123 x 100 mm
Outer Cartons Weight	1343,2 g
Outer Cartons per Layer	96 packs (384 single cells)
Layers per Pallet	3
Units per Pallet	11520



Pack Content

- 4 × Verbatim AA USB-C Rechargeable Batteries
- USB-C to C 4-in-1 Charging Cable
- Quick Start Guide