



Expansion Unit DX1215II




On-the-Fly Storage Expansion for Synology DiskStation

Synology DX1215II expansion units are designed to provide effortless storage expandability for Synology DiskStations. The modest 12-bay desktop form factor allows for maximum storage scalability while taking up minimal space. Plug it in and start leveraging your new storage space thanks to easy installation. The unit is backed by Synology's 5-year limited warranty.²

Highlights

- **Seamless Storage Expansion**
Add 12 additional drive bays to your Synology DiskStation¹
- **Best Fit With Synology Enterprise HDD**
Use with Synology HAT5300 SATA HDDs for high performance and verified compatibility
- **Easy Hardware Setup**
Plug-and-play design makes upgrading storage easy
- **Extended After-Sales Support**
Backed by Synology's 5-year limited warranty²



Faster Together

Synology HAT5300 delivers stable and consistent sequential read performance in a multi-user RAID environment compared with similar-class drives used on Synology systems.



Synology's 5-year limited warranty

Synology's 5-year limited warranty² includes technical support services to keep your business running.

Expand DiskStation With Synology Drives

Synology HAT5300 SATA HDDs, developed in tandem with Synology storage systems, provide proven interoperability and high reliability through rigorous validation. Combine HAT5300 drives with Synology DiskStation and DX1215II for a highly reliable and integrated storage setup, and receive long-term Synology updates and support.

Compact Storage for Easy Expansion

It is easy to expand your Synology DiskStation¹ with **12 additional 3.5 inch drive bays** with the DX1215II expansion unit. The plug-and-play design adds drives to the host DiskStation without additional setup or downtime.

Backed by Synology's 5-Year Limited Warranty

Synology DX1215II is designed to keep your data durably safe. It is backed by Synology's 5-year limited warranty,² which includes hardware replacement and technical support for maximum return on investment.

Hardware Overview

Front



Rear



1	Status Indicator	2	Alert Indicator	3	Power Button	4	Link Indicator
5	Drive Status Indicators	6	Drive Trays	7	Drive Tray Locks	8	Fans
9	Power Port	10	Expansion Port	11	Default/Manual Switch		

Technical Specifications

Hardware

Compatible drive types	12 x 3.5" or 2.5" SATA HDD/SSD (drives not included)
Hot swappable drives	Yes
External port	1 x Expansion port (Infiniband)
Size (HxWxD)	270 x 300 x 340 mm
Weight	9.02 kg
System fans	2 x (120 x 120 x 25 mm)
AC input power voltage	100 V to 240 V AC
Power frequency	50/60Hz, single phase
Operating temperature	5°C to 35°C (40°F to 95°F)
Storage temperature	-20°C to 60°C (-5°F to 140°F)
Relative humidity	5% to 95% RH
Maximum operating altitude	5,000 m (16,400 ft)

Environment and Packaging

Environment safety	RoHS compliant
Package contents	<ul style="list-style-type: none"> 1 x DX1215II main unit 1 x Quick Installation Guide 1 x Accessory pack 1 x AC power cord 1 x Expansion cable
Optional accessories	<ul style="list-style-type: none"> 3.5" SATA HDD: HAT5300 2.5" SATA SSD: SAT5200
Warranty	5 years

*Model specifications are subject to change without notice. Please refer to www.synology.com for the latest information.

- Requires DSM 6.2.4-25556 or newer to be installed on the host device.
- The warranty period starts from the date of purchase as stated on your purchase receipt. Visit <https://www.synology.com/company/legal/warranty> for more information.

SYNOLOGY INC.

Copyright © 2021, Synology Inc. All rights reserved. Synology, the Synology logo are trademarks or registered trademarks of Synology Inc. Other product and company names mentioned herein may be trademarks of their respective companies. Synology may make changes to specification and product descriptions at anytime, without notice.

DX1215II-2021-ENU-REV001