



Poly Video IEC Power Cord (874T5AA)

Specifications

Package dimensions (W x D x H) 190 x 210 x 55 mm

Package weight 300 g

UPC number

(AB0) 197497662474; (AB1) 197497662481; (AB2) 197497662498; (ABA) 197497662504; (ABB) 197497662511; (ABG) 197497662528; (ABJ) 197497662771; (ABT) 197497662535; (ABU) 197497662542; (AC4) 197497662559; (ACJ) 197497662566; (AR6) 198415318237; (UUF) 197961119121; (UUZ) 197497662573

Additional specifications

Cartons per layer	7
Cartons per pallet	35
Country of origin	Made in China
ECCN	EAR99
HTS code	8544429090
Multiple order quantity	18
Package dimensions (W x D x H)	7.48 x 8.26 x 2.16 in
Package weight	0.66 lb
Pallet (layers)	5
Pallet dimensions	40 x 48 x 58.66 in
Pallet dimensions (W x D x H)	101.6 x 121.9 x 149 cm
Pallet weight	787.05 lb
Pallet weight	357 kg
Products per pallet	2100
Products per pallet layer	420
UNSPSC code	26111710

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Dec 12, 2024 1:37 PM UTC+0000