

3-in-1 Multiport naar HDMI Adapter - 4K 60Hz USB-C, HDMI of Mini DisplayPort naar HDMI Converter voor Vergaderzaal - Digital AV Video Adapter voor aansluiten HDMI Monitor/Scherm

Productcode: CDPHMDMP2HD



This multiport to HDMI adapter provides multiple host options, connecting your USB-C™, HDMI® or Mini DisplayPort™ device to an HDMI display. This digital AV adapter supports High Dynamic Range (HDR) and provides sharper images with enhanced video.

With brighter colors and greater contrast, the adapter is ideal for:

- Creating eye-catching visuals for photography, videography, cinematography
- Delivering enriched presentations

With three popular input connections, this 4K HDMI AV adapter eliminates the need for multiple adapters and is compatible with the most common devices, ensuring you can connect wherever you go. The adapter can also conveniently be left connected to HDMI displays in boardrooms or conference rooms permanently, helping to reduce setup time.

The 3 in 1 HDMI adapter is fully compatible with HDMI 2.0b specification, supporting resolutions up to 4K 60Hz (3840 x 2160) and bandwidths up to 18Gbps. The video converter is also backward compatible with lower resolutions including HD 1080p, making it ideal for your office or home office setup.

With HDR support, you can enjoy lifelike images with increased contrast, brightness and colors and greater luminosity than standard digital imaging.

The adapter also outputs 2-channel audio no matter what host you're connected to, ensuring a seamless AV experience.

To ensure easy operation and installation, this multi connector adapter supports a plug & play setup

with any OS, including macOS, Windows, Ubuntu, Chrome and Android.

This multiport AV adapter is backed by a 3-year StarTech.com warranty, and free lifetime technical support.

## Certificaties, rapporten en compatibiliteit

### Toepassingen

- Connect to a 4K HDMI monitor, TV or projector
- Ideal for boardrooms, conference rooms or shared workspaces

### Eigenschappen

- **3-IN-1 ADAPTER:** This multiport to HDMI adapter features three common host port options including USB C, HDMI or Mini DisplayPort to seamlessly connect one laptop or tablet to an HDMI monitor, TV or projector in a boardroom, office or conference room
- **4K RESOLUTION & AUDIO SUPPORT:** USB Type-C/HDMI/Mini DP to HDMI video converter supports resolutions up to UHD 4K 60Hz (3840x2160) & 2ch audio on HDMI 2.0b displays | HDR10 produces lifelike images w/ a higher contrast-ratio | Backward compatible w/ 1080p
- **COMPATIBILITY:** This all-in-one HDMI adapter eliminates the need for multiple adapters for universal host connectivity; works w/ USBC (or Thunderbolt 3), HDMI or mDP laptops or tablets including MacBooks, Ultrabooks and Surface Pro devices | OS independent
- **USB-POWERED:** Featuring an easy plug and play setup, this Multiport to HDMI digital AV adapter requires no external power adapter and can be powered using an available USB port with the included micro-USB to USB-A power cable
- **FLEXIBLE SETUP:** Equipped with a female HDMI connector that allows you to connect to various cable lengths to your boardroom display | 11" (27 cm) attached host cables | Supports HDMI screw-locking cable to prevent accidental disconnection

---

#### Hardware

Garantiebeleid	3 Years
AV-ingang	USB-C
	HDMI - 2.0
	Mini DisplayPort - 1.2

AV-uitgang	HDMI - 2.0
Industriestandaarden	HDMI 2.0b
Chipsetcode	Realtek RTD2172AU

---

#### Prestaties

Video Revision	HDMI 2.0
Ondersteunde resoluties	HDMI: 3840x2160 (4K) / 60Hz Lower resolutions and refresh rates may also be supported
Audiospecificaties	HDMI - 2 Channel Audio

---

#### Connector(en)

Connector A	USB-C (24-polig) DisplayPort Alt Mode HDMI Mini DisplayPort
Connector B	HDMI

---

#### Voeding

Inclusief voedingsadapter	Busvoeding
---------------------------	------------

---

#### Gebruiksomgeving

Bedrijfstemperatuur	0°C to 70°C (32°F to 158°F)
Opslagtemperatuur	-10°C to 55°C (14°F to 131°F)
Vochtigheid	5% ~ 90 % RH (no condensation)

---

#### Fysieke eigenschappen

Kleur	Zwart
Kabellengte	10.4 in [26.5 cm]
Lengte product	3.1 in [80.0 mm]
Breedte product	2.2 in [55.0 mm]



Hoogte product	0.8 in [20.0 mm]
Gewicht product	3.7 oz [104.0 g]

---

Verpakkingsinformatie

Package Length	6.7 in [17.0 cm]
Package Width	5.7 in [14.5 cm]
Package Height	1.2 in [30.0 mm]
Verzendgewicht (verpakt)	6.8 oz [191.7 g]

---

Wat wordt er meegeleverd

Meegeleverd	Display Adapter
	Micro USB Cable for Power
	Product Insert

---

\* Uitvoering en specificaties van het product zijn zonder aankondiging vatbaar voor wijzigingen.

