

PIXMA TR4551

STYLISHLY COMPACT MULTIFUNCTIONAL PRINTER FOR HOME OFFICES

Classy and compact, this multifunctional printer can copy, scan and fax multiple page documents. With high productivity and seamless Wi-Fi connectivity, it's a perfect fit for home offices.



- Straightforward connectivity to Wi-Fi and smart devices
- Print from and scan to cloud storage*
- Optimise efficiency with XL ink cartridges
- 20-sheet ADF** and auto 2-sided printing for maximum productivity
- Print professional documents

*Scan to cloud and scan to email only available for users of genuine Canon ink

**A4/LTR/LGL sizes only



PIXMA XL Inks



ADF



Auto 2-sided Print



Connectivity



Borderless Photo
Printing



Auto Power On

PRODUCT RANGE



PIXMA TR4550



PIXMA TR8550



PIXMA TR7550

PIXMA TR4550
PIXMA TR8550
PIXMA TR7550

Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA TR4551

GENERAL SPECIFICATIONS

Functions

Wireless, Print, Copy, Scan, Fax & Cloud Link

PRINTER SPECIFICATIONS

Print Resolution

Up to 4800 ^[1] x 1200 dpi

Print Technology

2 FINE Cartridges (BK, CL)

Mono Document Print Speed

Approx. 8.8 ipm ^[2]

Colour Document Print Speed

Approx. 4.4 ipm ^[2]

Photo Print Speed

Borderless 10x15cm: Approx. 65 seconds ^[3]

Borderless Printing

Yes (A4, LTR, 20x25cm, 13x18cm, 10x15cm)

Two Sided Printing

Auto Duplex Print (A4, LTR - plain paper)

SCANNER SPECIFICATIONS

Scanner Type

Flatbed & ADF

Scanner Resolution (Optical)

Up to 600 x 1200 dpi ^[4]

Maximum Document Size

Flatbed: A4, LTR (216x297mm)

ADF: A4, LTR, LGL

Scanning Depth (Input / Output)

Colour: RGB each 16bit/8bit
Greyscale: 16 bit / 8 bit

COPIER SPECIFICATIONS

Copy Speed - Colour Document

sFCOT: Approx. 27 seconds ^[6]

sESAT: Approx. 3.6 ipm ^[6]

sESAT ADF: Approx. 2.7 ipm ^[6]

Multiple Copy

max. 99 pages

Copy zoom

25-400%
Fit to page

Copy functions

Document Copying, Borderless copy, 2-sided copy,
2-on-1 and 4-on-1 copy, Frame erase copy,
Collated copy (ADF only) ID copy

Copy quality settings

3 positions (Draft, Standard, High)

FAX SPECIFICATIONS

Fax Type

Super G3/Color Communication

Fax Resolution

8pels/mm x 3.85lines/mm(Standard)
8pels/mm x 7.7lines/mm(Fine)
300dpi x 300dpi (Extra Fine)

Fax Speed

Mono: approx. 3 sec. (33.6kbps) ^[7]
Colour: approx. 1 min. (33.6kbps) ^[7]

Fax Memory

approx. 50 pages

COMPATIBLE INKS

Standard Ink Cartridges

PG-545 (Black)
CL-546 (Colour)

Optional XL Ink Cartridges

PG-545XL (Black)
CL-546XL (Colour)

INK YIELDS

BK (Pigment Black)

Black: 180 pages
Black XL: 400 pages

CL (Colour - CMY)

Colour: 180 pages
Colour XL: 300 pages

Testing standards

ISO/IEC 24711 for A4 colour document pages
Values obtained by continuous printing
* Estimated supplemental yield

PAPER SUPPORT

Paper Types

Plain Paper
Photo Paper Pro Platinum (PT-101)
Photo Paper Plus Glossy II (PP-201)
Photo Paper Pro Luster (LU-101)
Photo Paper Plus Semi-gloss (SG-201)
Glossy Photo Paper "Everyday Use" (GP-501)
Matte Photo Paper (MP-101)
Removable Photo Stickers(RP-101)
Magnetic Photo Paper(MG-101)
Max. 100 sheets of plain paper
Max. 20 sheets of photo paper
A4, A5, B5, LTR, LGL, 13x18cm, 10x15cm
Envelopes(DL,COM10)
[Custom size] (width 89 mm - 215.9 mm, length 127 mm - 676 mm)
Plain paper: 64 - 105 g/m²
Canon photo paper up to 300 g/m² (PT-101)

Maximum Paper Input

Paper Sizes

Paper Weight

INTERFACE

Interface Type - PC / Mac

Hi-Speed USB (8 Port)
Wi-Fi: IEEE802.11 b/g/n
Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP,
Administration password
Wireless LAN Frequency Band: 2.4GHz
PIXMA Cloud Link (from smartphone / tablet)
Canon PRINT Inkjet/SELPHY app
Canon Print Service Plugin (Android)
Google Cloud Print
Apple AirPrint
Mopria (Android)
Message In Print app
Wireless Direct
Access point mode

Interface Type - OTHER

SOFTWARE

Supported Operating System

Windows 10, Windows 8.1, Windows 7 SP1
OS X 10.10.5~OS X 10.11, macOS 10.12~macOS 10.13

Supported Mobile Systems

iOS
Android
Windows 10 Mobile

Minimum System Requirements

Windows: 3.1GB disk space, Internet Explorer 8
Mac: Internet connection, 1.5GB disk space, Safari 5
Display: 1024 x 768 XGA

Software Included

MP Driver including Scanning Utility
Easy-WebPrint EX (download) ^[10]



TECHNICAL SPECIFICATIONS

PIXMA TR4551

PHYSICAL FEATURES

Display Type & Size Display languages

Full dot LCD display
33 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/Croatian/Vietnamese

Automatic Document Feeder Dimensions (W x D x H)

Up to 20 Sheets (1-sided)
approx. 435 x 295 x 189 mm

Weight

5.9 kg

Power Source

AC 100-240V, 50/60Hz

Power Consumption

Off: Approx. 0.2W
Standby (USB connection to PC): Approx. 0.9W (scanning lamp off)
Standby (all ports connected): Approx. 1.6W (scanning lamp off)
Time to enter Standby mode: 10min 46sec
Copying: Approx. 8W^[8]
Approx. 54dB(A)^[9]

Acoustic Noise Levels (Photo 4x6)

15-30°C

Operating Temperature

Operating Humidity

10-90%RH (no dew condensation)

Footnotes

^[1] Ink droplets can be placed with a minimum pitch of 1/4800 inch

^[2] Document print speeds are the averages of ESAT (Word, Excel, PDF) in Office Category Test for the default simplex mode, ISO/IEC 24734. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

^[3] Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

^[4] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.

^[5] TBD

^[6] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.

Copy speeds (ADF) are ESAT of copy in sequence, ISO/IEC 24735.

Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.

^[7] Black & white document fax transmission speed is based on default setting using ITU-T No.1 chart.

Color document fax transmission speed is based on default setting using Canon Color Fax Test Sheet.

Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc.

^[8] Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

^[9] Acoustic Noise is measured based on ISO7779 standard with default setting.

^[10] Easy-WebPrint EX requires Internet Explorer 8 or later

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For more information see www.canon-europe.com/ink/yield
- All brand and product names are trademarks of their respective companies.



STYLISHLY COMPACT MULTIFUNCTIONAL PRINTER FOR HOME OFFICES

Classy and compact, this multifunctional printer can copy, scan and fax multiple page documents. With high productivity and seamless Wi-Fi connectivity, it's a perfect fit for home offices.

Sales Start Date: Sep 2018



PRODUCT DETAILS:

| Product Name | Mercury Code | EAN Code | Recommended Retail Price |
|---------------------|--------------|---------------|--------------------------|
| PIXMA TR4551 WH EUR | 2984C029AA | 4549292118971 | <Please fill in RRP> |

CONSUMABLES:

| Product Name | Mercury Code | EAN Code | Recommended Retail Price |
|-----------------------------------|--------------|---------------|--------------------------|
| PG-545 | 8287B001AA | 4960999974507 | <Please fill in RRP> |
| CL-546 | 8289B001AA | 4960999974521 | <Please fill in RRP> |
| PG-545XL | 8286B001AA | 4960999974491 | <Please fill in RRP> |
| CL-546XL | 8288B001AA | 4960999974514 | <Please fill in RRP> |
| PG-545/CL-546 MULTI | 8287B005AA | 8714574605517 | <Please fill in RRP> |
| CRG PG-545XL/CL-546XL PHOTO VALUE | 8286B006AA | 8714574630793 | <Please fill in RRP> |
| CRG PG-545XL/CL-546 MULTI | 8286B008AA | 8714574631530 | <Please fill in RRP> |

Canon

Live for the story_

**STYLISHLY COMPACT
MULTIFUNCTIONAL PRINTER FOR
HOME OFFICES**

Classy and compact, this multifunctional printer can copy, scan and fax multiple page documents. With high productivity and seamless Wi-Fi connectivity, it's a perfect fit for home offices.

PIXMA TR4551



MEASUREMENT / LOGISTIC INFORMATION:

| Product Name | Mercury Code | Pack description | Quantity per pack | Length (mm) | Width (mm) | Height (mm) | Gross Weight (kg) | Net Weight (kg) |
|---------------------|--------------|------------------|-------------------|-------------|------------|-------------|-------------------|-----------------|
| PIXMA TR4551 WH EUR | 2984C029AA | Individual | 1 | 501.3 | 222.1 | 465.4 | 8.4 | 6.4 |
| | | Pallet (Upper) | 24 | 1117 | 1050 | 1147.5 | 192.2 | 190.6 |
| | | Pallet (Bottom) | 24 | 1117 | 1050 | 1147.5 | 192.2 | 190.6 |

What's in the box?

- 4-in-one printer - PIXMA TR4551 Series
- 2 FINE cartridges
- Power cord
- Set-up CD-ROM
- Manuals and other documents

