HP Series 7 Pro 34 inch WQHD Conferencing Monitor - 734pm

Intelligent conferencing, ahead of the curve

Effortlessly make a great impression with built-in AI on the HP 34" WQHD Conferencing Monitor. Intelligent conferencing delivers productive, high-quality collaboration every time. And it's all on a dazzling ultrawide display with powerful Thunderbolt™ 4.



*Product image may differ from actual product



Put your best self on display

Usher in a new era of intelligent conferencing with effortless Al experiences across any OS. Collaborate like you're face to face thanks to lifelike audio and visual clarity from the 5MP HDR Al webcam with integrated speakers so you can always conference with confidence.



Productivity beyond measure

This cutting-edge WQHD curved monitor provides an ultrawide canvas that makes maximum productivity effortless. Do more, uninterrupted, on more devices with this Thunderbolt™ 4 monitor's incredible performance and advanced workflow features.¹



Your vision, exactly as you dream it

Reimagine your creative process. Trust what's on screen straight from the box with factory-calibrated color accuracy on a brilliant display. Jump into the wide array of vivid, lifelike colors and rich contrast thanks to IPS Black, HDR400, 98% Display P3, and more.²

Sustainability in action

Materials that make an impact

The better choice for a brighter tomorrow, this energy-efficient monitor is made with at least 90% recycled plastic content. And with 100% sustainably sourced packaging , you can be confident knowing your monitor does good things for you and the planet.















HP Series 7 Pro 34 inch WQHD Conferencing Monitor -734pm

Featuring







Intelligent 5MP HDR AI Webcam

The integrated Poly Studio 5MP HDR AI webcam adapts to lighting conditions to always deliver superb camera quality. No matter the device you work on, the built-in AI collaboration tools ensure you're always ready to make a stellar first impression.

Full-Suite Al Experience

Collaborate confidently with a host of built-in Al webcam features. Auto framing keeps you front and center, background blur minimizes distractions, and auto lock and awake offers added security so you can focus on your conversation, not your tech.

Al Noise Reduction

Upgrade your conference call experience with HP Al-based noise reduction filters. Limit distractions including dogs, sirens, construction, and other meetings so you're heard loud and clear no

Poly Studio Audio with DTS® Virtual:X™

 $Never \ miss\ a\ beat\ with\ the\ high-quality, immersive\ sound\ of\ 4\ speakers\ with\ DTS^*\ Virtual; \\ X^w\ technology\ -\ perfect\ for\ music,\ meetings,\ and\ more.$

Ultrawide WQHD Display

Boost your productivity with ultrawide 34" curved monitor with 3440 x 1440 WQHD resolution – see all your projects in vivid detail on one expansive screen.

View brilliant visuals from any angle with deeper colors, darker shadows, and brighter highlights with IPS Black. Enjoy a stunning 2,000:1 contrast ratio — twice that of a traditional IPS — and ultrawide viewing angles.²

Superb Color Accuracy

For color-critical projects, trust this Pantone-validated™ display with superb color accuracy, achieved by strict factory color calibration that ensures over 400 colors achieve a Delta E < 2, making

HDR and Wide Color Gamut Replicate reality on your screen with 98% Display P3,100% sRGB and VESA DisplayHDR™ 400 for a wide range of vibrant colors and deeper hues that represent colors as they are in the real world.²

HP User Color Recalibration

For professionals who demand exact, consistent, and top-quality color for their monitor, this feature allows users to recalibrate their displays to maintain professional-grade color accuracy throughout the life of the monitor.5

AMD FreeSync™ Premium & High Refresh Rate Enjoy buttery-smooth scrolling and ultra-fluid, tear-free entertainment at peak performance with AMD FreeSync™ Premium and a 120Hz refresh rate to keep you productive and engaged for work or

Thunderbolt™ 4 Technology

Multitask as a pro with a superfast Thunderbolt™ 4 monitor to deliver video and data at speeds up to 40Gpbs while charging devices up to 100W with a single cable for a seamless work setup.¹

Smart KVM and PbP

Boost your productivity with Smart KVM switch that seamlessly detects and switches between two different computers, so you can multi-task with just one keyboard and mouse. Plus, see both devices side-by-side on screen with Picture-by-picture.

Simplify multitasking with controlled file sharing at the press of a button. Control two devices: copy/paste files, and switch views seamlessly with one keyboard and mouse.

More ports mean more capabilities. With Thunderbolt™ 4, full-function USB-C*, HDMI 2.0, DisplayPort™ 1.4 In and Out, RJ-45,1 USB-C* 3.2 Gen 2, and 5 USB-A 3.2 Gen 2 ports, you can daisy-chain multiple monitors and connect a mouse, keyboard and more.

Always-on, True Color, Low-Blue Light Filter

HP Eye Ease is an always-on, low-blue light filter that helps keep your eyes comfortable throughout the day by reducing blue light without impacting color accuracy or adding a yellow color shift.

Sleek and functional design

Add an aesthetic appeal to your workspace with a sleek 3-sided micro-edge bezel and adjustable stand that seamlessly blends form and function. The fresh, light silver color and smooth, seamless back is a perfect match for any home or office setting.

Customize your monitor with the intuitive HP Display Center that lets you tailor your settings, partition screens, and more – all through the host PC. Plus, learn how to find your perfect posture with help from the included HP Ergonomic Setup Guide.

Remote Management Reimagined

HP Display Manager makes remote management of the monitor easy with a stable ethernet connection enabled by RJ-45. Simplify deployment, asset tracking, and remotely control monitor settings, like turning the power off.11

Peace of Mind

Enjoy peace of mind with a 3-year limited warranty and HP Zero Bright Dot Guarantee. For all HP Series 7 Pro monitors, even if one subpixel fails, HP will replace the entire monitor, no questions asked. 12



HP Series 7 Pro 34 inch WQHD Conferencing Monitor -734pm

Specifications

Display specifications

Display size (diagonal, metric) 86.4 cm (34")

Aspect ratio 21:9¹

Curvature 1900R

Native resolution WQHD (3440 x 1440)^{1,2}

Resolution (maximum)

WQHD (3440 x 1440 @ 120 Hz)¹ Resolutions supported

640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 1024; 1440 x 900; 1600 x 900; 1600 x 1200; 1680 x 1050;

1920 x 1080; 1920 x 1200; 2560 x 1440; 3440 x 1440

Panel type IPS Black

Bezel

3-sided borderless

Panel active area 79.98 x 33.48 cm

Panel bit depth True 8 bit¹

Up to 16.7 million colors supported

Display color gamut 100% sRGB; 98% Display P3

HDR Support VESA DisplayHDR™ 400

Refresh rate (maximum) 120 Hz¹

Display scan frequency 30-120 Hz (Vertical)¹ 30-190 kHz (Horizontal)¹

Response time

5ms GtG (with overdrive)

400 nits

Contrast ratio 2000:1 (Static)

Pixel pitch 0.23 x 0.23 mm¹

Pixels per inch (ppi) 109 ppi¹

Viewing angle 178° (Vertical)¹ 178° (Horizontal)¹

Backlight type

Edge-lit Backlight lamp life

30.000 hours

Display features Single Power ON; Anti-glare; AMD FreeSync™ Premium; Integrated speakers; Curved display; HP Eye Ease; Integrated microphone; IPS Black; Device Bridge 2.0; Ambient light sensor; KVM switch; Daisy chain; Picture-in-Picture; Picture-by-Picture; Height adjustable; Tilt; Swivel; Presence detection sensor; Pantone validated; Factory color calibration; HP

User Color recalibration Display User Control Options

Color; Image; Input; Power; Menu; Management; Information; Split screen; Audio

Management software
HP Display Center; HP Display Manager⁵

Remote manageability
Out-of-Band MAC Address Pass Through (MAPT); Out-of-Band Wake on LAN (WoL); PXE Boot

Low blue light modes

Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)¹ Flicker-free

Screen treatment Anti-alare

Hardness 3H¹

VESA mount 100 x 100 mm (bracket included)

Height adjustment range

150 mm Tilt

-5 to +20°

Swivel +10°

Camera Yes, 5MP HDR

Camera features
Windows Hello support (IR Sensor); Pop-up privacy; HDR; Auto framing; Background blur; Auto Lock and Awake

Max video resolution

2688 x 1944 at 30 fps Diagonal field of view (dFoV) 95.6° (RGB)

Microphone

Yes (dual microphones with DNN noise cancellation)

Speaker output power 4 x 3 W

Audio features DTS Virtual:X™ certified

Connectivity and communications

DisplayPort** 1.4

DisplayPort** 1.4

DisplayPort** 1.4-out

1USB Type-C** 10Gbps signaling rate (15 W charging)

Thunderbolt** 4 with USB Type-C* 40Gbps signaling rate (up to 100 W USB Power Delivery, DisplayPort** 1.4); 1 USB

Type-C** 10Gbps signaling rate (up to 65W USB Power Delivery, Alt Mode DisplayPort*** 1.4); 1 Thunderbolt** 4 Out for

Daisy chain (15 W charging)
5 USB Type-A 10Gbps signaling rate (1 charging with 7.5 W)
1 RJ-45 (10/100/1000 Mbps)

HDCP Yes, DisplayPort™, HDMI, USB Type-C® and Thunderbolt™

Power supply 100 - 240 VAC 50/60 Hz

(Internal)

Power consumption 310 W (maximum), 51 W (typical), 0.5 W (standby)

Logistics and Physical

Product color

Stand color

Detachable stand

Physical security Security lock-ready

Base area footprint 32 x 23.5 cm

81.38 x 12.02 x 36.41 cm

Dimensions with stand (W x D x H) 81.38 x 26.69 x 54.74 cm

Weight 11.35 kg (with stand)

Packaged Dimensions (W x D x H) 95.2 x 22.6 x 48.5 cm

Packaged weight 17.4 kg

Certification and compliance

Energy efficiency ENERGY STAR® certified

TCO Certified; TCO Certified Edge; EPEAT® Gold with Climate+6

Environmental specifications

Low halogen; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; 90% post-consumer recycled plastic; Made with 15% recycled steel; 90% recycled aluminum^{7,8,9,10}

Certifications BIS; BSMI; CB; CCC; CE; CECP; CEL; EAC; FCC; ISO 9241-307; KC; KCC; NOM; PSB; RCM; SEPA; TUV-S; UL/CSA; VCCI;

WEEE; ISC; Low blue light; WW application; ICE; UAE; GS; Ukraine EE; Belarus EE; Korea MEPS; CEL Grade 2

Microsoft WHQL certification Certified collaboration software

Windows Hello compatible

Operating temperature range

Operating humidity range 20 to 80% RH (non-condensing)

Additional information

Manufacturer Warranty

What's in the box
Monitor; Thunderbolt™ cable; DisplayPort™ cable; HDMl cable; Warranty card; Quick Setup Poster; 1 USB Type-C® to
Type-A cable; AC power cord; Color calibration report; VESA mount adapter³



HP Series 7 Pro 34 inch WQHD Conferencing Monitor - 734pm

Accessories and services (not included)

HP Business PC Security Lock v3



Help prevent chassis tampering and secure your PC and display in workspaces and public areas with the affordable HP Business PC Security Lock v3 Kit.

Product number: 3XJ17AA

HP Quick Release Bracket 2



Use the HP Quick Release Bracket 2 to attach your HP Desktop Mini to an HP display 1 and a variety of stands, arms or wall mounts. 2 The failsafe "Sure-Lock" mechanism snaps the PC securely in place, and can be further secured with a theft-deterrent security screw.

Product number: 6KD15AA

HP B560 PC Mounting Bracket



Create a compact, efficient workspace with the HP B560 PC Mounting Bracket. Simply attach your select HP Desktop Mini PC¹ directly behind your select E-Series G5 Monitor and select Series 7 Pro monitors² for an optimized space-saving solution that doesn't interfere with the display's 4-way adjustability.

Product number: 763U8AA

 1 Compatible with Desktop Mini PCs and Workstations that have a 100 mm x 100 mm VESA mount. Use included spacer kit to allow compatibility with HP Thin Clients that have a 100 mm x 100 mm VESA mount.

x 100 mm VESA mount.

² Compatible with the following monitors: E22 G5, E24 G5, E24t G5, E24q G5, E27 G5, E27q G5, E24u G5, E27u G5, E27k G5, E32k G5, E45c G5, 727pq, 727pu, 727pk, 727pm, 734pm and 738pu.

HP Desktop Mini v4+ VESA Sleeve



Wrap your HP Desktop Mini PC in the HP Desktop Mini v4+ VESA Sleeve to securely mount it—with or without an Expansion Module 1,2 —behind your display, position the solution on a wall, and lock it down with the integrated security bracket and optional HP Ultra-Slim Cable Lock.

Product number: 99T54AA

¹Each sold separately. Expansion Modules are compatible with the HP Desktop Mini v4+ VESA Sleeve (99754AA). The HP DM VESA Power Supply Holder Kit and HP DM VESA Quick Deploy Adhesive are only compatible with HP Desktop Mini v4+ VESA Sleeve (99754AA). See product Quick Specs for exact configurations.

product QuickSpecs for exact configurations.

Requires HP Quick Release Monitor Arm, or HP B600/B550/B560 PC mounting bracket for selected models. Please contact your Sales agent or HP Service for further guidance.



HP Series 7 Pro 34 inch WQHD Conferencing Monitor - 734pm

Footnotes

Messaging Footnotes

- ¹ For full Thunderbolt™ 4 functionality, host PC must support Thunderbolt™ 4.
- ² All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary, either higher or lower.
- ³ Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT* standard. Plastics consist of 90% Post-Consumer Recycled, with 85% post-consumer recycled plastics + 5% Ocean-Bound Plastics (PET).
- 4100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. Excludes plastic bags and plastic foam sheeting.
- ⁵ Requires external colorimeter or spectrometer via USB-C^o and HP Display Center. Host PC requires Windows 10 or higher or MacOS 12 or higher. HP Display Center for Windows is available on the Microsoft store. For Windows and MacOS, it's available on support.hp.com.
- ⁶ Requires host PC with AMD Radeon'" graphics and FreeSync Premium support. See www.amd.com/freesync for complete details.
- 7 For KVM compatibility, if connected PCs do not have USB-C* port, user will need a USB-C* to A cable. Sold separately.
- ⁸ HP Device Bridge 2.0 works with two computers and is compatible with Windows 10 and higher and MacOS 10.14 and higher platforms.
- ⁹ Comes with AC power cord, DisplayPort™ 1.4 cable; HDMI 2.0 cable; USB Type-A to C cable; and Thunderbolt™ 4 cable.
- 10 Host PC requires Windows 10 or higher. HP Display Center is available for download on the Microsoft store for Windows or support.hp.com for Windows and MacOS.
- 11 HP Display Manager software agent must be running on a web server and host PC. Host PC requires Windows 10 or higher. Some limitations may apply to legacy monitors. HP Display Manager is available for download on support.hp.com.
- 12 The HP Pixel Policy allows no bright sub-pixel defects for this display. For complete details, see http://support.hp.com/us-en/document/c00288895.

Technical Specifications Footnotes

- 1All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower
- ² DisplayPort™ 1.4 or HDMI 2.0 required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 3440 × 1440 at 120 Hz with 8-bit color using one DisplayPort™ or USB-C (DisplayPort™ alt mode), Thunderbolt™. The video card of the connected PC must be capable of supporting 3440 × 1440 at 60 Hz and include 1 HDMI or 1 DisplayPort™ outputs to drive the monitor at the Preferred Mode.
- ³ Included cables may vary by country.
- ⁴ Lock sold separately.
- ⁵ Host PC requires Windows 10 and above. HP Display Center is available on the Microsoft store.
- ⁶ EPEAT* registered where applicable. EPEAT* registration varies by country. See www.epeat.net for registration status by country. Based on US EPEAT* registration according to IEEE 1680.1-2018 EPEAT*. Status varies by country. Visit www.epeat.net for more information.
- ⁷ External power supplies, WWAN modules, power cords, cables and peripherals excluded. Service parts obtained after purchase may not be Low Halogen.
- 8 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.
- 9 Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.
- ¹⁰ Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams.

