# Kensington®

**eQ**

# UH1500P EQ USB-C® 5Gbps
# Triple Video Driverless Mobile Dock

**Part Number: K34039WW | UPC Code: 0 85896 34039 3**

## Triple video for Windows in a mobile dock.

Professionals with visually demanding workflows benefit from triple monitor support wherever they are working. Most mobile docking stations are limited to single or dual monitor configurations, leaving desktop docks as the only connectivity option.

The UH1500P EQ USB-C® 5Gbps Triple Video Driverless Mobile Dock supports up to three external displays and allows you to travel with less weight and clutter.

Offering a smart and sustainability-focused 9-in-1 design, UH1500P uses your laptop's USB-C® power adapter or battery for charging to eliminate an additional power brick and provides multiple ports to streamline file transfers without the need for additional adapters or dongles.

Features include:

- Up to Triple 1080p for Windows
- Supports Thunderbolt™ 4 & 5, USB4® and USB-C® Alt Mode devices
- Windows 10 or later, macOS 11 or later, iPadOS 13 or later and Samsung DeX® compatible
- Contains at least 63% post-consumer recycled (PCR) content*
- Delivered in FSC® certified packaging

- Plug-and-play USB-C® driverless solution
- Up to 85W power pass-through
- 9-in-1 design with 5 x USB ports
- Sleek, compact design
- Free Kensington DockWorks™ software**
- 2-year limited warranty

\* Does not include cable.   \*\* Available for Windows only.

RECYCLED PLASTIC • CONTAINS POST-CONSUMER RECYCLED
AT LEAST **63**%

# UH1500P EQ USB-C® 5Gbps
# Triple Video Driverless Mobile Dock

Part Number: K34039WW | UPC Code: 0 85896 34039 3

## Front

3 x USB-A
3.2 Gen 1

USB-C
3.2 Gen 1

USB-C Host
Connector

## Back

1 x USB-C
(for power
pass-through
only, up to 85W)

DP++ 1.4

2 x
HDMI 2.0

Ethernet
10/100/1000
Mbps

# UH1500P EQ USB-C® 5Gbps Triple Video Driverless Mobile Dock

Part Number: K34039WW | UPC Code: 0 85896 34039 3

### Triple Video for Windows

Extend the visual productivity of your mobile workstation to support up to 3 x 1080p @ 60Hz, 2 x 4K @ 60Hz for Windows devices and 1 x 4K @ 60Hz for both Windows and MacBook devices.

### Universal Compatibility

Supports USB-C® based devices (Thunderbolt™ 4 & 5, USB4® and USB-C® Alt Mode) running Windows 10 or later, macOS 11* or later, iPadOS 13* or later and Samsung DeX®.

*\* iPadOS or macOS supports only a single 4K @ 60Hz in extended mode.*

### USB-C® Driverless Solution

No need to download, install or update software - an ideal USB-C® plug-and-play solution.

### Sustainability Focused

The plastic in this product contains at least 63% post-consumer recycled (PCR) content** and is delivered in Forest Stewardship Council (FSC®) certified packaging.

*\*\* Does not include cable.*

### Up to 85W Power Pass-Through

Plug your laptop's USB-C® power adapter (85W or greater) into the dock for pass-through power to the laptop, or power the dock and connected devices using the laptop's battery when travelling.

### 9-in-1 Design with 5 x USB Ports

Optimise peripheral connectivity with 3 x USB-A 3.2 Gen1 ports, 2 x USB-C® ports (one for power-pass through and one for device charging), 2 x HDMI®, 1 x DP and 1 x Gigabit Ethernet port.

### Sleek, Compact Design

Easily fits into your travel backpack or carrying case for productivity on the go. Includes a 170mm (6.7") USB-C® cable for connecting to your host device.

### Free Kensington DockWorks™ Software and 2-Year Limited Warranty

Free DockWorks™ software*** delivers the best connection, performance, and security from your Kensington dock. Enjoy peace of mind knowing you are covered by Kensington with a professional warranty.

*\*\*\* Available for Windows only.*

# Kensington®

# UH1500P EQ USB-C® 5Gbps
# Triple Video Driverless Mobile Dock

Part Number: K34039WW | UPC Code: 0 85896 34039 3

## System Requirements

| | |
|---|---|
| Systems Supported | **All laptops with USB-C port (must support USB-C Alt Mode)** |
| Operating Systems Supported | **Windows® 10 or above, macOS 11 or above, iPadOS 13 and above, Samsung Dex®** |
| Plug & Play | **Yes** |
| System Resource Requirement | **CPU: Intel® Core™ i5 6th generation or above** <br> **Memory: 8Gb or above** <br> **GPU: Intel® HD Graphics 620 or above** |
| USB-C Power Delivery | **Up to 85W power pass-through** <br> **PD3.0: 5V/9V/12V/15V @3A, 20V @ 4.25A** |

## USB Interface

| | |
|---|---|
| Type of USB Connector | **USB-C Connector** |
| Host Connector | **Supports USB 3.2 Gen2 Type-C with USB-C Alt Mode** |

## USB, Video, and Ethernet Connections

| | |
|---|---|
| Ports | **2 x HDMI 2.0** <br> **1 x DP++ 1.4** <br> **3 x USB-A 3.2 Gen 1** <br> **1 x USB-C 3.2 Gen 1** <br> **1 x USB-C (for power pass-through only, up to 85W)** <br> **1 x RJ45 Ethernet 10/100/1000Mbps** |

## Host Connectivity

| | |
|---|---|
| Host Docking Connector | **USB-C cable with up to 85W power pass-through** |

## Video Connections

| | |
|---|---|
| Video Connectors | **2 x HDMI 2.0** <br> **1 x DP++ 1.4** |
| Maximum Resolution Supported | **Single: Up to 1x 4K (3840x2160) @ 60Hz** <br> **Dual: Up to 2x 4K (3840x2160) @ 60Hz** <br> **Triple: Up to 3x 1080p @ 60Hz** <br><br> macOS only supports a single video output |
| HDCP Support | **Yes, supports HDCP 2.3** |

# UH1500P EQ USB-C® 5Gbps
# Triple Video Driverless Mobile Dock

Part Number: K34039WW | UPC Code: 0 85896 34039 3

## Material Specifications

| | | |
|---|---|---|
| | Exterior | Black PC with texture |
| | Product Colour | Black |
| | Post-Consumer Recycled Content | The plastic in this dock contains at least 63% post-consumer recycled (PCR) content, not including cable |

## Product Dimensions

| | | |
|---|---|---|
| | Cable Dimensions | Diameter: 5mm (0.2") Length: 170mm (6.7") |
| | Unit Weight | 154g (5.4oz) |
| | Unit Dimensions without Peripherals | 150 x 71 x 21mm (5.9 x 2.8 x 0.8") |

## Packaging Dimensions

| | | |
|---|---|---|
| | Packaging Style | FSC® Certified Brown Box with Printed Artwork |
| | Packaging Dimensions | 180 x 130 x 35mm (7.0 x 5.11 x 1.4") |
| | Packaging Weight | 180g (6.3oz) |
| | Packaging Content | 1 x UH1500P Mobile Dock 1 × Quick Installation Guide 1 × Compliance Sheet 1 × Warranty Card 1 × Welcome Card |
| | Master Carton | 10pcs |

## Power & Environmental

| | | |
|---|---|---|
| | Relative Humidity | 0% to 85% with operating temperature @ 22°C (77°F) |
| | Operating Temperature | 0 to 45°C (32 to 113°F) |
| | Storage Temperature | -25 to 70°C (-14 to 158°F) |

## Country Of Origin, Regulatory and Warranty

| | | |
|---|---|---|
| | Country of Origin | China |
| | Certifications & Compliance | FCC, CE, UKCA, RCM, CB, VCCI, RoHS, ACCO RSL |
| | Warranty | 2-Year Limited |

**Kensington**
The Professionals' Choice™

**FOR MORE INFORMATION CONTACT:** contact@kensington.com