verbatim

← USB Drives

#31829



Duo X Drive

USB-C® & USB-A | USB 3.2 Gen 2 | 128GB

Where to buy

CAPACITY

1TB 512GB 256GB 128GB

- Write speeds up to 500MB/s for fast file transfers
- Dual USB-C® and USB-A connectivity for maximum compatibility
- USB 3.2 Gen 2 for high-speed data transfer
- Compatible with USB 3.2 Gen 1, USB 3.0 and USB 2.0
- Premium metal enclosure with a compact, portable design
- Ideal for transferring photos, videos and large files
- Convenient storage for backing up important data
- Includes Nero 3-2-1 Backup Software for Windows

High-Speed Storage

The Verbatim Duo X Drive is a high-speed USB flash drive designed for fast, convenient storage and file transfer. With SSD-level performance and read speeds of up to 550MB/s, plus write speeds of up to 500MB/s, it makes transferring large files quick and efficient. From high-resolution photos and videos to presentations and business data, the Duo X Drive provides fast, reliable storage in a compact format.



Dual USB Connectivity

With both USB-C and USB-A connectors, the Duo X Drive provides convenient compatibility with modern and legacy devices. Connect directly to compatible laptops, desktop computers and other USB devices without requiring a separate adapter. The USB 3.2 Gen 2 interface delivers high-speed data transfer, while compatibility with USB 3.2 Gen 1, USB 3.0 and USB 2.0 provides added flexibility.



Compact Backup Solution

The Duo X Drive combines high-speed storage with a premium metal enclosure and compact design, making it easy to carry wherever you go. It is ideal for transferring and backing up photos, videos, documents and other important files. Nero 3-2-1 Backup Software is included for Windows, providing a convenient solution for managing backups and helping protect valuable data.



Specifications

USB Connectors: USB-C / USB-A

USB Interface: USB 3.2 Gen 2 SuperSpeed

Compatibility: USB 3.2 Gen 1 / USB 3.0 / USB 2.0

Read Speed: up to 550MB/s

Write Speed: up to 500MB/s

Input Voltage: DC 5V ±10%

Maximum Dynamic Current: 380mA

Maximum Static Current: 200mA

Software: Nero 3-2-1 Backup Software

Enclosure Material: Metal

Colour: Gunmetal

Operating Temperature: 0°C to +70°C

Storage Temperature: -25°C to +85°C

Operating Humidity: 20% to 65% RH at 40°C





System Requirements

Pack Contents





verbatim



Need Support?

We're here to help.

Contact Support

Legal

General Terms

Privacy Policy

Slavery Act

Warranty

Support

Support centre

European Head Office

Marketing Directory

Social Media

Facebook

Instagram

LinkedIn

YouTube

Verbatim GmbH
Düsseldorfer Strasse 13
65760 Eschborn

Copyright © 2025 Verbatim GmbH. All Rights Reserved.

GB = 1 billion bytes. Capacity available for storage will be less; device uses up to 10% of memory for formatting and other functions. See verbatim.com/flashcapacity

Website Design & Development by GBS Solutions GmbH