

# Rittal – The System.

Faster – better – everywhere.

## **PC enclosure system – PC 5366.350**

Date : Jun 24, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# PC enclosure system – PC 5366.350

created: 24.06.2021 on [www.rittal.com/com-en](http://www.rittal.com/com-en)



## Product description

<b>Description:</b>	Secure accommodation of all PC components, from monitors, to PCs, to keyboards. For ultimate ease of operation in a modern design. Perfect protection from humidity and dirt, temperature fluctuations and unauthorised access.
<b>Material:</b>	Enclosure, door, rear door, mounting compartment, supports: Sheet steel Handles, decorative trim panels: Plastic Door trim panels: Aluminium Viewing window: Single-pane safety glass
<b>Surface finish:</b>	Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting compartment, support: powder-coated
<b>Colour:</b>	Enclosure, door, decorative trim panels, supports: RAL 7035 Handle: RAL 7015 Monitor panel, door centre part: RAL 7015
<b>Protection category IP to IEC 60 529:</b>	IP 55
<b>Protection category NEMA:</b>	NEMA 12
<b>Supply includes:</b>	Enclosure, door, rear door Glazed door, top Mounting compartment, small Keyboard drawer Component shelf

## Product description

<b>Design:</b>	with glazed door at the top, keyboard drawer, small mounting compartment and component shelf
----------------	--

<b>Dimensions:</b>	Width: 600 mm Height: 1600 mm Depth: 636 mm
<b>Keyboard dimensions:</b>	Width (max.): 480 mm Height (max.): 70 mm Depth (max.): 260 mm
<b>Packs of:</b>	1 pc(s).
<b>Weight/pack:</b>	95.5 kg
<b>EAN:</b>	4028177959439
<b>Customs tariff number:</b>	94032080
<b>ETIM 7.0:</b>	EC002502
<b>ETIM 6.0:</b>	EC002502
<b>eCl@ss 8.0/8.1:</b>	27180501
<b>eCl@ss 6.0/6.1:</b>	27180501
<b>Product description:</b>	PC PC enclosure system, WHD: 600x1600x636 mm, Sheet steel, with keyboard drawer, large mounting compartment, small mounting compartment, component shelf
<b>Approvals</b>	
<b>Approvals:</b>	UL + C-UL
<b>Declarations:</b>	Declaration of conformity