

# Product datasheet

Specifications



## APC Replacement Battery Cartridge 175

APCRBC175

### Overview

Lead Time

### Main

Main Input Voltage	12 V
Product Or Component Type	Replacement battery cartridge
Main Output Voltage	12 V
Battery Type	Lead-acid battery
Provided Equipment	User manual

### Batteries & Runtime

Battery Location	Internal battery
Number Of Battery Blocks Per String	6
Number Of Battery Free Slots	0
Number Of Battery Filled Slots	0
Device Mounting	Built-in
Battery Voltage	12 V
Number Of Battery Replacement Quantity	1

### Physical

Colour	Black
Height	151 mm
Width	99 mm
Depth	65 mm
Net Weight	2.68 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

### Output

Battery Capacity	9 Ah
------------------	------

### Conformance

Product Certifications	UL 1778 5th edition
------------------------	---------------------

---

Standards	UL 1778 5th edition
-----------	---------------------

## Environmental

---

Ambient Air Temperature For Operation	0...40 °C
---------------------------------------	-----------

---

Operating Altitude	0...10000 ft
--------------------	--------------

---

Relative Humidity	0...85 %
-------------------	----------

---

Ambient Air Temperature For Storage	-15...50 °C
-------------------------------------	-------------

---

Storage Altitude	0.00...3048.00 m
------------------	------------------

---

Storage Relative Humidity	0...95 %
---------------------------	----------

## Packing Units

---

Unit Type Of Package 1	PCE
------------------------	-----

---

Number Of Units In Package 1	1
------------------------------	---

---

Package 1 Height	19.5 cm
------------------	---------

---

Package 1 Width	39.5 cm
-----------------	---------

---

Package 1 Length	49.5 cm
------------------	---------

---

Package 1 Weight	18 kg
------------------	-------

---

Sccl4	50731304427198
-------	----------------

## Contractual warranty

---

Warranty	2 years repair or replace
----------	---------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

Mercury Free

Rohs Exemption Information Yes

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)  
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)