

Travelmate P2

(TMP214-55-TCO-787L)

Rugged and sustainably designed, the TravelMate P2 offers enhanced performance, business-grade security and a sophisticated user experience for work and video conferencing that makes it one of the most affordable laptops for small businesses.



- Processor: Intel® Core™ i7-1355U
- Display: 14" Acer ComfyView™ WUXGA IPS (non-glare)
- Memory: 32 GB DDR4 RAM
- Mass storage: 1.000 GB PCle Gen4 SSD
- Graphics card: Intel® Iris® Xe Graphics
- Operating system: Windows 11 Pro (64-bit)













Acer TMP214-55-TCO-787L

SPECIFICATIONS







Ordering Information

Series Model name Part number EAN Short description

NX.B28EZ.003 4711121751844 14" Acer ComfyView™ WUXGA IPS (nonglare) / Intel® Core™ i7-1355U / 32 GB DDR4 RAM / 1.000 GB PCIe Gen4 SSD /

TMP214-55-TCO-787L

Travelmate P2

Intel® Iris® Xe Graphics / Windows 11 Pro (64-bit) / Steel Gray

Operating System

Operating System

Windows 11 Pro (64-bit)

Housing / Color Component door Dimensions

Passively cooled (fanless)

Steel Gray

319.9 (W) x 235.4 (D) x 19.95 (H) mm 1.6 kg

Display size

Display type

Display resolution in pixel Aspect ratio

14"

Acer ComfyView™ WUXGA IPS Display with LED-Backlight (non-glare)

1920 x 1200

16:10

Processor Clock frequency

Processing cores / threads

NPU

Intel® Core™ i7-1355U Processor 1.70 GHz base clock (Up to 5.00 GHz Intel® Turbo Boost Max Technology)

12 MB Intel® Smart Cache

2 Performance-cores + 8 Efficient-cores / 12

Threads

Storage and drives

Memory

Memory configuration

Maximum RAM

Mass storage

32 GB DDR4 RAM

2 x 16 GB DDR4 RAM

Up to 32 GB of DDR4 system memory, upgradable to 64 GB using two soDIMM modules 1.000 GB PCle Gen4 NVMe Solid-State-Drive

(SSD)

Graphics card

Graphics card

Intel® Iris® Xe Graphics

LAN

Wireless LAN Wireless WAN / SIM-Card

Wireless Gigabit

Bluetooth

NFC

Intel® Ethernet Connection I219-LM Gigabit

Intel® Wi-Fi 6E 802.11 ax/ac/a/b/g/n

Bluetooth® 5.2

HDMI Displayport

Thunderbolt USB 3.2

USB 3.1

USB 3.0 USB 2.0 USB 4.0 Ethernet (RJ-45)

Cardreader Smart card reader

Audio port Docking port HDMI® 2.1

Thunderbolt™ 4 (via USB Type-C) 2x USB 3.2 Gen 1 (1x power-off USB char-

ging)

Yes MicroSD Card reader

3.5 mm headphone/speaker jack

Keyboard

Keyboard layout

Backlit keyboard Touchpad

80-/81-/84-key Acer backlight keyboard

layout Swiss

Multi-gesture touchpad



Acer TMP214-55-TCO-787L

SPECIFICATIONS

Security

Fingerprint sensor Yes
TPM TPM 2.0
Kensington Lock Yes
Security software -

Audio and video

Speaker Acer TrueHarmony technology
Microphone Acer Purified.Voice technology

Webcam 1280 x 720

Battery and power adapter

Battery Li-lon battery (3 cells / 48,5 Wh)
Battery lifetime -

Power adapter - Battery built in -

Software

Office 1 month trial for new Microsoft 365 custom-

ers. Credit card required

Other software Acer User Sensing

Certificate

EPEAT® Yes EnergyStar® Yes

Special features

Special features MIL-STD-810H

Logistics

Quantity per layer28Quantity per europallet84Quantity per tower168Quantity per container1848

Carton dimensions / weight 457,0 x 288,0 x 65,0 mm (W x D x H) / 2,54 Kg

This data sheet is subject to change without notice. Availability may vary from region to region. Acer is not liable for any errors or omissions contained in the product descriptions. In addition to the standard warranty conditions, the statutory warranty regulations also apply to consumers. For more information on exclusions and limitations, please refer to our warranty conditions for the respective product. If the warranty period in the PDF document for the warranty conditions differs from the information on the Acer homepage, the information on this website applies and not the information contained in the PDF. Copyright 2024 Acer, Inc. all rights reserved. Acer and the Acer logo are registered trademarks of Acer Incorporated. All other trademarks, registered trademarks and/or service marks mentioned or otherwise recognizable are the property of their respective owners. All prices quoted are manufacturer's suggested retail prices.