Product datasheet

Specifications



APC Easy Rack, 24U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 1198H x 600W x 800D mm

ER6482

Overview

Lead Time

Main

Product Or Component Type	Rack enclosure
Number Of Rack Unit	24U
Provided Equipment	Baying hardware
	Key(s)
	Keyed-alike doors and side panels
	Leveling feet
	Mounting hardware
	Pre-installed casters
	Side panels
Physical	

Height	119.8 cm
Width	60 cm
Depth	80 cm
Net Weight	68.4 kg
Colour	Black
Maximum Mounting Depth	64.14 cm
Minimum Mounting Depth	19.05 cm
Rack Width	19"
Marking	18 gauge front door 19 gauge rear door 16 gauge post 14 gauge EIA mounting rail
Permanent Permissible Load	1199.75 kg static 599.65 kg

Conformance

Standards

UL 2416 UL 60950-1 EIA-310E

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	133 cm

Package 1 Width	65 cm
Package 1 Length	85 cm
Package 1 Weight	74 kg

Logistical informations

Country Of Origin

CN

Contractual warranty

Warranty

5 year repair or replace

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information