

# Rittal – The System.

Faster – better – everywhere.

## ► Mounting angles, 482.6 mm (19") for FlatBox – DK 7507.721

Date : Jul 1, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Mounting angles, 482.6 mm (19") for FlatBox – DK 7507.721

created: 01.07.2021 on [www.ittal.com/com-en](http://www.ittal.com/com-en)



## Product description

<b>Description:</b>	L-shaped bracket as 2nd attachment level
<b>Material:</b>	Sheet steel, spray-finished
<b>Colour:</b>	RAL 7035
<b>Supply includes:</b>	Assembly parts for fast, tool-free assembly
<b>Note:</b>	The 2nd attachment level should always be ordered in the same height as the basic enclosure Partial configuration is not possible

## Product description

<b>To fit:</b>	Enclosure type: FlatBox
<b>Units:</b>	21 U
<b>Packs of:</b>	2 pc(s).
<b>Weight/pack:</b>	1.91 kg
<b>Copper weight (kg per piece):</b>	0
<b>EAN:</b>	4028177551541

**Customs tariff number:** 73269098

---

**ETIM 7.0:** EC002620

---

**ETIM 6.0:** EC002620

---

**eCl@ss 8.0/8.1:** 27189261

---

**eCl@ss 6.0/6.1:** 27180907

---

**Product description:** DK Mounting angles, 482.6 mm (19"), 21 U, For FlatBox

## Approvals

---

**Certificates:** NA