

TAROX Endurance Slim P

WITH INTEL® Core™ i3-1315U



SPECIFICATIONS

P/N	2407008
Manufacturer	TAROX

CHASSIS

Chassis	TAROX Endurance Slim P Chassis
Width	16,5 cm
Heights	3,95 cm
Depth	20,0 cm
Colour	black
power adapter	90W
Vesa prepared	100x100mm + 75x75mm
Kensington Lock	yes

FRONT INTERFACES

USB 3.2 Gen1	4
USB 3.2 Gen2	2
Com-Port Bracket (seriell)	yes
Audio	2

OPERATION SYSTEM

Operation System	Windows 11 Pro
Languages	DE, FR, EN

MAINBOARD

Mainboard	TAROX Endurance Slim P (13th Gen)
-----------	-----------------------------------

SYSTEM

Audio Chipset	Realtek HD Audio
GPU	Intel® UHD Graphics
LAN Chipset	1x Intel® i226 2.5GBit LAN, 1x Intel i219 GBit LAN
PXE	yes
Wake on Lan (WoL)	yes
Memory Support	DDR5 SO-DIMM
max. Memory	64 GB
max. Memory-Modules	2

REAR INTERFACES

USB 2.0	2
serial	1
VGA	1
HDMI	1
DP	1
RJ-45	2

PROCESSOR(S)

Processor(s)	Intel® Core™ i3-1315U
Base Clock	P-Core 1.20 / E-Core 0.90Ghz
Turbo Clock	P-Core 4.50 / E-Core 3.30Ghz
Cores	P-Core 2 / E-Core 4
Cache	10MB
Intel® VT	yes
Hyperthreading	yes

MEMORY

Capacity	8 GB
Memory Type	DDR5 SO-DIMM
Memory-Modules (installed)	1

HDD / SSD

Capacity	500GB
Solid State Disk (SSD)	yes

CERTIFICATES

Declaration of Conformity	yes
Production in Germany according to ISO9001	yes
WEEE-Reg.-Nr. DE 99267951	yes
Silent nach ISO 7779 - optimal	yes
Energy Star	yes

INPUT DEVICES

Keyboard	optional
Mouse	optional

SERVICE

Warranty

Service

60 month

optional