ViewBoard IFP8633


Key Features

Integrated with myViewBoard software
Multi-tasking capabilities for enhanced lesson delivery
Embrace simplicity and organization with the USB-C one-cable solution, offering 65W of Power Delivery.
Intuitive user interface and fast app launch for smooth operation

•Powered by Android 11 Product **Description**



The ViewBoard IFP33 Series harmonizes a touch display with versatile software to create a comprehensive classroom solution for interactive and engaging learning. This interactive flat panel delivers exceptional image quality in 4K UHD, thanks to cutting-edge bonding technology that provides clearer colors, enhanced contrast, and reduced glare. The 40-point touchscreen interface, equipped with Ultra Fine Touch Technology, empowers students and teachers to collaborate seamlessly, using either their fingers or dual-tip pens, for an intuitive pen-on-paper experience. Powerful built-in front-facing speakers and a USB-C port sort out for a complete and convenient multimedia experience. The ViewBoard IFP33 Series is preinstalled with myViewBoard to offer advanced lesson delivery options for teachers and powerful device management tools for administrators.





Visit Us www.viewsonic.com

DISPLAY

TOP CAMERA PLATE

DISPLAY		TOP CAMERA PLATE	
Panel Size:	86"	Yes	
Panel Type:	TFT LCD Module with DLED Backlight. IPS	EMBEDDED OS	
	č	Android 11	
Display Area (mm):	1913.04(H) x 1083.96 (V)	BUNDLE SOFTWARE	
Aspect Ratio:	16:9	Basic Annotation Software:	myViewBoard Whiteboard
Resolution:	UHD 3840x2160(Pixels)	Pro Annotation Software:	myViewBoard for Windows (Embedded in optional Windows Slot-in PC)
Colors:	1.07B colors		
Brightness:	350 nits	Wireless Presentation:	myViewBoard Display
Contrast Ratio:	5000:1 (max. with DCR enabled)	Wireless Presentation with Touch Feedback: Viewboard Cast:	Yes
Response Time:	8ms	SPECIAL FEATURES	
Viewing Angles:	H=178, V=178	All-in-one USB port:	(combine slot-in PC/Android/HDMI USB port) Front "SmartPort™ USB" to all channels.
Backlight Life:	30,000 Hours (Min.)		
Surface Treatment:	Hardness: 7H Anti- glare coating		
Orientation:	Landscape	Simple LAN sharing between IFP and slot-in device:	10/100M for Android & Slot-in PC
PLATFORM		Light Sensor:	Yes
Processor:	Quad-core ARM Cortex (A55*4)	POWER	
RAM:	4GB DDR4	Voltage:	100-240V AC
Storage:	32 GB	Consumption:	On:182W ; Off: ≤ 0.5W
TOUCH		ERGONOMICS	
	Ultra Fine Touch	Wall Mount (VESA®):	800*600
Type/ Tech:	Technology	OPERATING CONDITIONS	
Touch Point:	40 points touch	Temperature (° C):	0°C to 40°C
INPUT		Humidity:	20% ~ 80% RH non-
HDMI:	HDMI-IN 2.0 x 3 (3840x2160 @60Hz)	DIMENSIONS (W X H X D)	condensing
RGB / VGA:	x1	Physical (inch / mm):	1957 x 1160 x 100 mm
Audio:	x1		/ 77 x 45.7 x 3.9 in
RS232:	x1	Packaging (inch / mm):	2110 x 225 x 1283 mm /83 x 8.9 x 50.5 in
OPS:	x1 (Optional Intel Standard OPS)	WEIGHT	
WiFi:	x1 (Optional VB-WIFI- 002/VB-WIFI-004/VSB- 050)	Net (lb / kg):	129.1lb/58.55kg
		Gross (lb / kg):	167.3lb/75.9kg
OUTPUT	,	REGULATIONS	
HDMI:	HDMI 2.0 x1	BIS, cTUVus, COC, EPET	
Audio:	x1	PACKAGE CONTENTS	
SPDIF:	x1	1. 3m power cord by ship area 2. Remote control with AAA battery 3. 3m touch USB cable 4. Touch pen x 2 (VB-PEN- 009) 5. Quick Start Guide + Compliance statement 6. RS232 adapter 7. Clamp x 5 8. Camera Plate 9. Screw x 8 (camera 2+2, wall mount 4) 10. HDMI cable 3m	
LAN			
RJ45:	x2		
USB		COMPATIBLE SLOT-IN PC	
Туре А:	USB3.0 x4 (Front x2, Rear x2); USB2.0 x1	VPC2-O series/VPC2-O-1B series/VPC12-WPO-15/16	
Туре В:	x2 (Front x1, Rear x 1)		
Туре С:	Front*1 (PD65W + DP1.2 + Data USB2.0 + 10M/100M sharing)		
SPEAKERS			
16W x 2			

