

HP Color LaserJet Enterprise flow M880 Multifunction Printer series

Designed for businesses wanting to accelerate and streamline workflows with an MFP that easily connects users across the office. Keep projects moving with easy send-to and finishing options plus mobile printing and touch-to-print capabilities¹².





Give workgroups the speed they need.

- Let departments scan without worry: HP EveryPage detects potential errors or missed pages on the spot.
- Manage content in a way you never thought possible with HP Flow CM Enterprise³.
- Forget email let employees scan and send documents to Microsoft® SharePoint® in one step.
- Make it easy to be efficient with an intuitive touchscreen and large pull-out keyboard.



- Save on both sides capture documents faster with two-sided, single-pass scanning.
- Create easily searchable scanned files, using built-in optical character recognition software.
- Save IT time and make printing easy for the entire company by using a single driver for all HP devices⁴.
- Let employees complete big jobs faster, choosing from a range of finishing options⁵.

Be much more efficient with mobile printing.

- Give users simple, direct access through wireless direct printing and touch-to-print technology⁶.
- Mobile printing at a touch enable touch-to-print convenience from mobile devices².
- Let employees print from mobile devices with built-in print capability or HP ePrint app and software¹.
- Give users the power to print wirelessly from an iPad®, iPhone®, or iPod touch®.

Invest once, expand easily and manage efficiently.

- Expand your options: easily upgrade firmware on your schedule, and easily integrate solutions or devices at
 will
- Help build business efficiency. Centrally monitor and control printers with HP Web Jetadmin⁸.
- Apply fleet-wide policies to help protect all your HP devices with the HP Imaging and Printing Center⁹.
- Confidently safeguard the sensitive data sent to your MFP with the HP High-Performance Secure Hard Disk.











¹ Local printing requires mobile device and printer to be on the same network or have a direct wireless connection to printer. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for covariage and availability in your area. See hp.com/ac/mobileprinting for more details.

² Touch-to-print capability is standard in the HP Color LaserJet Enterprise flow MFP M880z + D7P71A model, and may be added as an option to the HP Color LaserJet Enterprise flow MFP M880z + A2W76A and M880z A2W75A. Mobile device must support near-field communications-enabled printing. For a list of supported devices, see hp.com/go/mobileprinting.

support near-neid communications-enabled printing. For a list of supported devices, see np.com/go/mobileprinting.

3 HP Flow CM is not available in all regions. Network connection is required to upload and download files. Additional software and licenses may be required.

⁴ The HP Universal Print Driver is free and available for download at hp.com/go/upd.

⁵ Paper-handling options must be purchased separately.

Wireless direct printing is standard in the HP Color LaserJet Enterprise flow MFP M880z+ D7P71A model, and may be added as an option to the HP Color LaserJet Enterprise M880z+ A2W76A and M880z A2W75A. Mobile device may require an app or driver. Wireless performance is dependent on physical environment and distance from the printer. For details, see hp.com/go/wirelessprinting.

7 Supports OS X® Lion, OS X Mountain Lion, and the following devices running iOS 4.2 or later: iPad® (all models), iPhone® (3GS or later), and iPod touch® (third generation or later). Works with HP's AirPrint-enabled printers and requires the printer be

^{&#}x27;Supports OS X® Lion, OS X Mountain Lion, and the following devices running iOS 4.2 or later: Pad® (all models), iPhone® (3GS or later), and iPod touch® (third generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your OS X or iOS device. Wireless performance is dependent on physical environment and distance from the access point. OS X, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the United States and other countries. AirPrint™ and the AirPrint logo are trademarks of Apple Inc.

⁸ HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin.

⁹ HP Imaging and Printing Security Center must be purchased separately.

Product walkaround

HP Color LaserJet Enterprise flow MFP M880z+ shown:

- 1. Intuitive 20.3 cm (8-inch) HP Easy Select pivoting colour touchscreen control panel
- 2. 200-sheet automatic document feeder with single pass two sided scanning, and HP EveryPage with ultrasonic double-feed detection
- 3. Home button (returns to home screen)
- 4. Plate glass colour scanner handles sizes up to A3
- 5. Easy-access USB port to save and print files directly
- 6. Hardware integration pocket for solution integration
- 7. 500-sheet output bin
- 8. Front door provides convenient access to HP toner cartridges and drums
- 9. Built-in automatic two-sided printing
- 10. Retractable keyboard for easy, accurate data entry
- 11. 100-sheet multipurpose tray 1 handles heavy custom media up to 220 g/m^2
- 12. Right-side doors provide access to the fuser and duplexer and for clearing jams
- 13. 500-sheet input tray supports media up to size A3
- 14. 3,500-sheet high-capacity input tray supports A4 media
- 15. Access port for optional Kensington-style lock
- 16. HP High-Performance Secure Hard Disk
- 17. HP Jetdirect Gigabit Ethernet print server
- 18. 800 MHz processor, 1.5 GB RAM
- 19. Hi-Speed USB 2.0 port (for connecting third-party devices)
- 20. Hi-Speed USB 2.0 printing port
- 21. Two internal host USB 2.0 type ports for third party solutions
- 22. Foreign interface harness (for connecting external devices)
- 23. RJ-11 fax port





Series at a glance



HP Color LaserJet Enterprise flow M880z Multifunction Printer

- HP Color LaserJet Enterprise flow MFP M880z: print, copy, scan, digital send, fax
- print/copy speed of up to 46 ppm black/colour
- up to 1200 x 1200 dpi (HP FastRes 1200)
- 1.5 GB memory
- 800 MHz processor
- 320 GB Hard Disk with encryption
- 2 Hi-Speed USB 2.0 Host
- 1 Hi-Speed USB 2.0 Device
- 1 Gigabit Ethernet 10/100/1000T network
- 1 Foreign Interface
- 1 Hardware Integration Pocket
- 2 Internal USB Host
- 100-sheet multi-purpose tray
- 1 x 500-sheet input tray
- 3 x 500-sheet input tray with stand



HP Color LaserJet Enterprise flow M880z+ Multifunction Printer

- As HP Color LaserJet Enterprise flow MFP M880z with 100-sheet multipurpose tray
- 1 x 500-sheet input tray
- 1 x 3500-sheet high capacity input tray with stand



HP Color LaserJet Enterprise flow M880z+ NFC/Wireless Direct MFP Printer

 As HP Color LaserJet Enterprise flow MFP M880z+ with touch-to-print and NFC/Wireless Direct printing

Recommended accessories



HP Color LaserJet Stapler/Stacker

HP Color LaserJet Finishers improve workflow management by upgrading your printer to automatic stapling and sheet stacking. Monitor your printer less frequently with convenient automatic job stapling and sorting in the additional output bin.



A2W83A **HP Color LaserJet Booklet** Maker/Finisher

HP Color Laser let Finishers allow you. to create complex documents with three bins, automatic offset, inline stapling and stacking and booklet making with saddle-stitching and v-folding



J8029A HP Jetdirect 2800w NFC/Wireless **Direct Accessory**

This accessory enables wireless printing with touch-to-print convenience from NFC-capable devices or through a secure peer-to-peer connection from smartphones, tablets, and laptops. 1,2,3



CC383A HP 2-pack 2000-staple Cartridge for booklet maker finisher

HP Staple Cartridge Booklet Maker (2 x 2000 staples) compatibile with HP Color LaserJet CP6015 Printer series and HP Color Laser let CM6030/CM6040 MFP series.



C8091A **HP Staple Cartridge Refill** (5000 staples) for Stapler/Stacker accessories

HP Staple Cartridge Refills give you more for your money and ensure you don't have to worry about frequent cartridge replacement. Fach refill contains 5000 staples.

Ordering information



Accessories A2W80A

A2W83A

CC383A

C8091A

HP Color LaserJet Enterprise flow M880z Multifunction Printer (A2W75A)

HP Color LaserJet Enterprise flow MFP M880z; Black, Cyan, Magenta, and Yellow HP Color LaserJet Drums; Black, Cyan, Magenta, and Yellow HP Color LaserJet Toner Cartridges; CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord; HP Jetdirect Gigabit Ethernet Print Server (embedded); Automatic duplexer (built-in); Encrypted Hard Drive; 100-sheet multipurpose tray; 1 x 500-sheet input tray; 3 x 500-sheet input tray with stand; Fax, Fax cable



HP Color LaserJet Enterprise flow M880z+ Multifunction Printer (A2W76A)

HP Color LaserJet Enterprise flow MFP M880z+; Black, Cyan, Magenta, and Yellow HP Color LaserJet Drums; Black, Cyan, Magenta, and Yellow HP Color LaserJet Toner Cartridges; CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord; HP Jetdirect Gigabit Ethernet Print Server (embedded); Automatic duplexer (built-in); Encrypted Hard Drive; 100-sheet multipurpose tray; 1 x 500-sheet input tray; 1 x 3500-sheet high capacity input tray with stand; Fax, Fax cable



HP Color LaserJet Enterprise flow M880z+ NFC/Wireless Direct MFP Printer (D7P71A)

HP Color LaserJet Enterprise flow MFP M880z+NFC/Wireless Direct; Black, Cyan, Magenta, and Yellow HP Color LaserJet Drums; Black, Cyan, Magenta, and Yellow HP Color LaserJet Toner Cartridges; CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord; HP Jetdirect Gigabit Ethernet Print Server (embedded); Automatic duplexer (built-in); Encrypted Hard Drive; 100-sheet multipurpose tray; 1 x 500-sheet input tray; 1 x 3500-sheet high capacity input tray with stand; Fax, Fax cable; NFC/direct print kit

Accessories, Supplies and Support

HP 2-pack 2000-staple Cartridge for booklet maker

HP Color LaserJet Stapler/Stacker

HP Color LaserJet Booklet Maker/Finisher

HP Staple Cartridge Refill (5000 staples) for

CC487A	HP LaserJet MFP Analog Fax Accessory 500			
CZ999A	HP Color LaserJet Booklet Maker/Finisher with 2/4			
	hole punch			
A2W82A	HP Color LaserJet Stapler/Stacker with 2/4 hole			
	punch			
A7W13A	HP LaserJet Keyboard Overlay			
	Kit-Danish/French-Switzerland/German-			
	Switzerland			
Connecti	vity			
J8029A	HP Jetdirect 2800w NFC/Wireless Direct Accessory			
J8026A	HP Jetdirect 2700w USB Wireless Print Server			
J8021A	HP Jetdirect ew2500 802.11b/g Wireless Print			
	Server			
Supplies				
C1N54A	HP LaserJet C1N54A 110V Maintenance Kit			
	100,000 pages			
C1N58A	HP LaserJet C1N58A 220V Maintenance Kit			
	100,000 pages			

C1P70A	HP LaserJet ADF Roller Replacement Kit Average yield: 100,000 pages			
CF300A	HP 827A Black Original LaserJet Toner Cartridge Average continuous Black Cartridge yield 29,500 standard pages. Declared yield value in accordance with ISO/IEC 19798.			
CF301A	HP 827A Cyan Original LaserJet Toner Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 32,000 standard pages. Declared yield value in accordance with ISO/IEC 19798.			
CF302A	HP 827A Yellow Original Laser Jet Toner Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 32,000 standard pages. Declared yield value in accordance with ISO/IEC 19798.			
CF303A	HP 827A Magenta Original LaserJet Toner Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 32,000 standard pages. Declared yield value in accordance with ISO/IEC 19798.			
CF358A	HP 828A Black LaserJet Image Drum 30,000 pages			
CF359A	HP 828A Cyan LaserJet Image Drum			

CF364A	HP 828A Yellow LaserJet Image Drum
	30,000 pages
CF365A	HP 828A Magenta LaserJet Image Drum
	30,000 pages
D7H14A	HP LaserJet D7H14A Transfer and Roller Kit
	150,000 pages

Service & support

U8D14E - HP 3 year Next Business Day Color LaserJet M880MFP HW Support

U8D17E - HP 3 year 4 hour 9x5 Color LaserJet M880MFP HW

U8D15E - HP 4 year Next Business Day Color LaserJet M880MFP HW Support

U8D16E - HP 5 year Next Business Day Color LaserJet M880MFP HW Support

U8D38PE - HP 1 year Post-Warranty Next Business Day Color LaserJet M880MFP HW Support

U8D40PE - HP 1 year Post-Warranty 4 hour 9x5 Color LaserJet M880MFP Support

U8D39PE - HP 2 year Post-Warranty Next Business Day Color LaserJet M880MFP HW Support

*(J8029A) HP Jetdirect 2800w NFC/Wireless Direct Accessory and (J8026A) HP Jetdirect 2700w USB Wireless Print Server cannot be installed at the same time

For a complete list of supplies, accessories and services, please refer to http://www.hp.com For workflow, device management and other solutions, please visit the Global Solutions catalog: www.hp.com/go/gsc

Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit hp.com/go/learnaboutsupplies

30,000 pages

Technical specifications

Print technology	Laser						
Print speed	A4 black: Up to 46 ppm, A4 coloui	A4 black: Up to 46 ppm, A4 colour: Up to 46 ppm, A4 duplex: Up to 43 ipm					
	A3 black: Up to 22 ppm, A3 coloui						
	First page out black (A4): As fast as 11 sec, First page out colour (A4): As fast as 11 sec						
		xcludes first set of test documents. For more information see	hp.com/go/printerclaims. Exact speed varies depend	ding on the system configuration, software application,			
	driver, and document complexity.						
Processor	800 MHz						
Memory	1.5 GB. Not expandable						
Hard disk	Standard, minimum 320 GB HP Hi	igh-Performance Secure Hard Disk (AES 256 hardware encryp	tion or greater)				
Print	Quality HP ImageREt 4800; HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); Pantone© Calibrated						
	Resolution	Black: Up to 1200 x 1200 dpi, Color: Up to 1200 x 1200 dpi					
	Printer languages	HP PCL 6, HP PCL Se, HP Postscript Level 3 emulation, PDF					
	Typefaces/fonts	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale					
		Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPI Emulation available at hp.com/qo/laserjetfonts					
	Duty cycle (monthly, A4)	Entidation available at http://origidaserjetionits Up to 200,000 pages					
	Recommended monthly page	up to 200,000 pages 5000 to 25,000					
	volume	3000 10 12 13 10 10 10 10 10 10 10 10 10 10 10 10 10					
	Print margins (mm)	Top: 2.1 mm. Left: 2.1 mm. Right: 2.1 mm. Bottom: 2.1 mm					
	Maximum print area	312 x 457.2 mm					
Fax	Modem speed	33.6 kbps					
	Telecom compliance	Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; other Telecom approvals as required by individual countries					
	Fax memory Fax resolution	Incoming fax can be stored to disk Standard: 100 x 100 dpi. Fine: 200 x 200 dpi, 256 levels of grey. Superfine: 300 x 300 dpi, 256 levels of grey					
	Quick dialing	Up to 100 (each can contain 100 numbers)	grey. Superfine. 300 x 300 dpi, 236 levels of grey				
Digital sending	File formats						
Digital Serialing	Tite formats	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR),					
		Scall to easy actiess USB. PDF, PTCS, III, PMTPF, APS, PDFPA, TEXT OUXR, UTILIDAE TEXT OUXR, RTF OUXR, SEATURABLE PDF IOUX, SEATURABLE					
	Features	Standard: Scan to e-mail; Save-to-Network Folder; Scan to SharePoint; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; OCR; Local Address Box					
		SMTP over SSL. Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LA					
		Internet); OCR; Local Address Book; via HP Embedded Capt	ure; Metadata capture and validation; Data transfer;	Scan workflow management			
Scan	Scan Speed (A4)	Up to 70 ppm (black & white), up to 68 ppm (colour); Scan	Speed Duplex (A4): Up to 85 ipm (black & white), up	to 63 ipm (colour)			
	Type	Flatbed, ADF. Colour scanning:Yes					
	Scan resolution	Optical: Up to 600 dpi					
	Bit depth Grey scale levels	24-bit 256					
			297 v 432 mm				
Copy	Scannable area (ADF) Minimum media size: 147 x 68 mm. Maximum media size: 297 x 432 mm						
Сору	Copy resolution	py speed A4 black: Up to 46 cpm, color: Up to 46 cpm py resolution Up to 600 x 600 dpi					
	Multiple copies	Up to 9999 copies					
	Reduce/enlarge	25 to 400%					
Media handling	Input:	Capacity	Weight	Size			
3	Tray 1	sheets: 100; envelopes: 10	60 to 220 g/m ²	A3, A4, A4-R, A5, B5 (JIS), B4 (JIS); RA4, SRA4, RA3,			
				SRA3, A6, B6 (JIS), Dpostcard (JIS); Envelopes: B5, C5,			
				C6, DL			
	Tray 2	sheets: 500	60 to 220 g/m²	A3, A4, A4-R, A5, B5 (JIS), B4 (JIS), RA4, SRA4			
	Tray 3	A2W75A: sheets: 3 x 500; A2W76A: Tray 3: sheets:	A2W75A: Tray 3, 4, 5: 60 to 220 g/m²;	A2W75A: A3, A4, A4-R, A5, B5 (JIS), B4 (JIS), RA4,			
		1500; Tray 4: sheets: 2000; D7P71A: Tray 3: sheets:	A2W76A: Tray 3, 4: 60 to 120 g/m²; D7P71A:	SRA4, 8K (270 x 390), 8K (260 x 368), 8K (273 x			
		1500; Tray 4: sheets: 2000;	Tray 3, 4: 60 to 120 g/m²;	394), 16K (195 x 270), 16K (184 x 260), 16K (197 x			
				273), RA3, SRA3; A2W76A: A4-L, LTR-L; D7P71A: A4-L, LTR-L;			
	ADF	sheets: 200 (75 g/m²)	45 to 199 g/m ²	A3; A4; A5; B4; B5 (JIS); B6 (JIS)			
	Maximum input capacity	A2W75A: Up to 2100 sheets (75 g/m² media); A2W76A:					
	Output:						
	Maximum output capacity:						
	Duplex printing: Automatic (stand						
Interface and connectivity	Standard: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T Network; 1 Foreign Interface; 1 Hardware Integration Pocket (HIP); 2 Internal USB Host; 1 Fax						
		ew2500 802.11b/g Wireless Print Server J8021A; HP Jetdirect					
	Jetdirect ew2500 802.11b/g Wireless Print Server J8021A; HP Jetdirect 2700w USB Wireless Print Server J8026A; HP Jetdirect 2800w NFC & Wireless Direct J8029A; D7P71A: HP Jetdirect ew2500						
	802.11b/g Wireless Print Server J8021A; HP Jetdirect 2700w USB Wireless Print Server J8026A;						
Operating systems compatibility	Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit),						
	Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac 05 X v10.6.8, v10.7.5 Lion, v10.8 Mountain Lion. For the latest operating system support see: Air Print						
	(support.apple.com/kb/ht4356); Android (android.com/); Citrix® and Windows Terminal Services (hp.com/go/upd); HP ePrint Software Driver (hp.com/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/iprint); SAP device types (hp.com/go/sap/drivers); SAP Print (hp.com/go/sap/print); UNIX® (hp.com/go/unix); UNIX® JetDirect (hp.com/go/jetdirectunix_software). Latest printer driver information						
	available at hp.com/support; go to hp.com/support Select your country/region; Select DRIVERS & SOFTWARE. Enter the product name/number. Under DOWNLOAD OPTIONS, select DRIVERS, SOFTWARE & FIRMWARE. If no access to Internet, see the install notes on the CD that came in the printer box.						
Supported Network Protocols		ible (Mac OS v10.2.4 and later), SNMPv1/v2c/v3, HTTP, HTTPS		IPsec/Firewall; IPv6: DHCPv6. MLDv1. ICMPv6: IPv4:			
		, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: IPX/SPX		, system or segret at			
Minimum system requirements	Windows 8, Windows 7 (SP1 or higher), Windows Vista, Windows XP (SP2 or higher), Windows Server 2012 (64-bit), Windows Server 2008; Windows Server 2003 (SP1 or higher), Windows Server 2008 R2						
4-	(64-bit); 200 MB available hard disk space; CD-ROM or DVD drive, or Internet connection; Dedicated Universal Serial Bus (USB 1.1 or 2.0), or network connection (Operating system compatible hardware						
	system requirements see microsoft.com). Mac OS X v10.6.8, OS X 10.7.5 Lion, OS X 10.8 Mountain Lion; 1 GB of available hard disk space; CD-ROM or DVD drive, or Internet connection; Dedicated Universal						
	Serial Bus (USB 1.1 or 2.0), or network connection (Operating system compatible hardware system requirements see apple.com)						
Standard software	HP PCL 6 Discrete Printer Driver; N	Mac Software Link to Web (Mac Installer); Windows Installer					
Control panel	20.3 cm colour LCD with capacitiv	e touchscreen; rotating (adjustable angle) display; illuminated	capacitive Home button (for quick return to the Hor	ne menu); Easy Access USB; Hardware Integration Pocket			
Power	Requirements: Input Voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 5.5 A. Consumption: 1100 watts (printing), 1100 watts (copying), 80 watts (ready), 8.0 watts (sleep), 1.2 watt (auto-off), 0.4 watts (ready), 8.0 wat						
	(off). Typical Electricity Consumption (TEC): 6.319 kWh/Week. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer						
	and void the product warranty.						
Dimensions (w x d x h)	Out of package: 704 x 635 x 1199 mm; Packaged: 856 x 790 x 1567 mm						
Weight	Out of package: A2W75A: 150.6 kg; A2W76A: 152.9 kg; D7P71A: 152.9 kg; ; Packaged: A2W75A: 173.33 kg; A2W76A: 175.33 kg; D7P71A: 175.33 kg;						
Printer management	HP Web Jetadmin; HP Utility (Mac))					
Security management	Identity management: Kerberos a	uthentication, LDAP authentication, 1000 user PIN codes, opt	ional HP and 3rd party advanced authentication solu	utions (e.g., badge readers); Network: IPsec/firewall with			
Security management	Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data:						
	Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port						
		n pocket for security solutions; Security management: Compa		<u> </u>			
Operating environment		C . Recommended operating temperature: 15 to 30°C . Opera	ting humidity: 10 to 80% RH . Operating humidity re	commended: 10 to 80% RH . Storage temperature: 0 to			
	35°C. Storage humidity: 10 to 90% RH						
Acoustics		A); Acoustic Pressure Emissions: 55 dB(A)					
Certifications	CISPR 22:2008 / EN 55022:2010	(Class A), EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 6100	00-3-3 :2008; EN 55024:2010; EMC Directive 2004/	108/EC with CE Marking (Europe); other EMC approvals as			
		Regulatory standards: IEC 60950-1:2005 +A1; EN60950-1: 20					
	(Class 1 Laser/LED Product); GS Certificate (Germany, Europe); IEC 62479:2010; EN 62479:2010; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by						
	(Class 1 Laser/LED Product); GS Co		0; Low Voltage Directive 2006/95/EC with CE Markin	g (Europe); other safety approvals as required by			
			0; Low Voltage Directive 2006/95/EC with CE Markin	g (Europe); other safety approvals as required by			



