

# Built for enhanced collaboration

Dell Pro 75 Plus 4K Touch Monitor

MODEL: P7525QT

The world's # 1 monitor company\*

\*Dell monitors are #1 Worldwide for 11 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q4 2024. From 2014 to 2024. CLM-005299



**Bring the team together on a 75-inch 4K touch monitor built for enhanced collaboration featuring up to 90W power via USB-C, palm rejection and 20-point InGlass Touch.**

#### **Effortless connectivity and management**

Unlock seamless productivity with advanced management tools and versatile connectivity options, including single-cable USB-C (90W PD), HDMI, DisplayPort, and daisy-chaining capabilities. Simplify setup and control with Crestron Connected® and Crestron XiOCloud®, ensuring streamlined remote management.

Finish your solution with Dell Conference Room Integration, featuring a compartment for the Dell OptiPlex Micro and power pass-through for video conferencing devices.

#### **Enhanced collaboration and interaction**

Transform meetings with intuitive collaboration technology that brings teams together. Twenty-point InGlass™ Touch enables multiple users to interact simultaneously, while precise stylus functionality with palm rejection delivers a natural writing experience.

Elevate discussions further with built-in 20W speakers, ensuring crystal-clear and immersive audio for every session.

#### **Superior visual experience**

Experience stunning 4K clarity on a 75" screen designed to impress. In-plane Switching (IPS) technology ensures vivid colors and consistent viewing from any angle, making every detail count.

ComfortView Plus, an always-on low blue light feature, paired with anti-glare and anti-smudge properties, enhances eye comfort for effortless extended use.



**Your connectivity hub**


Make your monitor a productivity hub with extensive connectivity options including HDMI, DP and USB-C – all in one clutter-free setup.

Plus, keep your laptop powered during presentations with USB-C charging that delivers up to 90W of power.



**Collaborate smarter**

Easily manage your monitor with Crestron Connected® and Crestron XiO Cloud® for seamless remote management. Boost team collaboration with twenty-point InGlass™ Touch technology for simultaneous engagement, while palm rejection and a dual-tip stylus ensure a natural, precise writing experience.



**Seamless integration with Dell Video Conferencing Room Solutions**

This monitor has been tested and validated to work with complete conference room ecosystems that include audio, video and room control, powered by Dell Pro Micro.

Integrate an optional Dell Pro Micro in the lockable, powered compartment.



**Present in stunning 4K**

Make every presentation brilliant on a 75" screen in 4K.

See consistent colors across the screen with wide viewing angle enabled by In-Plane Switching (IPS) technology, and get better extended viewing experience with ComfortView Plus that reduces low blue light without compromising color.

▶ [Click here to explore more.](#)

**World's number 1 monitor company\***

We deliver world-class monitors that have gone through rigorous development processes and stringent tests to ensure dependable performance. Get peace of mind with unmatched warranty and support options. Being environmentally forward in thinking, our monitors adhere to environment standards and are made with sustainable materials.

\* Dell monitors are #1 Worldwide for 11 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q4 2024. From 2014 to 2024. CLM-005299

# Dell Display and Peripheral Manager



Screen image simulated for illustrative purposes only. Monitor model varies.

## Dell Display and Peripheral Manager

Experience Dell's singular, innovative application to optimize the performance of your entire Dell PC workspace.<sup>1</sup>

## Maximize productivity

Easy Arrange tiles apps across screens with pre-set partitions and customizes up to five windows, enhancing multitasking. Easy Arrange Memory saves and restores app profiles manually, on schedule, or at start-up.

## Customize your views

Work comfortably, day or night. Automate your brightness and contrast settings to match your schedule

[Download Dell Display and Peripheral Manager](#)

<sup>1</sup> Based on Dell internal analysis, February, 2024.



# Environmentally forward thinking

## Material innovation

Your monitor has been thoughtfully crafted with 85% recycled plastic like post-consumer plastic and closed loop plastic, 90% recycled aluminum<sup>1</sup> and at least 20% recycled glass.<sup>2</sup> Using recycled materials helps conserve natural resources and contributes to a lower environmental footprint.

## Environmental Standards

This monitor is certified ENERGY STAR<sup>®</sup> and registered EPEAT Gold with Climate+ meaning it has met key standards for energy efficiency and climate impact.<sup>3</sup>

## Seamlessly modernize your tech

We can help you responsibly and securely retire your legacy IT equipment, regardless of brand, while addressing your sustainability goals.

## Packaging with purpose

This monitor ships in a box made from 100% renewable materials. We are reducing plastic waste wherever possible and transitioning to a responsible fiber-based solution.<sup>4</sup> Plus, we're saving over 600 trees each year by using less paper in packaging.<sup>5</sup>

<sup>1</sup> Based on internal analysis, February 2025. Percentage is based on plastic weight. Post-consumer recycled plastic: 55.4%, Closed loop ITE derived plastic: 30.1%. Recycled aluminum is in the monitor stand.


<sup>2</sup> Applicable to all new monitors launching in CY 2025. Recycled glass is present in monitor panel. Based on internal analysis, January 2025

<sup>3</sup> EPEAT registered where applicable. EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status by country

<sup>4</sup> Applies to all Dell monitors launched since 2023. Made from FSC mix sources which is a mix of material from FSC certified forests, recycled content and/or FSC controlled wood. Based on internal analysis, January 2025. Cushions now made from corrugated materials.

<sup>5</sup> Based on internal analysis, February 2025. Applies to monitors launching in 2025. Reductions based on monitor type and attributed to the quick start guide size and calibration sheet digitization. Calculation for trees saved based on: Detailed Calculator | 10 THOUSAND TREES. <https://www.omnicalculator.com/everyday-life/paper-weight>

# Ports & Slots



- 1 HDMI 1
- 2 HDMI 2
- 3 DisplayPort (In)
- 4 DisplayPort (Out)
- 5 USB Type-C/DisplayPort
- 6 RS232 connector
- 7 Audio line-out

- 8 USB 3.2 Gen1 (5Gbps) upstream ports (3)
- 9 USB 3.2 Gen1 (5Gbps) downstream ports (3)
- 10 USB Type-C 3.2 Gen1 (5Gbps) downstream (15W)
- 11 RJ45 for remote management

FEATURE	TECHNICAL SPECIFICATION
<b>MODEL</b>	Dell Pro 75 Plus 4K Touch Monitor - P7525QT
<b>DIAGONAL VIEWING SIZE</b>	1892.7 mm (74.5 in.)
<b>PANEL TYPE</b>	In-Plane Switching (IPS) Technology
<b>MAXIMUM PRESET RESOLUTION AND REFRESH RATE</b>	3840 x 2160 up to 60 Hz
<b>VIEWING ANGLE</b>	Horizontal: 178° (typical) Vertical: 178° (typical)
<b>PIXEL PITCH</b>	Horizontal: 0.4296 mm Vertical: 0.4296 mm
<b>PIXEL PER INCH (PPI)</b>	59
<b>CONTRAST RATIO</b>	1200:1 (typical)
<b>ASPECT RATIO</b>	16:9
<b>BACKLIGHT TECHNOLOGY</b>	LED Edgelight System
<b>BRIGHTNESS</b>	400 cd/m <sup>2</sup> (typical)
<b>HDR</b>	Not Applicable
<b>RESPONSE TIME</b>	Normal mode: 8.0 ms (gray to gray)
<b>COLOR GAMUT</b>	NTSC 72% (CIE 1931) (typical)
<b>COLOR DEPTH</b>	1.07 billion colors
<b>TÜV EYECOMFORT</b>	Not Applicable
<b>CONNECTIVITY</b>	Video port • 1 x DisplayPort 1.4 port (HDCP 2.2) (Supports up to 4K 3840 x 2160, 60 Hz, DSC) • 1 x DisplayPort 1.4 out port (HDCP 2.2) (Supports up to 4K 3840 x 2160, 60 Hz, MST) • 2 x HDMI 2.0 ports (HDCP 2.2) (Supports up to 4K 3840 x 2160, 60 Hz) • 1 x Analog 2.0 audio line out port (3.5 mm jack) • 1 x RJ45 for remote management • 1 x RS232 port  USB port • 1 x USB-C 5Gbps upstream ports (DisplayPort 1.4 Alt Mode, Power Delivery up to 90 W) • 1 x USB-C 5Gbps downstream port (Power Delivery up to 15 W) • 3 x USB 5Gbps Type-A downstream ports • 3 x USB-B 5Gbps upstream ports
<b>USB POWER DELIVERY</b>	90 W
<b>VARIABLE REFRESH RATE</b>	Not Applicable
<b>ADJUSTABILITY</b>	Not Applicable
<b>DISPLAY SCREEN COATING</b>	Anti-glare with hard-coating 3H
<b>PBP / PIP / KVM</b>	Not Applicable
<b>DAISY CHAIN AVAILABILITY</b>	Yes
<b>SOFTWARE COMPATIBILITY</b>	• Dell Display and Peripheral Manager (DDPM) for Windows operating system • Dell Display and Peripheral Manager (DDPM) for macOS
<b>REMOTE ASSET MANAGEMENT</b>	Yes, using Dell Command   Monitor
<b>COLOR CALIBRATION SDK SW</b>	Not Applicable
<b>COLOR CALIBRATION WITH X-RITE COLORIMETER</b>	Not Applicable
<b>OPERATION TIME SUPPORT</b>	16 hours a day, 7 days a week (16/7)

FEATURE	TECHNICAL SPECIFICATION
<b>VOLTAGE REQUIRED</b>	100 VAC to 240 VAC/50 or 60 Hz ± 3 Hz/9.5 A
<b>ENERGY EFFICIENCY CLASS (A TO G)</b>	F
<b>POWER CONSUMPTION<sup>1</sup></b>	128.0 W (On mode) 0.3 W (Off mode) 0.5 W (Standby mode) 410 W (Max.)
<b>AUDIO OUTPUT</b>	2 Integrated 20 W speakers
<b>DIMENSIONS – HEIGHT</b>	1027.16 mm (40.44 in.)
<b>DIMENSIONS – WIDTH</b>	1745.89 mm (68.74 in.)
<b>DIMENSIONS – DEPTH</b>	87.80 mm (3.46 in.)
<b>WEIGHT WITH PACKAGING</b>	82.43 kg (181.73 lb)
<b>WEIGHT WITHOUT PACKAGING, WITH CABLES AND ACCESSORIES</b>	60.12 kg (132.54 lb)
<b>WEIGHT WITHOUT PACKAGING</b>	59.09 kg (130.27 lb)
<b>FLAT PANEL MOUNT INTERFACE</b>	VESA (400 mm x 400 mm)
<b>BUILT-IN DEVICES</b>	20-point multi-touch screen
<b>SECURITY</b>	Security lock slot (cable lock sold separately)
<b>COMPLIANT STANDARDS</b>	<ul style="list-style-type: none"> <li>ENERGY STAR certified monitor</li> <li>EPEAT Gold</li> <li>RoHS Compliant</li> <li>Product Safety, EMC and Environmental Datasheets</li> <li>Dell Regulatory Compliance Home Page</li> <li>Dell and the Environment</li> <li>BFR/PVC Free monitor (excluding external cables).</li> <li>Arsenic-Free glass and Mercury-Free for the panel only.</li> </ul>
<b>TEMPERATURE RANGE</b>	Operating: 0°C to 40°C (32°F to 104°F) Non-Operating: -20°C to 60°C (-4°F to 140°F)
<b>HUMIDITY RANGE</b>	Operating: 10% to 80% (non-condensing) Non-Operating: 5% to 90% (non-condensing)
<b>ALTITUDE</b>	Operating: 5,000 m (16,400 ft) maximum Non-Operating: 12,191 m (40,000 ft) maximum
<b>WHAT'S INCLUDED</b>	<ul style="list-style-type: none"> <li>Monitor</li> <li>Dell Pro Micro Holder</li> <li>Remote control and batteries (AAA x 2)</li> <li>Stylus (x 2)</li> <li>Stylus nib (x 2)</li> <li>Power cable</li> <li>Power cable for connecting OptiPlex system to display</li> <li>1 x DisplayPort-DisplayPort 1.4 cable - 3.0 m</li> <li>1 x HDMI cable - 3.0 m</li> <li>1 x USB A to B upstream cable - 3.0 m</li> <li>1 x USB Type C to Type C upstream cable - 1.8 m</li> <li>Quick Start Guide</li> <li>Safety, Environmental, and Regulatory Information</li> </ul>

<sup>1</sup> Off Mode, Standby Mode and On Mode as base on the ErP Lot 5 (EU 2019/2021 and EU 2019/2013) declared values which has been aligned with Regulatory.

# Steadfast reliability

As the No. 1 monitor company worldwide\*, we take pride in our unyielding commitment to quality and the utmost in customer satisfaction.

## Advanced Exchange Service

This monitor comes with a 3-year Advanced Exchange Service<sup>1</sup> so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty.<sup>2</sup>

## ProSupport

Upgrade to 24x7 specialized technical phone support with the Dell ProSupport option.<sup>3</sup>



\*Dell monitors are #1 Worldwide for 11 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q4 2024. From 2014 to 2024. CLM-005299

<sup>1</sup> Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See [dell.com/servicecontracts/global](https://www.dell.com/servicecontracts/global).

<sup>2</sup> For copy of Ltd Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see <https://www.dell.com/warranty>.

<sup>3</sup> Availability varies, please visit [www.dell.com/support](https://www.dell.com/support) for details. In some countries, hours for in-region support may vary. Support after local business hours may be provided in a language other than the local language.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2025 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum.