







Exclusively available from selected Brother Authorised Partners

INKvestment Inkjet Multi-Function MFC-J6945DW

Exceptional savings

• Experience super convenient, truly uninterrupted printing and exceptional savings with up to 3,000 pages¹ in black and up to 1,500 pages¹ in colour provided in-box

Most economical printer in its class

- Brother's INKvestment Tank re-engineered inks and an internal ink storage tank help deliver more printed pages
- Simple, clean, high volume and low cost INKvestment Tanks will save you money

Made for business

- With fast printing up to 22ppm², duplex printing and scanningup to A3 and versatile paper handling with A3/A4 printing, the MFC-J6945DW has the productivity features and cost saving benefits that every business needs
- Print wirelessly from your desktop, laptop, smartphone and tablet or use the time-saving NFC "one touch to connect" feature for mobile device printing and scanning - no network setup required!

Designed to go the distance

 Built to perform for longer, the MFC-J6945DW has been designed with you in mind. Made from robust and hard wearing materials and supported by outstanding service as standard, Brother's award winning³ reliability allows you to deliver uncompromised performance at all times

General	
Technology	Inkjet
LCD Display	9.3cm colour touchscreen
Memory	512MB
Local Interface	Hi-Speed USB 2.0
Wired Network Interface	Ethernet 10Base-T/100Base-TX
Wireless Network Interface	802.11b/g/n (Infrastructure Mode)
NFC connectivity	Supports both NFC cards and Android NFC devices for mobile print and scan
Ink Gauge Indication	Ink levels are displayed on the LCD screen
Colour Printer	
a 1	

Speed 22ppm² monochrome & 20ppm² colour based on ISO/IEC 24734 Speed (Fast Mode) Up to 35ppm² monochrome & up to 27ppm² colour Warm-up Time 0 seconds

Resolution	Up to 1,200 x 4,800dpi (horizontal x vertical)
2- Sided (duplex) Print	Yes
Droplet Size	1.5pl for C, M, Y (Colours)
Colour Enhancement	Brother Image Enhancement allows the user to customise colour output
FPOT (First Print Out Time)	6 seconds
Print Languages	PCL6, BR-Script3 (PostScript(R)3(TM) Language Emulation), PDF 1.7, XPS 1.0
Embedded Fonts (PCL)	66 scalable fonts, 12 bitmap fonts
Embedded Fonts (PostScript)	66 scalable fonts
Embedded Barcodes (PCL)	16 barcodes, Code39, Interleaved 2 of 5, FIM (US-PostNet, Post Net (US-PostNet), EAN 8, EAN-13, UPC-A, UPC-E, Codabar, ISBN (EAN, ISBN (UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI

General

MFC-J6945DW

Printer Functions

N-up Printing⁴	Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)
Poster Printing⁵	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages
Watermark Printing ⁵	Watermark your documents with predefined text or with your own user-defined messages
Booklet Printing ⁴	Print documents in A5 booklet format using automatic or manual 2-sided print
Print Profiles ⁴	Store your favourite driver settings as profiles to easily recall them (great for saving time and for less technically adept users)
Print Archive⁵	An electronic carbon copy feature that saves an electronic copy of all printed documents as a PDF file
Black and White Only Mode ¹⁰	If a colour ink runs out, continue your print job in Mono Mode.

Open Interface

Brother Solutions	Allows the use of 3rd party solutions & apps to
Interface (BSI)	increase security & productivity

Printer Driver

Windows®	Windows® 10 (32 & 64 bit editions) Windows® 8 (32 & 64 bit editions) Windows® 7 SP1 (32 & 64 bit editions) Windows Vista® (32 & 64 bit editions) Windows® Server 2012, 2012R2 & 2008R2 Windows® Server 2008 (32 & 64 bit editions)
Macintosh ⁶	OS X v10.11.6/10.12.x/10.13.x
Linux ⁶	CUPS, LPD/LPRng (32 & 64 bit editions)

Mobile / Web Based Printing & Scanning

Mobile / Web Based I IIItali	g a ocanning
Brother iPrint&Scan (Android)	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an Android device
Brother iPrint&Scan (iPad / iPhone / iPod)	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an iPad / iPhone / iPod Touch.
Brother iPrint&Scan (Windows [®] Phone)	Print from and scan to a smart phone running the Windows [®] Phone Operating System
Brother Print&Scan (Windows [®] 8 & RT)	Print from and scan to a Windows [®] 8 or Windows RT Tablet
Google Cloud Print 2.0 ⁶	Print most common file types from any Google Cloud Print enabled application
AirPrint	Print most common file types from any AirPrint enabled application
Mopria	Print most common file types from Mopria supported Android devices
Brother Print Service Plugin	Print directly from Apps on Android 5.0 or later
Evernote ^{™7}	Print from and scan to Evernote [™] without using a PC
Box ⁷	Print from and scan to Box without using a PC
Dropbox ⁷	Print from and scan to Dropbox without using a PC
Google Drive ^{™7}	Print from and scan to Google Drive™ without using a PC
OneDrive ⁷	Print from and scan to Microsoft [®] OneDrive without using a PC
Flickr ^{®7}	Print from and scan to Flickr® without using a PC
Facebook ^{⊗7}	Print from and scan to Facebook® without using a PC
OneNote ⁷	Scan to Microsoft® OneNote without using a PC





USB Host

Direct Print	Print directly from a USB flash memory drive. The supported file types are JPEG and PDF.
Direct Scan	Scan directly to a USB flash memory drive. The supported file formats include: PDF, PDF/A, Secure PDF, Signed PDF, JPEG, XPS, TIFF
External IC Card Reader	Yes (BSI, Shortcut and Secure Function Lock)

Scan

Scan	
Scanner Type	Dual CIS (Contact Image Sensor)
Colour & Monochrome Scanning	Yes
Scan Speed Monochrome	A4 Portrait 18ipm, A4 Landscape 11ipm, A3 8ipm (images per minute)
Single Pass 2-sided (duplex) Scan Speed Monochrome	A4 portrait: 36ipm, A4 landscape: 22ipm, A3: 16ipm
Scan Speed Colour	A4 Portrait 18ipm, A4 Landscape 11ipm, A3 8ipm (images per minute)
Single Pass 2-sided (duplex) Scan Speed Colour	A4 portrait: 36ipm, A4 landscape: 22ipm, A3: 16ipm
Scan Resolution from ADF	600x600dpi (monochrome) 300x600dpi (colour)
Scan Resolution from Scanner Glass	1200x2400dpi (monochrome) /1200x1200dpi (colour)
Interpolated Scan Resolution	Up to 19,200 x 19,200dpi
Colour Depth	16, 777, 216 colour variations (24 bit)
Grey Scale	256 shades of grey (8 bit)
Standard Functions ⁹	Scan to USB, E-mail, OCR, Image & File
Network Scanning	Scan to network folder (Windows® only), FTP, SFTP FTP Over SSL, Email Server ⁵ , SharePoint ⁹ , Easy Scan to Email ⁶ Scan to mobile
Cloud Scanning ⁷	Scan direct to Evernote™, Box, Dropbox, Google Drive™, OneDrive, Flickr, Facebook, Evernote™, OneNote
Scan Features ⁹	Remove Background, Skip Blank Page, ID Scan, 1 to 2 Scan, Auto Deskew from ADF, Split PDF
Scan to Microsoft Office ⁷	Scan to Microsoft [®] Word, Microsoft [®] Excel & Microsoft [®] PowerPoint
Scan to Searchable PDF	Scan documents to searchable PDF files
Scan to SharePoint	Scan documents directly into SharePoint from Brother Control Centre 4 program
Outline & Scan ⁷	Draw around items to either scan a section or remove a section from the original document
Windows [®] Web Services Scanning	Scan direct into Windows® (from Windows® 7 & onwards) without needing to install a scanner driver
Left Document Notification	On screen and sound notification when a Document has been left on the Flatbed Scanner

Scanner Driver

Windows®	TWAIN, & WIA Windows® 10 (32 & 64 bit editions), Windows® 8 (32 & 64 bit editions), Windows® 7 SP1 (32 & 64 bit editions), Windows Vista® (32 & 64 bit editions)
Macintosh ⁶	TWAIN & ICA OS X v10.11.6/10.12.x/10.13.x
Linux ⁶	SANE(32 & 64 bit editions)

MFC-J6945DW

Сору

Speed – (A4) Monochrome/Colour	Up to 15/11 ipm
Automatic 2-Sided (duplex) Copying	Yes
FCOT (First Copy Out Time)	Less than 6 seconds from ready mode
Resolution	Up to 600 x 600dpi
Multi-Copying / Stack / Sort	Makes up to 999 copies of each page / Stacks or Sorts
Enlargement / Reduction Ratio	Reduce or Increase document sizes from 25% to 400% in 1% increments
N in 1 Copying	Allows the user to compress 2 or 4 pages on to a single A4 sheet
2 in1 ID Copying	Allows the user to copy both sides of an ID card to a single A4 sheet
Grey Scale	256 shades of grey (8 bit)
Outline & Copy ⁷	Draw around items to either copy a section or remove a section from the original document
Enlarge Text Copy ⁷	Makes reading copied documents easier if the size of the text on the original document is small

Address Book⁶

Speed Dials	100 x 2 locations for E-mail addresses
Group Dial	A combination of up to 6 groups can be stored for broadcasting
LDAP	The ability to connect to an external LDAP enabled address book, like Microsoft® Exchange

Address books are only accessible as part of the scan to email server function, available as an optional free download from the Brother Solutions Centre support.brother.com

Fax

Гал	
Fax Modem	33,600bps (Super G3)
Automatic 2-Sided (duplex) Faxing	Yes
Internet Fax (iFax)6	Fax documents anywhere in the world over the Internet without the use of a telephone line
PC Fax Send ^{9&4}	Send faxes directly from your PC
PC Fax Receive985	Receive faxes directly to your PC
Automatic Redial	Automatic redialling if the recipient fax is busy
Telephone Index	An electronic, alphabetical listing of stored speed dials and group numbers
Distinctive Ring Detection	An external service that allows two or more telephone numbers shared on a single fixed line and use different ring tones
Speaker / Ring volume	3 levels and off
Fax / Tel Switch	Automatic recognition of fax and telephone reception
Super Fine	Enables quality transmission of very small print and line drawings
Contrast	Auto / light / dark
Enhanced Remote Activate	Transfer a fax call, answered on an extension phone, to the fax machine
Delayed Timer	Up to 50
Quick-Scan	Reduce scanning times by scanning a fax into memory before sending. Approximately 2.5 seconds per page A4 standard resolution
Memory Transmission	Up to 180 pages (ITU-T Test Chart, Standard Resolution, JBIG)
Out of Paper Reception	up to 180 pages (ITU-T Test Chart, Standard Resolution, JBIG)
Dual Access	Allows the operator to perform 2 different tasks on the machine at the same time





Broadcasting	Send the same fax message to up to 50 separate locations
Batch Transmission	Stores documents for the same location in the machines memory for transmission in a single call
Auto Reduction	When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet
ECM (Error Correction Mode)	The MFC will detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work)
Fax Forwarding	Sends a fax received in memory to another preprogrammed fax number
Remote Access	Allows users to remotely access their machine
Fax Retrieval	Allows remote access to faxes stored in the machine
Remote Set-up ⁴	Allows users to set-up the MFC from their PC
Grey Scale	256 shades (8 bit) of grey are available for faxing
Fax Preview	Preview received faxes on the screen
Fax stamp	Add the date and time to all received faxes

Standard Paper Handling

Paper Input [®]	Standard Tray – 250 sheets Lower Tray – 250 sheets Multi Purpose Tray – 100 sheets Automatic Document Feeder (ADF) – 50 sheets
Paper Output ⁸	Face up - 100 sheets
Auto Paper Low Detection	Standard and lower tray

Media Specification

Media Types & Weights	Standard Tray – Plain, Inkjet, Glossy* & Recycled paper (between 64 - 220g/m2, 260/m2 when using Brother BP-71 Glossy Paper) *Glossy Up to A4 only Lower Tray – Plain & Recycled (between 64 - 120g/m2) Multi Purpose Tray - Plain, Inkjet, Glossy* & Recycled paper (between 64 - 220g/m2, 260/m2 when using Brother BP-71 Glossy Paper) *Glossy up to A3 Automatic Document Feeder (ADF) – plain & recycled paper (between 64 - 90g/m2) 2-sided Print - plain & recycled paper (between 60 - 120g/m2)
Envelope Printing	Yes : Accuracy & reliability will depend on the quality & type of envelopes or labels used
Media Sizes	Standard Tray - A3, LGR, LGL, A4, LTR, EXE, Folio, A5, A6, Photo(10x15cm), Indexcard(13x20cm), Photo-L(9x13cm), Photo- 2L(13x18cm), Com-10, DL Envelope, Monarch, C5, Mexico Legal, India Legal Lower Tray - A4, LTR, A3, LGR, LGL, Folio, Mexico Legal, India Legal Multi Purpose Tray - A3, LGR, LGL, A4, LTR, EXE, Folio, A5, A6, Photo(10x15cm), Indexcard(13x20cm), Photo-L(9x13cm/3.5x5"), Photo-2L(13x18cm), Com-10, DL Envelope, Monarch C5, Mexico Legal, India Legal 2-sided (duplex) Print - PC Print: A4, LTR, EXE, A5 Automatic Document Feeder (ADF) - Width: 105mm to 297mm x Length: 148mm to 431.8mm Scanner Glass - Up to Width: 297mm x Length: 431.8mm





Fleet Management Tools

Unattended Installer⁵	Ability to centrally deploy and customise our drivers and software
MSI Installer ⁵	Modular installers that can be distributed through Active Directory®
Embedded Web Server	Web based print management software embedded onto the device
BRAdmin Professional 3586	LAN/WAN management software
Driver Deployment Wizard ⁵	Easily create print drivers for hassle free deployment over your network

Environment

Power Consumption	Operating - 30W Ready – 6.5W Sleep - 1.5W Off - 0.04W
Sound Pressure Level	50dB(A) (Approx.)
Sound Power Level	6.38B(A)
Ink Save Mode	Yes
Energy Star	Yes

Dimensions & Weight

With Carton (WxDxH)	681 x 568 x 500mm (Weight: 29.1kgs)
Without Carton (WxDxH)	575 x 477 x 379mm (Weight: 24.2kgs)

Duty Cycles

Recommended	Monthly ¹¹	
-------------	-----------------------	--

Up to 2,000 pages, monthly print volume

¹ Approx declared yield value in accordance with ISO/IEC 24711
 ² ISO print speed based on ISO/IEC 24734 (after first set of ISO test pages)
 ³ Brother is the winner of PC Mag Readers Choice Award for 9 years in a row and Business Choice Award for 5 years in row
 ⁴ Windows® & Mac® only

⁴ Windows® & Mac® only
⁶ Windows® only
⁶ Optional free download from the Brother Solutions Centre http://solutions.brother.com
⁷ Must be web connected
⁸ Calculated with 80g/m² paper
⁹ Requires Brother Software
¹⁰ Black &White only mode will expire up to a number of prints and period of time. See Product FAQs at http:// solutions.brother.com for details & instructions
¹¹ The recommended range of monthly printed pages to achieve the best possible performance and printer life. Printers are intended to handle occasional usage beyond the range with little or no effect. Consistently printing above the recommended print volume, however, may adversely affect the print quality or life of the machine. It is always best to choose a printer with an appropriate recommended print volume to allow for any anticipated increase in printing needs



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com



In

youtube.com/user/BrotherAU/videos linkedin.com/company/brother-international-australia/

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Supplies & Accessories:

LC3339BK	Ultra High-yield Black INKvestment Tank (approx. 6,000 pages)1
LC3339C	Ultra High-yield Cyan INKvestment Tank (approx. 5,000 pages)1
LC3339M	Ultra High-yield Magenta INKvestment Tank (approx. 5,000 pages)1
LC3339Y	Ultra High-yield Yellow INKvestment Tank (approx. 5,000 pages) ¹
BP71GLTR	Innobella Letter-size Glossy Inkjet Paper (20 sheets)
BP71GP20	4" x 6" glossy paper (20 sheets)

Network & Security

Wireless Network IEEE 802.11b/g/n (Infrastructure Mode) Wi-Fi DirectTM Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported) Wireless Setup Support Wi-Fi Protected Setup (WPS) Network Protocols TCP/IP (IPv4 and IPv6) IPv4 ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Por19100, IPF, FTP-S Client FTP Server, SNMPv1/v2c/v3, TFTP server, SMTP Client, ICMP, Web Service (Print/Scan), CIFS Client, SNTP Client, POP3 & IMAP4 active only when Scan to Email Server is downloaded IPv6 (off by default) NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Por19100, IPF, FTP/STPS Client, ICMP, Web Services (Print/Scan), SMTP Client, POP3 & IMAP4 active only when Scan to Email Server is downloaded IPv6 (off by default) NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Por1910 Wired Network Security APOP*, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3*, IMAP4'), SNMP v 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TLS), Kerberos "When Internet FAX is downloaded Wireless Network Security WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES), APOP*, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP3*, IMAP4'), SNMP v 802.1x (EAP-MD5, EAP-FAST, PEAP-FAST, PEAP-TLS), Kerberos "When Internet FAX is downloaded
a wireless access point (both automatic and manual methods supported) Wireless Setup Support Wi-Fi Protected Setup (WPS) Network Protocols TCP/IP (IPv4 and IPv6) IPv4 ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP/FTPs Client FTP Server, SMMPv1/v2c/v3, TFTP server, SMTP Client, ICMP, Web Servic (Print/Scan), CIFS Client, SNTP Client, POP3 & IMAP4 active only when Scan to Email Server is downloaded IPv6 (off by default) NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100 IPP, FTP/FTPs Client, FTP, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), SMTP Client, POP3 & IMAP4 active only when Scan to Email Server is downloaded Wired Network Security APOP*, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3*, IMAP4*), SNMP v802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAPTTLS), Kerberos "When Internet FAX is downloaded Wireless Network Security WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES), APOP*, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, FMTP, POP3*, IMAP4*), SNMP v802.1x (EAP, ADP*, SMTP, POP3*, IMAP4*), SNMP v802.1x (EAP, FAST, PEAP, FAST
Network Protocols TCP/IP (IPv4 and IPv6) IPv4 ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP/ETPS Client FTP Server, SMMPv1/v2c/v3, TFTP server, SMTP Client, ICMP, Web Servic (Print/Scan), CIFS Client, ISNTP Client, POPS LDAP, IMAP4, HTTP Server *POP3 & IMAP4 active only when Scan to Email Server is downloaded IPv6 (off by default) NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port910 [IPP, FTP/FTPs Client, FTP , SMMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), SMTP Client, POP3 & IMAP4 active only when Scan to Email Server is downloaded Wired Network Security APOP*, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3*, IMAP4*), SMMP v802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS), Kerberos "When Internet FAX is downloaded Wireless Network Security WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES), APOP*, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP3*, IMAP4*), SNMP v802.1x (EAP-MD5; EAP-FAST, PEAP, EAP-TLS) [PSec, 802.1x (EAP, EAP-FAST, PEAP, EAP-TLS)]
IPv4 ARP, RARP, BOOTP, DHCP, APIPA(Auto IP, WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP, FTP/ FTPS Client FTP Server, SMMPv1/v2c/v3, TFTP server, SMTP Client, ICMP, Web Service (Print/Scan), CIFS Client, SNTP Client, POP3 LDAP, IMAP4, HTTP Server "POP3 & IMAP4 active only when Scan to Email Server is downloaded IPv6 (off by default) NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port910 IPP, FTP/FTPS Client FTP , SNMPv1/v2c/v3 , TFTP server, Web Services (Print/Scan), SMTP Client, POP3*, CIFS Client, SNTP Client, LDAP IMAP4*, ICMPv6, HTTP Server "POP3 & IMAP4*, ICMPv6, HTTP Server "POP3 & IMAP4*, ICMPv6, HTTP Server "POP3 & IMAP4*, ICMPv6, HTTP Server "POP3 & IMAP4*, ICMPv6, HTTP Server "POP3 & IMAP4*, ICMPv6, HTTP Server "POP3 & IMAP4*, ICMPv6, HTTP Server "POP3 & IMAP4*, ICMPv6, HTTP Server "POP3 & IMAP4*, ICMPv6, EAP-FAST, PEAP, EAP-TLS EAPTTLS), Kerberos "Wired Network Security APOP*, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP3*, IMAP4*), SNMP v 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS EAPTTLS), Kerberos "When Internet FAX is downloaded WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (IPPS, HTTPS, SMTP, POP3*, IMAP4*), SNMP v <td< th=""></td<>
IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP, FTP/ FTPs Client FTP Server, SNMPv1/v2c/v3, TFTP server, SMTP Client, ICMP, Web Servic (Print/Scan), CIFS Client, SNTP Client, POP3 LDAP, IMAP4, HTTP Server "POP3 & IMAP4 active only when Scan to Email Server is downloaded IPv6 (off by default) NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port910 IPP, FTP/FTPs Client FTP , SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), SMTP Client, POP3*, CIFS Client, SNTP Client, LDAP IMAP4*, ICMPv6, HTTP Server "POP3 & IMAP4 active only when Scan to Email Server is downloaded Wired Network Security APOP*, SMTP-AUTH, SSL/TLS (IPPS, HTTPS,FTPS, SMTP, POP3*, IMAP4*), SNMP v 802.1x (EAP-MD5, EAP-FAST, PEAP-TLS EAPTTLS), Kerberos "When Internet FAX is downloaded Wireless Network Security WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2- PSK (AES), APOP*, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP3*, IMAP4*), SNMP Kerberos, IPSec, 802.1x (LEAP, EAP-FAST, PEAP EAP-TLS, EAP-TTLS)
Resolver, LPR/LPD, Custom Raw Port/Port910 IPP, FTP/FTPs Client, FTP , SNMPv1/v2c/v3 , TFTP server, Web Services (Print/Scan), SMTP Client, POP3*, CIFS Client, SNTP Client, LDAP IMAP4*, ICMPv6, HTTP Server *POP3 & IMAP4 active only when Scan to Email Server is downloaded Wired Network Security APOP*, SMTP-AUTH, SSL/TLS (IPPS, HTTPS,FTPS, SMTP, POP3*, IMAP4*), SNMP v 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS EAPTTLS), Kerberos 'When Internet FAX is downloaded Wireless Network Security WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES), APOP*, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP3*, IMAP4*), SNMP v Resolver, LABP, EAP-TLS, EAP-TLS, EAP-TLS, EAP-TLS, EAP-TLS, EAP-TLS, EAP-TLS)
HTTPS,FTPS, SMTP, POP3*, IMAP4*), SNMP v 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS EAPTTLS), Kerberos "When Internet FAX is downloaded Wireless Network Security WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES), APOP*, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP3*, IMAP4*), SNMP Kerberos, IPSec, 802.1x (LEAP, EAP-FAST, PEREAP-TLS, EAP-TLS)
PSK (AES), APOP*, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP3*, IMAP4*), SNMP Kerberos, IPSec, 802.1x (LEAP, EAP-FAST, PE EAP-TLS, EAP-TTLS)
Wireless Certification WPA™/WPA2™ - Enterprise, Personal), Wi-Fi Protected Setup (WPS)
E-mail Notifications Automatically have the device send e-mail aler when it requires attention, such as when the toner is low or needs replacing
E-mail Reports Receive usage reports on a regular basis via e-mail
IP Filter Restrict which network users can or cannot access the device over the network (IPv4 only)
Secure Function Lock 3.0 Restrict printing activity to individual or groups users over a network. Can be used with PC Us Login Name for up to 100 users
Active Directory Authentication Yes (User Authentication)
LDAP Authentication Yes (User Authentication)
Secure Print ⁴ Yes