



APC NetShelter SX Server Rack Gen 2, 45U, 2124H x 750W x 1070D mm, with Sides, Black

AR3155B2

Overview

Lead time

Main

Product or component type	Rack enclosure	
Number of rack unit	45U	
Provided equipment	Baying hardware Key(s) Keyed-alike doors and side panels Leveling feet Mounting hardware Pre-installed casters Side panels	

Physical

Height	212.4 cm	
Width	75 cm	
Depth	107 cm	
Net weight	147.32 kg 196.28 kg	
Colour	Black	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	
Maximum mounting depth	91.49 cm	
minimum mounting depth	28.6 cm	
Rack width	19"	
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 18 gauge rear door 18 gauge roof 18 gauge side panels	
Permanent permissible load	1020.6 kg dynamic 1814.4 kg static	

Conformance

Standards UL 2416 EIA-310E

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	226.2 cm
Package 1 Width	85.3 cm
Package 1 Length	115.8 cm
Package 1 Weight	172.3 kg

Logistical informations

Country of origin CN

Contractual warranty

Warranty 5 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint			
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1404		
Environmental Disclosure	Product Environmental Profile		

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Product datasheet

AR3155B2

Technical Illustration

Dimensions



Image of product / Alternate images

Alternative



